

FISH & RICHARDSON P.C.

4350 La Jolla Village Drive
Suite 500
San Diego, California
92122

Telephone
858 678-5070

Facsimile
858 678-5099

Web Site
www.fr.com

November 13, 2000

Attorney Docket No.: 07419-030001

Box Patent Application
Commissioner for Patents
Washington, DC 20231

Presented for filing is a new continuation-in-part patent application of:

Applicant: EISENBERG ET AL.

Title: DETERMINING THE FUNCTIONS AND INTERACTIONS OF
PROTEINS BY COMPARATIVE ANALYSIS

Enclosed are the following papers, including those required to receive a filing date
under 37 CFR §1.53(b):

	<u>Pages</u>
Specification	192
Claims	7
Abstract	1
Declaration	[To be Filed at a Later Date]
Drawing(s)	5

Enclosures:
— Postcard.

This application is a continuation-in-part (and claims the benefit of priority under
35 USC §120) of U.S. application serial no. PCT/US00/02246, filed January 28,
2000, and this application claims the benefit of priority under 35 U.S.C. § 119(e) of
U.S. Provisional Application Nos. 60/165,124 and 60/165,086, both filed November
12, 1999, and U.S. Provisional Application No. 60/179,531, filed February 1, 2000.

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EL584780681US

I hereby certify under 37 CFR §1.10 that this correspondence is being
deposited with the United States Postal Service as Express Mail Post
Office to Addressee with sufficient postage on the date indicated below
and is addressed to the Commissioner for Patents, Washington,
D.C. 20231.

Date of Deposit November 13, 2000

Signature

Derek Norwood
Typed or Printed Name of Person Signing Certificate

11/13/00

Frederick P. Fish
1855-1930

W.K. Richardson
1859-1951

FR

BOSTON

DALLAS

DELAWARE

NEW YORK

SAN DIEGO

SILICON VALLEY

TWIN CITIES

WASHINGTON, DC

JC688 U.S. PTO
09/712363

11/13/00

FISH & RICHARDSON P.C.

Commissioner for Patents
November 13, 2000
Page 2

International Application Serial No. PCT/US00/02246 claims the benefit of priority under 35 U.S.C. § 119(e) of U.S. Provisional Application Serial No. 60/117,844, filed January 29, 1999, U.S. Provisional Application Serial No. 60/118,206, filed February 1, 1999, U.S. Provisional Application Serial No. 60/126,593, filed March 26, 1999, U.S. Provisional Applications Serial No. 60/134,093, filed May 14, 1999, and U.S. Provisional Application Serial No. 60/134,092, filed May 14, 1999. The disclosure of each of the aforementioned applications is considered part of (and is incorporated by reference in) the disclosure of this application.

This applicant is entitled to Small Entity Status.

Basic filing fee	\$355
Total claims in excess of 20 times \$9	\$207
Independent claims in excess of 3 times \$40	\$80
Fee for multiple dependent claims	\$135
Total filing fee:	\$777

A check for the filing fee is enclosed. Please apply any other required fees or any credits to deposit account 06-1050, referencing the attorney docket number shown above.


If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (858) 678-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

GREGORY P. EINHORN
Fish & Richardson P.C.
4350 La Jolla Village Drive, Suite 500
San Diego, CA 92122

Respectfully submitted,


Gregory P. Einhorn
Reg. No. 38,440
Enclosures
GPE/mc
10070701.doc

APPLICATION FOR UNITED STATES PATENT

DETERMINING THE FUNCTIONS AND INTERACTIONS OF PROTEINS BY COMPARATIVE ANALYSIS

Inventors: David Eisenberg
Sergio H. Rotstein
Edward M. Marcotte

Assignee: The Regents of the University of California

Fish & Richardson P.C.
4350 La Jolla Village Drive, Suite 500
San Diego, CA 92122
Tel.: (858) 678-5070
Fax: (858) 678-5099

ATTORNEY DOCKET:

07419-030001

DATE OF DEPOSIT: November 13, 2000

EXPRESS MAIL NO.: EL ~~EM~~ 584780681 **US**

DETERMINING THE FUNCTIONS AND INTERACTIONS OF PROTEINS BY COMPARATIVE ANALYSIS

Related Applications

The present application is a continuation-in-part application ("CIP") of Patent
5 Convention Treaty (PCT) International Application Serial No: PCT/US00/02246, filed in the
U.S. receiving office on January 28, 2000, and this application claims the benefit of priority
under 35 U.S.C. § 119(e) of U.S. Provisional Application Nos. 60/165,124, and 60/165,086,
both filed November 12, 1999, and U.S. Provisional Application No. 60/179,531, filed February
1, 2000. International Application Serial No: PCT/US00/02246 claims the benefit of priority
10 under 35 U.S.C. § 119(e) of U.S. Provisional Application Serial No. 60/117,844, filed January
29, 1999, U.S. Provisional Application Serial No. 60/118,206, filed February 1, 1999, U.S.
Provisional Application Serial No. 60/126,593, filed March 26, 1999, U.S. Provisional
Applications Serial No. 60/134,093, filed May 14, 1999, and U.S. Provisional Application
Serial No. 60/134,092, filed May 14, 1999. Each of the aforementioned applications is
15 explicitly incorporated herein by reference in their entirety and for all purposes.

TECHNICAL FIELD

This invention generally relates to genetics and microbiology. The invention
provides novel methods to identify the function of and relationships between nucleic acid and
protein sequences. The method is particularly useful for finding the identifying genes and
20 polypeptides having potential therapeutic relevance in organisms, e.g., microorganisms, such
as *Mycobacterium tuberculosis*. The invention also provides *Mycobacterium tuberculosis*
genes and polypeptides found by these methods. These genes and polypeptides are useful as
potential drug targets.

BACKGROUND

25 The determination of the functions of and relationships between nucleic acid
and protein sequences has traditionally relied on either the study of homology and sequence
identity with genes and proteins of known function or, in the absence of informative
homology, laborious experimental work. The availability of many complete genome
sequences has made it possible to develop new strategies for computational determination of
30 protein functions. Several methods have been developed which can predict the general

function of proteins by analyzing their functional relationships rather than sequence similarity. Generally, two proteins can be considered functionally related when they form part of the same biochemical pathway or biological process. For example, although malate dehydrogenase is not homologous to pyruvate carboxylase, and the two enzymes do not
5 catalyze the same reaction, they are functionally related because they both catalyze steps of a common biochemical pathway, namely the tricarboxylic acid cycle.

New methods that can establish such functional relationships could provide valuable information on the functions of uncharacterized nucleic acid and protein sequences.

The disease tuberculosis, caused *Mycobacterium tuberculosis* (MTB) is one
10 of the world's leading killers. The World Health Organization estimates that 30 million deaths from pulmonary tuberculosis will occur during this decade. Alarming reports on the emergence of drug-resistant strains of this bacterium underscore the importance of the search for new therapeutic agents. Identifying the function of every protein produced by MTB will provide researchers with promising new targets for anti-tuberculosis drug design.

15 SUMMARY

The invention provides novel methods for characterizing the function of nucleic acids and polypeptides. The invention provides a novel method for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug. The invention provides a novel method for identifying a nucleic acid or a polypeptide sequence that may be essential
20 for the growth or viability of an organism. The characterization is based on use of methods of the invention comprising algorithms that can identify functional relationships between diverse sets of non-homologous nucleic acid and polypeptide sequences. Characterization of nucleic acid and protein sequences can be the basis for the development of compositions that can interact with those nucleic acids and polypeptides. For example, such characterization can
25 provide a basis for screening methods. Such characterization may allow use of these sequences as targets for drug discovery. Discovery of such compositions can provide the basis for the design of novel drugs, particularly if the characterized sequences are derived from a pathogen.

The invention provides a method for identifying a nucleic acid or a
30 polypeptide sequence that may be a target for a drug comprising the following steps: (a)

providing a first nucleic acid or a polypeptide sequence that is known to be a drug target; (b) providing at least one algorithm selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method, wherein the algorithm is capable analyzing a functional relationship between nucleic acid or polypeptide sequences; and, (c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one of the algorithms as set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be a target for a drug.

The invention provides a method for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism comprising the following steps: (a) providing a first nucleic acid or a polypeptide sequence that is known to be essential for the growth or viability of an organism; (b) providing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method; and, (c) comparing the first nucleic acid or the polypeptide sequence to a plurality of sequences using at least one of the algorithms as set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism.

In one aspect of the methods of the invention, the drug is an anti-microbial drug. In another aspect, the first nucleic acid or a polypeptide sequence is derived from a pathogen. The pathogen can be a microorganism, such as *Mycobacterium tuberculosis* (MTB).

The plurality of sequences used to identify a second sequence can comprise a database of the gene sequences of an entire genome of an organism. The plurality of sequences used to identify a second sequence can comprise a database of the gene sequences derived from a pathogen.

In one aspect of the methods of the invention, the “phylogenetic profile” method algorithm comprises (a) obtaining data, comprising a list of proteins from at least two genomes; (b) comparing the list of proteins to form a protein phylogenetic profile for each protein, wherein the protein phylogenetic profile indicates the presence or absence of a

protein belonging to a particular protein family in each of the at least two genomes based on homology of the proteins; and (c) grouping the list of proteins based on similar profiles, wherein proteins with similar profiles are indicated to have a functional relationship. The phylogenetic profile can be in the form of a vector, matrix or phylogenetic tree. The

5 “phylogenetic profile” method can further comprise determining the significance of homology between the proteins by computing a probability (p) value threshold. The probability can be set with respect to the value $1/NM$, based on the total number of sequence comparisons that are to be performed, wherein N is the number of proteins in the first organism’s genome and M in all other genomes. The presence or absence of a protein

10 belonging to a particular protein family in each of the at least two genomes can be determined by calculating an evolutionary distance. The evolutionary distance can be calculated by: (a) aligning two sequences from the list of proteins; (b) determining an evolution probability process by constructing a conditional probability matrix: $p(aa \rightarrow aa')$, where aa and aa' are any amino acids, said conditional probability matrix being constructed

15 by converting an amino acid substitution matrix from a log odds matrix to said conditional probability matrix; (c) accounting for an observed alignment of the constructed conditional probability matrix by taking the product of the conditional probabilities for each aligned pair during the alignment of the two sequences, represented by $P(p) = \prod_n p(aa_n \rightarrow aa'_n)$; and, (d)

determining an evolutionary distance α from powers equation $p' = p^\alpha(aa \rightarrow aa')$, maximizing

20 for P . The conditional probability matrix can be defined by a Markov process with substitution rates, over a fixed time interval. The conversion from an amino acid substitution matrix to a conditional probability matrix can be represented by:

$$P_B(i \rightarrow j) = p(j) 2^{\frac{\text{BLOSUM62}_{ij}}{2}},$$

where BLOSUM62 is an amino acid substitution matrix, and $P(i \rightarrow j)$ is the

25 probability that amino acid i is replaced by amino acid j through point mutations according to BLOSUM62 scores. In one aspect, the P_j ’s are the abundances of amino acid j and are computed by solving a plurality of linear equations given by the normalization condition that:

$$\sum_i P_B(i \rightarrow j) = 1.$$

In alternative aspects of the methods of the invention, the “physiologic linkage” method algorithm identifies proteins and nucleic acids that participate in a common functional pathway; identifies proteins and nucleic acids that participate in the synthesis of a common structural complex; and, identifies proteins and nucleic acids that participate in a common metabolic pathway.

In one aspect of the invention, the “domain fusion” method algorithm comprises (a) aligning a first primary amino acid sequence of multiple distinct non-homologous polypeptides to second primary amino acid sequence of a plurality of proteins; and, (b) for any alignment found between the first primary amino acid sequences of all of such multiple distinct non-homologous polypeptides and at least one protein of the second primary amino acid sequences, outputting an indication identifying the aligned second primary amino acid sequence as an indication of a functional link between the aligned first and second polypeptide sequences. The aligning can be performed by an algorithm selected from the group consisting of a Smith-Waterman algorithm, Needleman-Wunsch algorithm, a BLAST algorithm, a FASTA algorithm, and a PSI-BLAST algorithm. The multiple distinct non-homologous polypeptides can be obtained by translating a nucleic acid sequence from a genome database. The plurality of proteins can have a known function. At least one of the multiple distinct non-homologous polypeptides can have a known function. At least one of the multiple distinct non-homologous polypeptides can have an unknown function. The alignment can be based on the degree of homology of the multiple distinct non-homologous polypeptides to the plurality of proteins. The “domain fusion” method can comprise determining the significance of the aligned and identified second primary amino acid sequence by computing a probability (p) value threshold. The probability threshold can be set with respect to the value $1/NM$, based on the total number of sequence comparisons that are to be performed, wherein N is the number of proteins in a first organism’s genome and M in all other genomes. The “domain fusion” method can further comprising filtering excessive functional links between one first primary amino acid sequence of multiple distinct non-homologous polypeptides and an excessive number of other distinct non-homologous polypeptides for any alignment found between the first primary amino acid sequences of the

distinct non-homologous polypeptides and at least one of the second primary amino acid sequences of the plurality of proteins.

5 The invention provides a computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug, the computer program product comprising instructions for causing a computer system to be capable of: (a) inputting a first nucleic acid or a polypeptide sequence that is known to be a drug target; (b) accessing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a "domain fusion" method, a "phylogenetic profile" method and a
10 "physiologic linkage" method; and (c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one of the algorithms set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence and generating an output identifying a nucleic acid or a polypeptide sequence that may be a target for a drug .

15 The invention provides a computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism, the computer program product comprising instructions for causing a computer system to be capable of: (a) providing a first nucleic acid or a polypeptide sequence that is known to be essential for the growth or
20 viability of an organism; (b) accessing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a "domain fusion" method, a "phylogenetic profile" method and a "physiologic linkage" method; and, (c) comparing the first nucleic acid or the polypeptide sequence to a plurality of sequences using at least one of the algorithms set forth in step (b) to identify a
25 second sequence that has a functional relationship to the first sequence and generating an output identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism.

The invention provides a computer system, comprising: (a) a processor; and, a computer program product of the invention.

All publications, patents, patent applications, GenBank sequences and ATCC deposits, cited herein are hereby expressly incorporated by reference for all purposes.

The details of one or more embodiments of the invention are set forth in the accompanying drawings and the description below. Other features, objects, and advantages of the invention will be apparent from the description and drawings, and from the claims.

DESCRIPTION OF DRAWINGS

Figure 1 is an example of functional linkages predicted between InhA (Rv 1484) and other TB genes.

Figure 2 is an example of predicted functional linkages between embB (Rv 3795), which is a target of the drug ethambutol, and other TB genes using the phylogenetic profile method.

Figure 3 is an example of predicted functional linkages between five TB genes having homology to penicillin binding proteins and other TB genes.

Figure shows that gcpE (Rv 2868C) is predicted to be functional linked to cell wall metabolism.

Figure 5 shows predicted functional linkages of htrA (Rv 1223C) with other TB genes.

Like reference symbols in the various drawings indicate like elements.

DETAILED DESCRIPTION

The present invention provides novel methods for identifying the relationships between and the function of nucleic acid and polypeptide sequences. The methods of the invention identify novel genes and polypeptides on the basis of their functional linkage to other proteins whose biological function or processes is known or inferred by homology.

The genes and polypeptides identified by the methods of the invention can be used in screening methods for the identification of compositions which, by binding or otherwise interacting with the gene or polypeptide, are capable of modifying the physiology and growth of an organism. The compositions identified by these screening methods are useful as drugs and pharmaceuticals. Thus, genes and polypeptides identified by the methods

of the invention, including the genes and polypeptides identified herein, can be used as potential drug targets.

One aspect of the invention provides methods for identifying the function of genes and polypeptides from *Mycobacterium tuberculosis* (MTB or TB). Based on this new functional determination, these genes and polypeptides can be used to screen for compositions capable of modifying the physiology and growth of *Mycobacterium tuberculosis* (TB). Thus, genes and polypeptides identified by the methods of the invention, including the genes and polypeptides identified herein, can be used as targets in screening protocols and can be useful as potential drug targets.

The function of the TB genes and polypeptides of the present invention were identified using the methods of the invention; i.e., they were identified on the basis of their functional linkage to other proteins whose biological function or processes were known by experiment or inferred by homology. TB genes and polypeptides that are functionally linked to genes known to be involved in pathogenesis or organisms survival are potential drug targets. Genes or polypeptides associated with TB pathogenesis, survival or that are important or unique to TB biochemical pathways are potential drug targets. TB genes and polypeptides that have no homologues identified in humans are potential drug targets. The function of many of the TB genes and polypeptides identified is based on the genes or polypeptides with which they are functionally linked.

TB genes whose function was identified using the methods of the invention are effectively targeted by a drug (i.e., they can act as *bona fide* drug targets) provides proof of principle that the invention's methods for identifying functionally linked genes can identify TB genes and polypeptides that are drug targets. Further confirmation that the genes identified by the methods of the invention include *bona fide* drug targets can be supported by the fact that genes already known to be targets for drugs have been independently identified, or "re-discovered," by the invention's methods.

The novel TB genes described herein are identified as being functionally related or linked to other genes, including other TB genes, such as a known TB drug target (e.g., InhA polypeptide, which is a target of isoniazid). These functional linkages are established using mathematical algorithms. The assignment or inference of a function to TB genes and polypeptides based on their linkage or relatedness to other genes and polypeptides

is described in U.S. provisional application serial no. 60/165,086. Potential TB drug targets are identified by several methods discussed herein and in further detail in U.S. provisional application serial no. 60/134,092. Through the use of these methods, TB genes and polypeptides have been identified as potential drug targets and are illustrated on Tables 1 and 2, and Figures 1 to 5. The nucleotide and amino acid sequences of these potential drug targets are illustrated on Tables 3 and 4, respectively (see below).

The phrase “functional link,” “functionally related” and grammatical variations thereof, when used in reference to genes or polypeptides, means that the genes or polypeptides are predicted to be linked or related. A particular example of functionally related or linked proteins is where two proteins participate in a biochemical or metabolic pathway (*e.g.*, malate dehydrogenase and fumarase, which are both present in the TCA cycle). Thus, although functionally linked or related proteins may not have sequence homology to each other, they are linked by virtue of their participation in the same biochemical pathway. Other examples of linked or related polypeptides are where two polypeptides are part of a protein complex, physically interact, or act upon each another.

The “domain fusion” or “Rosetta Stone” method searches protein sequences across all known genomes and identifies proteins that are separate in one organism but joined as intramolecular domains into one larger protein in another organism. Such proteins that are separate in some organisms but joined in others often carry out related or sequential functions and are therefore functionally linked.

The phylogenetic profile method compares protein sequences across all known genomes and analyzes the pattern of inheritance of each protein across the different organisms. Proteins that have similar patterns of inheritance, either acquired or lost as a part of a group of proteins through evolution, are functionally linked. The gene proximity method identifies genes that remain physically close or “clustered” throughout evolution and are therefore functionally linked.

A particular example of the identification of a potential TB drug target would be to identify a TB gene or polypeptide functionally linked to a known drug target. Anti-TB drugs include isoniazid, rifampicin, ethambutol, streptomycin, pyrazinamide, and thiacetazone. For isoniazid, this drug is believed to act through enoyl-acyl reductase InhA, resulting in mycolic acid biosynthesis inhibition. Thus, TB genes or polypeptides

functionally linked to enoyl-acyl reductase InhA are potential drug targets; see Figure 1, which shows an analysis of InhA, the target for isoniazid, the most widely used anti-tuberculosis drug, and functional linkages to a set of genes mostly known or hypothesized to be involved in cell wall-related processes and lipid and polyketide metabolism. Particular
5 examples of the identification of several TB genes and polypeptides that are functionally related to the target of these anti-TB drugs is shown in Figures 1 to 5.

“Domain Fusion” or “Rosetta Stone” Method

The “domain fusion” or “Rosetta Stone” method compares protein sequences across known nucleic acid databases (e.g., known genomes) to identify genes and proteins
10 that are separate entities in one organism but are joined into one larger multidomain protein in another organism. In such cases, the two separate proteins often carry out related or sequential functions or form part of a larger protein complex. Therefore, the general function of one component (e.g., one or more of the unknown proteins) can be inferred from the known function of the other component. In addition, merely identifying links between
15 proteins using the method described herein provides valuable information (e.g., usefulness as a target for an antibacterial drug), regardless of whether the function of one or more of the proteins used to form the link(s) is known. Because the two components do not have similar amino acid sequence the function of one could not be inferred from the other on the basis of sequence similarity alone.

20 The methods for identifying drug targets (e.g., TB drug targets) described herein (e.g., the “Rosetta Stone Method”) are based on the idea that proteins that participate in a common structural complex, metabolic pathway, biological process or with closely related physiological functions, are functionally linked. In addition, these methods also are capable of identifying proteins that interact physically with one another. Functionally linked
25 proteins in one organism can often be found fused into a single polypeptide chain in a different organism. Similarly, fused proteins in one organism can be found as individual proteins in other organisms. For example, in a first organism one might identify two unlinked proteins “A” and “B” with unknown function. In another organism, one may find a single protein “AB” with a part that resembles “A” and a part that resembles “B”. Protein
30 AB allows one to predict that “A” and “B” are functionally related.

The functional activity of each distinct protein in the “Rosetta Stone” method need not be known prior to performing the method (*i.e.*, the function of A, B, or AB need not be known). Using the “Rosetta Stone” method to compare and analyze several unknown protein sequences can provide information regarding relationships of each protein absent
5 knowledge about the functional activity of the initially analyzed proteins themselves. For example, the information (*i.e.*, the links) can provide information that the proteins are part of a common pathway, function in a related process or physically interact. Such information need not be based on the biological function of the individual proteins.

These methods can provide information regarding links between previously
10 un-linked proteins that function, for example, in a concerted process. A marker, for example, for a particular disease state is identified by the presence or absence of a protein (*e.g.*, Her2/neu in breast cancer detection). Links (*i.e.*, information) identified by the method, which link proteins “B” and “C” to such a marker suggest that proteins “B” and “C” are related by function, physical interaction or part of a common biological pathway with the
15 marker. Such information is useful in designing screening methods and identifying drug targets (*e.g.*, TB drug targets), making diagnostics, and designing therapeutics.

In one approach, the “Rosetta Stone” method is performed by sequence comparison that searches for incomplete “triangle relationships” between, for example, three proteins, *i.e.*, for two proteins A’ and B’ that are different from one another but similar in
20 sequence to another protein AB. Completing the triangle relationship provides useful information regarding the proteins’ biological function(s), functional interaction, pathway relationships or physical relationships with other proteins in the “triangle.”

Either nucleotide sequences or amino acid sequences can be used in the methods for identifying functionally related or linked genes or polypeptides. Where a
25 nucleic sequence is to be used it can be first translated from a nucleic acid sequence to amino acid sequence. Such translation may be performed in all frames if the coding sequence is not known. Programs that can translate a nucleic acid sequence are known in the art. In addition, for simplicity, the description of this method discusses the use of a “pair” of proteins in the determination of a “Rosetta Stone” protein, more than 2 may be used (*e.g.*, 3,
30 4, 5, 10, 100 or more proteins). Accordingly, one can analyze chains of linked proteins, such as “A” linked by a Rosetta Stone protein to “B” linked by a Rosetta Stone protein to “C”, etc.

By this method, groups of functionally related proteins can be found and their function identified.

A method can start with identifying the primary amino acid sequence for a plurality of proteins whose functional relationship is to be determined (*e.g.*, protein A' and protein B'). A number of source databases are available, as described above, that contain either a nucleic acid sequence and/or a deduced amino acid sequence for use with the first step. The plurality of sequences (the "probe sequences") are then used to search a sequence database, *e.g.*, GenBank (NCBI, NLM, NIH), PFAM (a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains; Washington University, St. Louis MO) or ProDom (a database based on recursive PSI-BLAST searches and designed as a tool to help analyze domain arrangements of proteins and protein families, see, *e.g.*, Corpet (1999) *Nucleic Acids Res.* 27:263-267), either simultaneously or individually. Every protein in the sequence database is examined for its ability to act as a "Rosetta Stone" protein (*i.e.*, a single protein containing polypeptide sequences or domains from both protein A' and protein B'). A number of different methods of performing such sequence searches are known in the art. Such sequence alignment methods include, for example, BLAST (see, *e.g.*, Altschul (1990) *J. Mol. Biol.* 215: 403-410), BLITZ (MPsrch) (see, *e.g.*, Brenner (1995) *Trends Genet.* 11:330-331; and *infra*), and FASTA (see, *e.g.*, Pearson (1988) *Proc. Natl. Acad. Sci. USA* 85(8):2444-2448; and *infra*). The probe sequence can be any length (*e.g.*, about 50 amino acid residues to about 1000 amino acid residues).

Probe sequences (*e.g.*, polypeptide sequences or domains) found in a single protein (*e.g.*, an "AB" multidomain protein) are defined as being "linked" by that protein. Where the probe sequences are used individually to search the sequence database, one can mask those segments having homology to the first probe sequence found in the proteins of the sequence database prior to searching with the subsequent probe sequence. In this way, one eliminates any potential overlapping sequences between the two or more probe sequences.

The linked proteins can then be further compared for similarity with one another by amino acid sequence comparison. Where the sequences are identical or have high homology, such a finding can be indicative of the formation of homo-dimers, -trimers, etc.

Typically, “Rosetta Stone”-linked proteins are only kept when the linked proteins show no homology to one another (*e.g.*, hetero-dimers, trimers, etc.).

In another method for identifying functional linkages, a potential fusion protein lacking any functional information that is suspected of having two or more domains (*e.g.*, a potential “Rosetta Stone” protein) may be used to search for related proteins. In this method, the primary amino acid of the fusion protein is determined and used as a probe sequence. This probe sequence is used to search a sequence database (*e.g.*, GenBank, PFAM or ProDom). Every protein in the sequence database is examined for homology to the potential fusion protein (*i.e.*, multiple proteins containing polypeptide sequences or domains from the potential fusion protein). A number of different methods of performing such sequence searches are known in the art, *e.g.*, BLAST, BLITZ (Biocomputing Research Unit, University of Edinburgh, Scotland, the “MPsrch program” performs comparisons of protein sequences against the Swiss-Prot protein sequence database using the Smith and Waterman best local similarity algorithm), and FASTA.

Probe sequences found in more than one protein (*e.g.*, A’ and B’ proteins) are defined as being “linked” so long as at least one protein per domain containing that domain but not the other is also identified. In other words, at least one protein or domain of the plurality of proteins must also be found alone in the sequence database. This verifies that the protein or domain is not an integral part of a first protein but rather a second independent protein having its own functional characteristics.

Statistical methods can be used to judge the significance of possible matches. The statistical significance of an alignment score is described by the probability, P , of obtaining a higher score when the sequences are shuffled. One way to compute a P value threshold is to first consider the total number of sequence comparisons that are to be performed. For example, if there are N proteins in *E. coli* and M in all other genomes this number is $N \times M$. If a comparison of this number of random sequence would result in one pair to yield a P value of $1/NM$ by chance this then is set as the threshold.

This method provides information regarding which proteins are functionally related (*e.g.*, related biological functions common structural complexes, metabolic pathways or biological process) a subset of which physically interact in an organism.

Alignment Algorithms

To align sequences, a number of different procedures can be used that produce a good match between the corresponding residues in the sequences. Typically, the Smith-Waterman (Smith (1981) Adv. Appl. Math. 2:482) or Needleman-Wunsch algorithm (Needleman (1970) J. Mol. Biol. 48:443) algorithm, are used, however, other, faster procedures such as BLAST, FASTA, PSI-BLAST (a version of Blast for finding protein families), or others known in the art (see *infra* discussion), can be used.

Filtering Methods

The Rosetta Stone Method provides at least two pieces of information. First the method provides information regarding which proteins are functionally related. Second the method provides information regarding which proteins are physically related. Each of these two pieces of information has different sources of error and prediction. The first type of error is introduced by protein sequences that occur in many different proteins and paired with many other protein sequences. The second type of error is introduced due to there often being multiple copies of similar proteins, called paralogs, in a single organism. In general, the “Rosetta Stone” method predicts functionally related proteins well, with no filtering of results required. However, it is possible to filter the error associated with either the first or second type of information.

The invention recognizes that a few domains are linked to an excessive number of other domains by a “Rosetta Stone” protein. For example, 95% of the domains are linked to fewer than 25 other domains. However, some domains, *e.g.*, the Src Homology 3 (SH3) domain or ATP-binding cassette (ABC domains), link to more than a hundred other domains. These links were filtered by removing all links generated involving these 5% of domains (*i.e.*, the domains linked to more than 25 other domains). For example, in *E. coli*, without filtering, 3531 links were identified using the domain-based analysis, but after filtering only 749 links were identified. This method improved prediction of functionally related proteins by 28% and physically related proteins by 47%. Accordingly, there are a number of ways to filter the results to improve the significance of the functional links. As described above, as the number of functional links increases there is an increased higher chance of finding a “Rosetta Stone” protein. By reducing the excessively linked proteins one

reduces the chance number of “Rosetta Stone” proteins thereby increasing the significance of a functional link.

Error introduced by multiple paralogs of linked proteins should have little effect on functional prediction, as paralogs usually have very similar function, but will affect the reliability of prediction of protein-protein interactions. This estimate is calculated for each linked protein pair, and can be estimated roughly as:

$$\text{Fractional Error} = 1 - \frac{\sqrt{N}}{N},$$

where N is the number of paralogous protein pairs, (e.g., A linked to B, A' linked to B', A linked to B', and A' linked to B, in the case that A and A' are paralogs, as are B and B', and the linking proteins is AB as above).

The error can also be estimated as $1-T$, where T is the mean percent of potential true positives calculated for all domain pairs in an organism. For each domain pair linked by a Rosetta Stone protein, there are n proteins with the first domain but not the second, and m proteins with the second domain but not the first. The percent of true positives T is therefore estimated as the smaller of n or m divided by n times m . As this error T can be calculated for each set of linked domains, it can describe the confidence in any particular predicted interaction.

In addition, the error in functional links can be caused by small conserved regions or repeated common amino acid sequences being repeatedly identified in a “Rosetta Stone” protein by a plurality of distinct non-homologous polypeptides. To reduce this error the percent of identity between the “Rosetta Stone” and the distinct non-homologous polypeptide can be measured. Alignment percentages of about 50% to about 90%, or, alternatively, about 75%, between the “Rosetta Stone” and the distinct polypeptide are indicative of links that are not subject to the small peptide sequence.

Phylogenetic Pathway Method

The “phylogenetic profile” method compares protein sequences across all known genomes and analyzes the pattern of inheritance of each protein across the different organisms. In its simplest form, each protein is simply characterized by its presence or absence in each organism. For example, if there are 16 known genomes, then each protein may be assigned a 16-bit code or phylogenetic profile. Since proteins that function together

(*e.g.*, in the same metabolic pathway or as part of a larger functional or structural complex) evolve in a correlated fashion, they should have the same or similar patterns of inheritance, and therefore similar phylogenetic profiles. Therefore, the function of one protein may be inferred from the function of another protein, which has a similar profile, if its function is known. As with the Rosetta Stone method, the function of one protein is inferred from the function of another protein which is dissimilar in sequence. Furthermore, the predicted link between the proteins has utility in developing, for example, drug targets, diagnostics and therapeutics.

The phylogenetic profile method can be implemented in a binary code (*i.e.*, describing the presence or absence of a given protein in an organism) or a continuous code that describes how similar the related sequences are in the different genomes. In addition, grouping of similar protein profiles may be made wherein similar profiles are indicative of functionally related proteins. Furthermore, the requirements for similarity can be modified depending upon particular criteria by varying the difference in similar bit requirements. For example, criteria requiring that the degree of similarity in the profile include all 16 bits being identical can be set, but may be modified so that similarity in 15 bits of the 16 bits would indicate relatedness of the protein profiles as well. Statistical methods can be used to determine how similar two patterns must be in order to be related.

The phylogenetic profile method is applicable to any genome including, *e.g.*, viral, bacterial, archaeal or eukaryotic. The method of phylogenetic profile grouping provides the prediction of function for a previously uncharacterized protein(s). The method also allows prediction of new functional roles for characterized proteins based upon functional linkages. It also provides potential informative connections (*i.e.*, links) between uncharacterized proteins.

To represent the subset of organisms that contain a homolog a phylogenetic profile is constructed for each protein. The simplest manner to represent a protein's phylogenetic history is via a binary phylogenetic profile for each protein. This profile is a string with N entries, each one bit, where N corresponds to the number of genomes. The number of genomes can be any number of two or more (*e.g.*, 2, 3, 4, 5, 10, 100, to 1000 or more). The presence of a homolog to a given protein in the n^{th} genome is indicated with an entry of unity at the n^{th} position (*e.g.*, in a binary system an entry of 1). If no homolog is

found the entry is zero. Proteins are clustered according to the similarity of their phylogenetic profiles. Similar profiles show a correlated pattern of inheritance, and by implication, functional linkage. The method predicts that the functions of uncharacterized proteins are likely to be similar to characterized proteins within a cluster.

5 In order to decide whether a genome contains a protein related to another particular protein, the query amino acid sequence is aligned with each of the proteins from the genome(s) in question using known alignment algorithm (see above). To determine the statistical significance of any alignment score, the probability, p , of obtaining a higher score when the sequences are shuffled is described. One way to compute a p value threshold is to
10 first consider the total number of sequence comparisons that are being aligned. If there are N proteins in a first organism's genome and M in all other genomes this number is $N \times M$. If this number were compared to random sequences it would be expected that one pair would yield a p value of $\frac{1}{NM}$. This value can be set as a threshold. Other thresholds may be used and will be recognized by those of skill in the art.

15 A non-binary phylogenetic profile can be used. In this method, the phylogenetic profile is a string of N entries where the n^{th} entry represents the evolutionary distance of the query protein to the homolog in the n^{th} genome. To define an evolutionary distance between two sequences an alignment between two sequences is performed. Such alignments can be carried out by any number of algorithms known in the art (for examples, see those described above). The evolution is represented by a Markov process with
20 substitution rates, over a fixed interval of time, given by a conditional probability matrix:

$$p(aa \rightarrow aa')$$

where aa and aa' are any amino acids. One way to construct such a matrix is to
25 convert the BLOSUM62 amino acid substitutions matrix (or any other amino acid substitution matrix, *e.g.*, PAM100, PAM250) from a log odds matrix to a conditional probability (or transition) matrix:

$$P_B(i \rightarrow j) = p(j)2^{\frac{\text{BLOSUM62}_{ij}}{2}} \quad (1)$$

30 $P(i \rightarrow j)$ is the probability that amino acid i will be replaced by amino acid j through point mutations according to the BLOSUM62 scores. The p_j 's are the abundances of amino

acid j and are computed by solving the 20 linear equations given by the normalization conditions that:

$$\sum_i P_B(i \rightarrow j) = 1 \quad . \quad (2)$$

5 The probability of this process is computed to account for the observed alignment by taking the product of the conditional probabilities for each aligned pair:

$$P(p) = \prod_n p(aa_n \rightarrow aa'_n) \quad . \quad (3)$$

10 A family of evolutionary models is then tested by taking powers of the conditional probability matrix: $p' = p^\alpha(aa \rightarrow aa')$. The power α that maximized P is defined to be the evolutionary distance.

Many other schemes may be imagined to deduce the evolutionary distance between two sequences. For example, one might simply count the number of positions in the sequence where the two proteins have adapted different amino acids.

15 Although the phylogenetic history of an organism can be presented as a vector (as described above), the phylogenetic profiles need not be vectors, but may be represented by matrices. This matrix includes all the pair wise distances between a group of homologous protein, each one from a different organism. Similarly, phylogenetic profiles could be represented as evolutionary trees of homologous proteins. Functional proteins could then be clustered or grouped by matching similar trees, rather than vectors or matrices.

20 In order to predict function, different proteins are grouped or clustered according to the similarity of their phylogenetic profiles. Similar profiles indicate a correlated pattern of inheritance, and by implication, functional linkage.

25 Grouping or clustering may be accomplished in many ways. The simplest is to compute the Euclidean distance between two profiles. Another method is to compute a correlation coefficient to quantify the similarity between two profiles. All profiles within a specified distance of the query profile are considered to be a cluster or group.

30 Typically a genome database will be used as a source of sequence information. Where the genome database contains only the nucleic acid sequence that sequence is translated to an amino acid sequence in frame (if known) or in all frames if unknown. Direct comparison of the nucleic acid sequences of two or more organisms may be feasible but will likely be more difficult due to the degeneracy of the genetic code.

Programs capable of translating a nucleic acid sequence are known in the art or easily programmed by those of skill in the art to recognize a codon sequence for each amino acid.

The phylogenetic profile provides an indication of those proteins in each of the at least two organisms that share some degree of homology. Such a comparison can be done by any number of alignment algorithms known in the art or easily developed by one skilled in the art (see, for example, those listed above, *e.g.*, BLAST, FASTA etc.) In addition, thresholds can be set regarding a required degree of homology. Each protein is then grouped at 224 with related proteins that share a similar phylogenetic profile using grouping algorithms.

“Functionally-, Structurally- or Metabolically- Linked” Method

The “physiologic linkage” method is a computational method that detects (*i.e.*, identifies) proteins, and the genes that encode them, that participate in a common functional pathway (*e.g.*, cell motility or cell division), that participate in the synthesis of the same or a similar structural complex (*e.g.*, a cell wall) or participate in the same or similar metabolic pathway (*e.g.*, glycolysis, lipid synthesis, and the like). Proteins within these common functional pathway groups are examples of “functionally linked” proteins. Having a common functional “goal” they evolve in a correlated fashion. Thus, “homologs” in different organisms can be comparatively identified. While these detection methods are very effective in identifying functional homologues in the same subset of organisms, functional linkages can be made between widely genetically disparate organisms.

In one aspect, metabolic pathways are defined as links between proteins that operate in the same metabolic pathway that can be identified by sequence identity searching, *e.g.*, by performing a BLAST search to find top-scoring polypeptides with high similarity (BLAST alignment E-value $< 10^{-20}$) to polypeptides identified in a known pathway. For example, *M. tuberculosis* proteins were so analyzed against *E. coli* proteins; MTB proteins whose *E. coli* homologs (*i.e.*, having high similarity by BLAST alignment) act adjacently in metabolic pathways as defined in the EcoCyc database (see, *e.g.*, Karp (1998) Nucleic Acids Res. 26:50-53) were identified.

In another example, flagellar proteins are found in bacteria that possess flagella but not in other organisms. Accordingly, if two proteins have homologs in the same subset of fully sequenced organisms, they are likely to be functionally linked. The methods

of the invention use this concept to systematically map links between all the proteins coded by a genome.

Typically, functionally linked proteins have no amino acid sequence similarity with each other and, therefore, cannot be linked by conventional sequence alignment techniques. Accordingly, the methods of the invention identify drug targets that could not be identified using conventional sequence comparison (i.e., sequence homology or sequence identity) techniques.

Prediction of functionally linked proteins by the “phylogenetic method” can also be used in conjunction with the “domain fusion” or “Rosetta Stone” method and also can be filtered by other methods that predict functionally linked proteins, such as the protein phylogenetic profile method or the analysis of correlated mRNA expression patterns. It was found that filtering by these two methods for the Rosetta Stone prediction for *S. cerevisiae*, that proteins predicted to be functionally linked by two or more of these three methods were as likely to be functionally related as proteins that were observed to physically interact by experimental techniques like yeast 2-hybrid methods or co-immunoprecipitation methods.

For example, a combination of these methods of prediction can be used to establish links between proteins of closely related function. The methods of the invention (i.e., the “Rosetta Stone” method and the “phylogenetic profile” method) can be combined with one another or with other protein prediction methods known in the art; see, for example, Eisen (1998) “Cluster analysis and display of genome-wide expression partners,” *Proc. Natl. Acad. Sci. USA*, 95:14863-14868.

The various techniques, methods, and variations thereof described can be implemented in part or in whole using computer-based systems and methods. Additionally, computer-based systems and methods can be used to augment or enhance the functionality described above, increase the speed at which the functions can be performed, and provide additional features and aspects as a part of or in addition to those of the invention described elsewhere in this document. Various computer-based systems, methods, and implementations in accordance with this technology are described herein.

Proteins linked to current drug targets

The invention also provides a novel method for identifying a polypeptide, or the nucleic acid sequence that encodes it, that is a target for a drug. The method analyzes the

functional relationship between at least two sequences, wherein at least one of the sequences is a known target of a drug or encodes a polypeptide drug target. The method comprises identifying proteins, and the genes that encode them, that are functionally linked to the targets of known drugs. The functional linkage is determined by using the “domain fusion” method, the “phylogenetic profile” method or the “physiologic linkage” method, or a combination thereof, as described herein.

Thus, this aspect of the invention provides methods identifying drug targets from among all or a subset of genes in a genome using computationally-determined functional linkages. In one implementation of the method, functional linkages are calculated using the “domain fusion” method, the “phylogenetic profile” method or the “physiologic linkage” method, or a combination thereof, between all “query genome genes.” Next, each set of genes predicted to be functionally linked to either a known drug target or to a sequence homolog or ortholog (defined below) to a known drug target are examined. These proteins (and the nucleic acids that encode them) are functionally linked to known drug targets; thus, they are operating in the same pathways or systems targeted by the known drug. Accordingly, the methods of the invention have identified them as drug targets.

This method is particularly effective for identifying drug targets in pathogens, such as microorganisms, e.g., bacteria, viruses and the like. This method allows for the identification of novel drug targets that cannot be identified by other techniques, such as traditional sequence homology or sequence identity comparison techniques. Several known drug targets in *M. tuberculosis* were used with the methods of the invention to use functional linkages to identify potential new drug targets in the same pathways as the known drug targets.

There are very few drugs that are effective for anti-tuberculosis therapy, since the complex lipid-rich mycobacterial cell wall is impermeable to many antibacterial agents. Additionally, single- and multi-drug resistance is rapidly emerging against these drugs. To address this issue, the methods of the invention were used to identify *Mycobacterium tuberculosis* (MTB or TB) proteins that are functionally linked to the targets of known drugs. Inhibiting these proteins should have the same effect on the organism as the drug, since the same processes or pathways would be disrupted. Targeting multiple components of a given biochemical pathway would also diminish the opportunity for the development of resistance

because various related proteins would have to mutate against inhibitors while preserving the overall functionality of the pathway.

A list of targets of essential anti-TB drugs (World Health Organization, Geneva, Switzerland) was compiled. The anti-TB drugs included isoniazid, rifampicin, ethambutol, streptomycin, pyrazinamide and thiacetazone. Although not enough is known about the molecular basis of action of the latter two, the functional linkages of the known drug targets was examined.

Isoniazid. This is one of the most widely used of all anti-tuberculosis drugs. It is believed that the compound is activated by the catalase-peroxidase KatG. Once activated, it then attaches to a nicotinamide adenine dinucleotide bound to the enoyl-acyl carrier protein reductase InhA, resulting in the inhibition of mycolic acid biosynthesis Rozwarski (1998) Science 279:98-102.

Using the “phylogenetic profile, the inhA gene was “linked,” or functionally associated with, to two polyketide synthases, pks1 and pks6 (Figure 1), both of which contain acyl carrier protein motifs. The polyketide synthase pks6 is in turn known from established metabolic pathways to be linked to fatty acid biosynthesis gene accD3. Further, pks6 is linked to fadD28 and to the operon containing the genes ppsA-E, all recently reported to be crucial for bacterial replication in host lungs (see, e.g., Cox (1999) Nature 402:79-83).

The inhA gene was also linked to an operon encoding two putative oxidoreductases and a gene of entirely unknown function. The inhA gene was further linked to a second operon that includes pepR and gpsI. PepR is a protease whose *Bacillus subtilis* homolog is adjacent to the genes coding for enzymes that synthesize diaminopimelate, a component of the cell wall incorporated by the murE gene product and diaminopicolinate (see, e.g., Chen (1993) J. Biol. Chem. 268:9448-9465). PepR is an ortholog of an essential yeast gene and is likely to be essential for MTB (see below). GpsI is a putative multifunctional enzyme involved in guanosine pentaphosphate synthesis and polyribonucleotide nucleotidyltransfer. The high reliability of the predicted functional link between gpsI and pepR and the absence of eukaryotic homologs suggests that gpsI could be a promising target for drug design.

Rifampicin. This compound, along with the related rifabutin and KRM-1648 are believed to act by directly targeting the RNA polymerase β -subunit (rpoB) given that

96% of resistant isolates were found to have mutations of various types in a limited region of the *rpoB* gene (see, e.g., Yang (1998) J. Antimicrob. Chemother. 42:621-628).

Using the methods of the invention, as expected, functional linkages were found to another RNA polymerase subunit, *rpoC*, as well as to various tRNA synthases and ribosomal proteins. However, no functional links to uncharacterized proteins were found.

Ethambutol. This drug is effective against tuberculosis when used in combination with isoniazid. It is believed that the drug interacts with the EmbB protein, a probable arabinosyl-transferase, inhibiting the biosynthesis of arabinan, a component of cell-envelope lipids. As with rifampicin, the evidence for this interaction is indirect, since mutations in the *embB* gene are responsible for ethambutol resistance (see, e.g., Lety (1997) Antimicrob. Agents Chemother. 41:2629-2633).

The “gene proximity” method correctly clusters *embB* with *embA* (Rv3794). This cluster is linked to a set of mostly uncharacterized genes by the “phylogenetic profile” method; see Figure 2, which shows an analysis of EmbB, the target for the anti-tuberculosis drug Ethambutol, and shows functional linkages to genes mostly of unknown function but with some indications of localization at the bacterial membrane.

Two of the uncharacterized genes, Rv1706c and Rv1800, belong to the abundant PE/PPE family of proteins hypothesized to be a source of antigenic variation with the potential ability to interfere with immune responses by inhibiting antigen processing (see, e.g., Cole (1998) Nature 393, 537-544). A third uncharacterized gene, Rv1967 belongs to the one of the four copies of the *mce* operon. This operon consists of eight genes coding for integral membrane proteins and proteins that have N-terminal signal sequences or hydrophobic segments and are believed to be involved in pathogenicity (see, e.g., Cole (1998) supra). Rv0528 codes for a hypothetical membrane protein and Rv2159c corresponds to the *murF* gene, which participates in the biosynthesis of peptidoglycan precursors.

The majority of the “links,” or functionally associated sequences, involved proteins associated with processes related to the bacterial cell wall (with the possible exception of *atsA* and the putative choline dehydrogenase Rv1279, whose relationship to these processes is not immediately obvious). The proteins of unknown function are therefore also expected to play some role in these processes and are thus of interest as potential drug targets.

Streptomycin. This drug acts by binding to the 16S rRNA and inhibits protein synthesis. Resistance to this compound emerges from mutations in the corresponding gene (*rrs*), as well as in the gene encoding for the ribosomal protein S12 (*rpsL*). Disruptions to *RpsL* effect streptomycin resistance by altering the higher order structure of 16S rRNA (see, e.g., Sreevatsan (1996) *Antimicrob. Agents Chemother.* 40:1024-1026).

Although streptomycin doesn't directly target *RpsL*, the functional links generated for this protein was examined, as any target whose inhibition will ultimately disrupt bacterial protein synthesis is likely to be an effective antigrowth/ anti-microbial target. As with the rifampicin target, the only functional linkages found for this protein were the expected protein synthesis-related proteins, including large ribosomal subunit proteins L2, L5, L11, and L14; small ribosomal subunit proteins S4, S5, S7, S8, and S11; elongation factors *fusA* and *Ef-Tu*; the chaperones *GroEL*, *clpB* and *ftsH*; and the *Clp* protease subunits *clpC* and *clpX*.

Proteins linked to cell-wall related proteins

The invention also provides a novel method for identifying a nucleic acid or a polypeptide sequence in an organism that is linked to a cell-wall related protein. The method analyzes the functional relationship between at least two sequences, wherein at least one of the sequences is a cell-wall related protein, or, the sequence is a nucleic acid sequence that encodes a cell-wall related protein. The method comprises identifying proteins, and the genes that encode them, that are functionally linked to a cell-wall related protein. The functional linkage is determined by using the "domain fusion" method, the "phylogenetic profile" method or the "physiologic linkage" method, or a combination thereof, as described herein.

Approximately eleven *M. tuberculosis* proteins are indicated by sequence homology to be penicillin-binding proteins, thought to synthesize peptidoglycan in the course of cell elongation and cell wall metabolism (see, e.g., Broome-Smith (1985) *Eur. J. Biochem.* 147:437-446). Using the methods of the invention, the functional linkages found for these proteins map out many of the known cell wall synthetic enzymes and reveal more than 10 proteins of unknown function that may also participate in cell wall metabolism. Figure 3 shows an analysis of five of the approximately eleven MTB proteins presumed to bind penicillin to reveal functional linkages to various potential operons consisting of genes

involved in various aspects of cell wall metabolism, including cell shape determination and peptidoglycan biosynthesis, as well more than ten genes of unknown function, which we can now associate with cell wall metabolism.

Three of the proteins (pbpA, pbpB, and ponA1) reside in conserved gene clusters, presumably operons. Other genes in the clusters around pbpA and pbpB are also implicated in cell wall metabolism. For example, pbpA resides next to rodA, a membrane-associated protein whose *E. coli* homolog determines cell shape and is required for enzymatic activity of penicillin binding proteins (see, e.g., Matsuzawa (1989) J. Bacteriol. 171:558-560). Likewise, pbpB resides next to six peptidoglycan biosynthesis genes and the two septum and cell wall formation proteins ftsW and ftsZ.

Two additional gene clusters were linked to these penicillin binding proteins by either the “phylogenetic profile” or “Rosetta Stone” pattern methods of the invention. One cluster is composed of the peptidoglycan synthetic protein murB and a putative membrane protein of unknown function that the functional linkages suggest is involved in cell wall metabolism. The second gene cluster contains four genes, three of which are predicted to reside in the cell membrane or envelope. Therefore, the uncharacterized genes in these clusters are likely to be involved in cell wall metabolism, closely related to the function of the penicillin binding proteins and are therefore promising drug targets.

Another gene linked to cell wall metabolism by the computationally-derived linkage methods of the invention is gcpE, see Figure 4, which shows that the uncharacterized gene gcpE, known to be essential for bacterial survival (see, e.g., Baker (1992) FEMS Microbiol. Lett. 73:175-180), is predicted to be involved in cell wall metabolism through its functional links to a putative membrane protein and two murein hydrolase genes, lytB1 and lytB2, involved in cell separation. The genes forming a putative operon with gcpE are proposed as potential drug targets. The functional linkages place gcpE in a conserved gene cluster with two genes of unknown function, one of which encodes a membrane protein. However, the three genes show correlated inheritance with two homologs of lytB, an *E. coli* gene involved in penicillin tolerance (see, e.g., Gustafson (1993) J. Bacteriol. 175:1203-1205) and recently shown to encode a murein hydrolase essential for cell separation (see, e.g., Garcia (1999) Mol. Microbiol. 31:1275-1277). The uncharacterized proteins from this

cluster are therefore expected to participate in processes similar to GcpE and might therefore be promising drug targets.

Proteins linked to potentially novel pathways

The invention also provides a novel method for identifying a polypeptide, or a nucleic acid that encodes it, that is linked to potentially novel biochemical (e.g., biosynthetic, metabolic) pathways. The method analyzes the functional relationship between at least two sequences, wherein at least one of the sequences is associated with a biochemical pathway, such as a pathway in a microorganism that enables the pathogen to evade an immune process. The method comprises identifying proteins, and the genes that encode them, that are functionally linked to the pathway-linked sequences. The functional linkage is determined by using the “domain fusion” method, the “phylogenetic profile” method or the “physiologic linkage” method, or a combination thereof, as described herein.

For example, the *htrA* gene encodes for a putative heat shock protein homologous to HtrA from *Salmonella typhimurium*, a serine protease that degrades aberrant periplasmic proteins. Mutations in this protein have been linked with reduced viability in host macrophages (see, e.g., Johnson (1991) Mol. Microbiol. 5:401-407). Thus, it was decided to investigate the function of *htrA*. Using the methods of the invention, results indicated that the *htrA* protein is part of a process that has not yet been characterized. The gene is predicted with very high reliability to function with the uncharacterized gene Rv1224c, see Figure 5, which shows the involvement of *htrA* in a potentially novel pathway and the gene encoding the putative heat shock protein HtrA is functionally linked to a set of genes mostly of unknown function, suggesting the existence of a novel pathway. The partially characterized proteins suggest that the pathway relates to membrane-associated processes such as signaling and/or transport. The lack of eukaryotic homologs for most of the genes linked to *htrA*, suggests that proteins of this pathway could be promising drug targets.

Through its phylogenetic profile, *htrA* is linked to a group of uncharacterized proteins, including a putative lipid esterase (Rv1900c), an ABC transporter (Rv3783) and the uncharacterized protein Rv1216c, which has weak homology to the laminin B receptor of *Xenopus laevis*, suggesting that it might be a membrane protein. From this analysis, it can be concluded that *htrA* is part of a novel pathway that involves membrane-associated processes,

such as signaling and/or transport. Because the majority of the proteins linked to htrA have no eukaryotic homologs, and given the importance of htrA in *S. typhimurium* pathogenesis, this pathway represents another potential source of novel targets for anti-tuberculosis drugs.

Proteins linked to essential proteins

5 The invention also provides a novel method for identifying a polypeptide, or the nucleic acid sequence that encodes it, that is linked to an essential protein (e.g., a protein necessary for the growth of an organism, such as a bacterium). The method analyzes the functional relationship between at least two sequences, wherein at least one of the sequences is linked to an essential protein, or, the sequence is a nucleic acid sequence that itself is
10 essential or encodes a polypeptide linked to an essential protein. The functional linkage is determined by using the “domain fusion” method, the “phylogenetic profile” method or the “physiologic linkage” method, or a combination thereof, as described herein.

 For example, the MIPS database (Munich Information Center for Protein Sequences; MIPS provides access through its WWW server to a spectrum of generic
15 databases, including PEDANT, MYGD, MATD, MEST, the PIR-International Protein Sequence Database, the protein family database PROTFAM, the MITOP database, and the all-against-all FASTA database; see, e.g., Mewes (1999) *Nucleic Acids Res.* 27:44-48) contains a list of 734 genes that are essential for *Saccharomyces cerevisiae* viability (see, e.g., Mewes (1999) *supra*). A list of *Mycobacterium tuberculosis* genes orthologous to these
20 essential genes was generated. Using the methods of the invention, 60 such genes were found. The products of these genes have a high likelihood of also being essential to the tuberculosis bacterium and therefore could be promising therapeutic targets. Furthermore, since the list of essential genes came from a eukaryote, there is a significant chance that these genes would also be found in the human genome.

Automatic Method to Identify Drug Targets from Functional Linkages

25 One aspect of the invention provides a computational method to identify potential drug targets among the proteins expressed by a genome. This aspect takes advantage of the functional linkages calculated between genes in a genome using the methods described herein, as well as the detection of sequence homology and the knowledge
30 of a set of lethal or “essential” genes in one or more organisms.

To identify drug targets in a query genome, the sequence homology between all of the genes in that genome and all of the genes in the genome of an organism for which essential genes are known is calculated. For example, as discussed herein, the query genome is *Mycobacterium tuberculosis* (TB) and the genome with known essentials is the yeast *S. cerevisiae*. Sequence homology between all TB genes and all yeast genes was calculated using the methods of the invention.

“Equivalent” or “orthologous” genes were also identified by another aspect of the invention that comprises doing a reverse sequence search (e.g., yeast vs. TB) and then choosing pairs of genes that are the symmetric best-scoring sequence search. In one exemplary aspect, MTB orthologs of *Saccharomyces cerevisiae* genes were generated by finding all pairs of genes (TB_i, SC_j) where TB_i was the top hit from a BLAST search of the yeast gene SC_j against the MTB genome, SC_j was the top hit from a BLAST search of the MTB gene TB_i against the *Saccharomyces cerevisiae* genome and both top hits had a BLAST E-value $\leq 1 \times 10^{-5}$.

For example, a TB gene is an ortholog of a yeast gene if the yeast gene is the best scoring sequence match when yeast is searched with the TB gene, and the TB gene is the best scoring sequence match when TB is searched with the yeast gene. We define these “symmetric” pairs as “orthologs.”

After identifying orthologs between the query genome and the genome with known essential genes, a set of query genome genes that are orthologs of known essential genes in the other genome was chosen. These genes were designated the set of “putative essentials”. For the purposes of the algorithm of the invention, these query genome genes are assumed to be essential genes, since they are the equivalents of essential genes in another genome. These genes act as “markers” or indicators of essential pathways in the query genome. One could supplement this set with genes already known to be essential in the query organism. Functional linkages (determined by the methods of the invention) between all query genome genes were examined. The query genome genes linked to all of the putative essential genes were examined. This set of genes was designated as the “predicted members of essential pathways.” These genes are likely to be involved in important pathways, since the (predicted) pathways have members that are putative essentials. Lastly, the method removes from the set of genes in predicted essential pathways all of those genes

that have sequence homology to eukaryotic genes or proteins. The genes that remain after this filtering step are the predicted drug targets for the query organism.

As a benchmark, this method was applied to the *M. tuberculosis* genome. Of the over 3900 genes in TB, 11 were identified as potential drug targets. Comparing this list of 11 predicted targets to the less than 10 known drug anti-TB drug targets, one gene was a known drug target and one was linked to a known drug target. Accordingly, the algorithm of the invention performed statistically significantly much better than a random choice of genes. A rough estimate of statistical significance suggests that one would expect to see 2 of 10 known drug targets in a sample of 11 out of 3900 genes only 3.8 times out of 10,000 trials (probability of occurring by random chance of 3.8×10^{-4}). Therefore, this embodiment of the method is an entirely computational algorithm drawing on the demonstrated ability of the general methods of the invention to predict functional linkages between genes and to effectively identify drug targets in bacteria. The effectiveness of this method to identify novel drug targets was clearly demonstrated when the algorithm was applied to the *M. tuberculosis* genome.

The specific inhibition of the MTB homologs might be difficult. To address this issue, using the methods of the invention, functional links to the essential genes were searched. Functional links were selected which either do not have homologs in yeast, or the enzymatic activity of their products are known to be absent in human cells. Using the highest confidence data, functional links for 23 of the genes (indicated in **bold** in Table 1) were found.

Table 1

Name [†]	Gene	Comments	Name	Gene	Comments
Rv0005[†]	gyrB	DNA gyrase subunit B	Rv2101	helZ	probable helicase, Snf2/Rad54 family
Rv0014c	pknB	serine-threonine protein kinase	Rv2110c	prcB	proteasome [beta]-type subunit 2
Rv0032	bioF2	C-terminal similar to B. subtilis BioF	Rv2118c	-	= B2126_C1_165 (83.6%)
Rv0350	dnaK	70 kD heat shock protein, chromosome replication	Rv2438c	-	similar to YHN4_YEAST P38795
Rv0363c	fba	fructose bisphosphate aldolase	Rv2439c	proB	glutamate 5-kinase
Rv0435c	-	ATPase of AAA-family	Rv2448c	valS	valyl-tRNA synthase
Rv0436c	pssA	CDP-diacylglycerol-serine o-phosphatidyltransferase	Rv2509	-	putative oxidoreductase
Rv0440	groEL2	60 kD chaperonin 2	Rv2524c	fas	fatty acid synthase
Rv0489	gpm	phosphoglycerate mutase I	Rv2555c	alaS	alanyl-tRNA synthase
Rv0490	senX3	sensor histidine kinase	Rv2580c	hisS	histidyl-tRNA synthase
Rv0500	proC	pyrroline-5-carboxylate reductase	Rv2614c	thrS	threonyl-tRNA synthase
Rv0667	rpoB	[beta] subunit of RNA polymerase	Rv2697c	dut	deoxyuridine triphosphatase
Rv0668	rpoC	[beta] subunit of RNA polymerase	Rv2782c	pepR	protease/peptidase, M16 family (insulinase)
Rv0764c	-	possible lanosterol 14-demethylase cytochrome P450	Rv2793c	truB	tRNA pseudouridine 55 synthase
Rv0861c	-	probable DNA helicase	Rv2922c	smc	member of Smc1/Cut3/Cut14 family
Rv1010	ksgA	16S rRNA dimethyltransferase	Rv2925c	rnc	RNAse III
Rv1106c	-	probable cholesterol dehydrogenase	Rv3014c	ligA	DNA ligase
Rv1229c	mrp	similar to MRP/NBP35 ATP-binding proteins	Rv3025c	-	NifS-like protein
Rv1239c	corA	probable magnesium and cobalt transport protein	Rv3080c	pknK	serine-threonine protein kinase
Rv1294	thrA	homoserine dehydrogenase	Rv3106	fprA	adrenodoxin and NADPH ferredoxin reductase
Rv1323	fadA4	acetyl-CoA C-acetyltransferase (aka thiL)	Rv3255c	manA	mannose-6-phosphate isomerase
Rv1389	gmK	putative guanylate kinase	Rv3264c	rmlA2	glucose-1-phosphate thymidyltransferase
Rv1407	fmu	similar to Fmu protein	Rv3418c	groES	10 kD chaperone
Rv1409	ribG	riboflavin biosynthesis	Rv3490	otsA	probable [alpha]-,trehalose-phosphate synthase
Rv1617	pykA	pyruvate kinase	Rv3598c	lysS	lysyl-tRNA synthase
Rv1630	rpsA	30S ribosomal protein S1	Rv3608c	folP	dihydropteroate synthase
Rv1745c	-	similar to Q46822 ORF_O182	Rv3609c	folE	GTP cyclohydrolase I
Rv1844c	gnd	6-phosphogluconate dehydrogenase (Gram -)	Rv3721c	dnaZX	DNA polymerase III,[gamma] (dnaZ) and t (dnaX)
Rv1981c	nrdF	ribonucleotide reductase small subunit	Rv3834c	serS	seryl-tRNA synthase
Rv2092c	heliY	probable helicase, Ski2 subfamily	Rv3907c	pcnA	polynucleotide polymerase

[†] We follow the Sanger Centre naming convention for MTB genes.

[‡] Genes for which high-confidence functional links were found shown in **boldface**

Eight of these were linked to 12 unique MTB genes that satisfied the criteria of the invention's methods (Table 1). Exemplary findings include:

(1) the gene folP, which encodes the enzyme dihydropteroate synthase (DHPS) known to be the target of sulfonamide antibacterial drugs. Although it is found in some eukaryotes, DHPS activity is not found in human cells (see, e.g., Huovinen (1995) Antimicrob. Agents Chemother. 39:279-2890.

(2) the product of the gene folK, a 7,8-dihydro-6-hydroxymethyl-pterinpyrophosphokinase, has recently been proposed as a target for broad-spectrum antibacterial drugs (see, e.g., Stammers (1999) FEBS Lett. 456:49-53).

(3) the gene gpsI, is not only strongly linked to the essential yeast gene pepR, but it is also functionally linked to inhA, the target of the drug isoniazid (see above), making it a very compelling candidate for drug design.

Table 2. Subset of genes from Table 1 that are functionally linked to genes without yeast homologs.

Gene	Link [†]	Comments
Rv0005	Rv0002	dnaN DNA polymerase III, β -subunit
	Rv0003	recF DNA replication and SOS induction
	Rv0006	gyrA DNA gyrase subunit A
Rv0350	Rv0351	grpE stimulates DnaK ATPase activity
	Rv0352	dnaJ acts with GrpE to stimulate DnaK ATPase
Rv1010	Rv1008	Similar to <i>E.coli</i> hypothetical protein YcfH
	Rv1009	Possible lipoprotein, similar to various other MTB proteins
	Rv1011	Similar to <i>E.coli</i> hypothetical protein YcbH
Rv2439c	Rv2427c	proA γ -glutamyl phosphate reductase
	Rv2440c	obg Obg GTP-binding protein
	Rv2441c	rpmA 50S ribosomal protein L27
	Rv2442c	rplU 50S ribosomal protein L21
Rv2782c	Rv2783c	gpsI pppGpp synthase and polyribonucleotide phosphorylase
Rv3598c	Rv3600c	similar to <i>Bacillus subtilis</i> hypothetical protein YacB
	Rv3606c	folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase
	Rv3607c	folX may be involved in folate biosynthesis
	Rv3608c[‡]	folP dihydropteroate synthase (DHPS)
	Rv3610c	ftsH inner membrane protein, chaperone
Rv3608c	Rv3598c	lysS lysyl-tRNA synthase
	Rv3600c	similar to <i>Bacillus subtilis</i> hypothetical protein YacB
	Rv3606c	folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase
	Rv3607c	folX may be involved in folate biosynthesis
	Rv3609c	folE GTP cyclohydrolase I
	Rv3610c	ftsH inner membrane protein, chaperone
Rv3609c	Rv3606c	folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase
	Rv3607c	folX may be involved in folate biosynthesis
	Rv3608c[‡]	folP dihydropteroate synthase (DHPS)

[†] Genes without yeast homologs shown in **boldface**

[‡] DHPS activity is found in some eukaryotic cells but not in human cells

In summary, the methods of the invention allowed identification of this combination of functional linkages to essential genes. This information, together with the lack of eukaryotic homologs for these genes, makes this group of proteins promising drug targets, particularly because their inhibition is expected to disrupt vital bacterial processes with a low likelihood of toxicity from the inhibition of a host equivalent.

Computer Implementation

The various techniques, methods, and aspects of the invention described herein can be implemented in part or in whole using computer-based systems and methods. Additionally, computer-based systems and methods can be used to augment or enhance the functionalities and algorithms described herein, increase the speed at which the functions can be performed, and provide additional features and aspects as a part of or in addition to those of the invention described elsewhere in this document. Various exemplary computer-based systems, methods and implementations in accordance with the above-described technology are presented herein.

The processor-based system can include a main memory, such as a random access memory (RAM), and can also include a secondary memory. The secondary memory can include, for example, a hard disk drive and/or a removable storage drive, representing a floppy disk drive, a magnetic tape drive, an optical disk drive, *etc.* The removable storage drive reads from and/or writes to a removable storage medium. Removable storage media can be a floppy disk magnetic tape, an optical disk, and the like, which can be read by and written to by removable storage drive. The removable storage media can includes a computer usable storage medium having stored therein computer software and/or data.

In alternative embodiments, secondary memory may include other similar means for allowing computer programs or other instructions to be loaded into a computer system. Such means can include, for example, a removable storage unit and an interface. Examples of such can include a program cartridge and cartridge interface (such as the found in video game devices), a movable memory chip (such as an EPROM, or PROM) and associated socket, and other removable storage units and interfaces that allow software and data to be transferred from the removable storage unit to the computer system.

The computer system can also include a communications interface. Communications interfaces allow software and data to be transferred between computer system and external devices. Examples of communications interfaces include modems, network interfaces (such as, for example, an Ethernet card), communications ports, PCMCIA slots and cards, and the like. Software and data transferred via a communications interface can be in the form of signals that can be electronic, electromagnetic, optical or other signals capable of being received by a communications interface. These signals can be provided to

communications interface via a channel capable of carrying signals and can be implemented using a wireless medium, wire or cable, fiber optics or other communications medium. Some examples of a channel can include a phone line, a cellular phone link, an RF link, a network interface, and other communications channels.

5 As used herein, the terms “computer program medium” and “computer usable medium” are used to generally refer to media such as a removable storage device, a disk capable of installation in a disk drive, and signals on a channel, or equivalents thereof. These computer program products are means for providing software or program instructions to computer systems. Computer programs (also called computer control logic) can be stored in
10 main memory and/or secondary memory. Computer programs can also be received via a communications interface. Such computer programs, when executed, enable the computer system to perform the features of the present invention as discussed herein. Computer programs, when executed, enable the processor to perform the features of the present invention. Accordingly, in one aspect of the invention, such computer programs represent
15 controllers of the computer system.

 In another aspect of the invention the methods and algorithms are implemented using software, the software may be stored in, or transmitted via, a computer program product and loaded into a computer system using a removable storage drive, hard drive or communications interface. The control logic (software), when executed by the
20 processor, causes the processor to perform the functions of the invention as described herein.

 In another aspect, the elements are implemented primarily in hardware using, for example, hardware components such as PALs, application specific integrated circuits (ASICs) or other hardware components. Implementation of a hardware state machine so as to perform the functions described herein will be apparent to person skilled in the relevant
25 art(s). In yet another embodiment, elements are implanted using a combination of both hardware and software.

 In another aspect, the computer-based methods can be accessed or implemented over the World Wide Web by providing access via a Web Page to the methods of the present invention. Accordingly, the Web Page is identified by a Universal Resource
30 Locator (URL). The URL denotes both the server machine, and the particular file or page on that machine. In this embodiment, it is envisioned that a consumer or client computer system

interacts with a browser to select a particular URL, which in turn causes the browser to send a request for that URL or page to the server identified in the URL. Typically the server responds to the request by retrieving the requested page, and transmitting the data for that page back to the requesting client computer system (the client/server interaction is typically performed in accordance with the hypertext transport protocol ("HTTP")). The selected page is then displayed to the user on the client's display screen. The client may then cause the server containing a computer program of the present invention to launch an application comprising a method of the invention, for example, to identify a nucleic acid or a polypeptide sequence that may be a target for a drug comprising the steps of (a) providing a first nucleic acid or a polypeptide sequence that is known to be a drug target; (b) providing an algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a "domain fusion" method, a "phylogenetic profile" method and a "physiologic linkage" method; and, (c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one algorithm to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be a target for a drug, based on a query sequence provided by the client.

Nucleic Acids and Polypeptides

The invention also provides isolated nucleic acids and polypeptides comprising the sequences as set forth in Table 3 and Table 4 (below). As used herein, "isolated," when referring to a molecule or composition, such as, *e.g.*, an isolated infected cell comprising a nucleic acid sequence derived from a library of the invention, means that the molecule or composition (including, *e.g.*, a cell) is separated from at least one other compound, such as a protein, DNA, RNA, or other contaminants with which it is associated *in vivo* or in its naturally occurring state. Thus, a nucleic acid or polypeptide or peptide sequence is considered isolated when it has been isolated from any other component with which it is naturally associated. An isolated composition can, however, also be substantially pure. An isolated composition can be in a homogeneous state. It can be in a dry or an aqueous solution. Purity and homogeneity can be determined, *e.g.*, using any analytical chemistry technique, as described herein.

The term "nucleic acid" or "nucleic acid sequence" refers to a deoxy-ribonucleotide or ribonucleotide oligonucleotide, including single- or double-stranded, or coding or non-coding (e.g., "antisense") forms. The term encompasses nucleic acids, i.e., oligonucleotides, containing known analogues of natural nucleotides. The term also encompasses nucleic-acid-like structures with synthetic backbones, see e.g., *Oligonucleotides and Analogues, a Practical Approach*, ed. F. Eckstein, Oxford Univ. Press (1991); *Antisense Strategies*, Annals of the N.Y. Academy of Sciences, Vol 600, Eds. Baserga et al. (NYAS 1992); Milligan (1993) *J. Med. Chem.* 36:1923-1937; *Antisense Research and Applications* (1993, CRC Press), WO 97/03211; WO 96/39154; Mata (1997) *Toxicol. Appl. Pharmacol.* 144:189-197; Strauss-Soukup (1997) *Biochemistry* 36:8692-8698; Samstag (1996) *Antisense Nucleic Acid Drug Dev* 6:153-156. As used herein, the "sequence" of a nucleic acid or gene refers to the order of nucleotides in the polynucleotide, including either or both strands (sense and antisense) of a double-stranded DNA molecule, e.g., the sequence of both the coding strand and its complement, or of a single-stranded nucleic acid molecule (sense or antisense). For example, in alternative embodiments, promoters drive the transcription of sense and/or antisense polynucleotide sequences of the invention, as exemplified by Table 3.

The terms "polypeptide," "protein," and "peptide" include compositions of the invention that also include "analogs," or "conservative variants" and "mimetics" ("peptidomimetics") with structures and activity that substantially correspond to the exemplary sequences, such as the sequences in Table 4. Thus, the terms "conservative variant" or "analog" or "mimetic" also refer to a polypeptide or peptide which has a modified amino acid sequence, such that the change(s) do not substantially alter the polypeptide's (the conservative variant's) structure and/or activity (e.g., immunogenicity, ability to bind to human antibodies, etc.), as defined herein. These include conservatively modified variations of an amino acid sequence, i.e., amino acid substitutions, additions or deletions of those residues that are not critical for protein activity, or substitution of amino acids with residues having similar properties (e.g., acidic, basic, positively or negatively charged, polar or non-polar, etc.) such that the substitutions of even critical amino acids does not substantially alter structure and/or activity. Conservative substitution tables providing functionally similar amino acids are well known in the art. For example, one exemplary guideline to select conservative substitutions includes (original residue followed by exemplary substitution):

ala/gly or ser; arg/ lys; asn/ gln or his; asp/glu; cys/ser; gln/asn; gly/asp; gly/ala or pro; his/asn or gln; ile/leu or val; leu/ile or val; lys/arg or gln or glu; met/leu or tyr or ile; phe/met or leu or tyr; ser/thr; thr/ser; trp/tyr; tyr/trp or phe; val/ile or leu. An alternative exemplary guideline uses the following six groups, each containing amino acids that are conservative substitutions for one another: 1) Alanine (A), Serine (S), Threonine (T); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); and 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); (see also, e.g., Creighton (1984) *Proteins*, W.H. Freeman and Company; Schulz and Schirmer (1979) *Principles of Protein Structure*, Springer-Verlag). One of skill in the art will appreciate that the above-identified substitutions are not the only possible conservative substitutions. For example, for some purposes, one may regard all charged amino acids as conservative substitutions for each other whether they are positive or negative. In addition, individual substitutions, deletions or additions that alter, add or delete a single amino acid or a small percentage of amino acids in an encoded sequence can also be considered “conservatively modified variations.”

The terms “mimetic” and “peptidomimetic” refer to a synthetic chemical compound that has substantially the same structural and/or functional characteristics of the polypeptides of the invention (e.g., ability to bind, or “capture,” human antibodies in an ELISA). The mimetic can be either entirely composed of synthetic, non-natural analogues of amino acids, or, is a chimeric molecule of partly natural peptide amino acids and partly non-natural analogs of amino acids. The mimetic can also incorporate any amount of natural amino acid conservative substitutions as long as such substitutions also do not substantially alter the mimetics’ structure and/or activity. As with polypeptides of the invention which are conservative variants, routine experimentation will determine whether a mimetic is within the scope of the invention, i.e., that its structure and/or function is not substantially altered. Polypeptide mimetic compositions can contain any combination of non-natural structural components, which are typically from three structural groups: a) residue linkage groups other than the natural amide bond (“peptide bond”) linkages; b) non-natural residues in place of naturally occurring amino acid residues; or c) residues which induce secondary structural mimicry, i.e., to induce or stabilize a secondary structure, e.g., a beta turn, gamma turn, beta sheet, alpha helix conformation, and the like. A polypeptide can be characterized as a

mimetic when all or some of its residues are joined by chemical means other than natural peptide bonds. Individual peptidomimetic residues can be joined by peptide bonds, other chemical bonds or coupling means, such as, e.g., glutaraldehyde, N-hydroxysuccinimide esters, bifunctional maleimides, N,N'-dicyclohexylcarbodiimide (DCC) or N,N'-diisopropylcarbodiimide (DIC). Linking groups that can be an alternative to the traditional amide bond ("peptide bond") linkages include, e.g., ketomethylene (e.g., -C(=O)-CH₂- for -C(=O)-NH-), aminomethylene (CH₂-NH), ethylene, olefin (CH=CH), ether (CH₂-O), thioether (CH₂-S), tetrazole (CN₄-), thiazole, retroamide, thioamide, or ester (see, e.g., Spatola (1983) in Chemistry and Biochemistry of Amino Acids, Peptides and Proteins, Vol. 7, pp 267-357, "Peptide Backbone Modifications," Marcell Dekker, NY). A polypeptide can also be characterized as a mimetic by containing all or some non-natural residues in place of naturally occurring amino acid residues; non-natural residues are well described in the scientific and patent literature.

The invention comprises nucleic acids comprising sequences as set forth in Table 3, or comprising nucleic acids encoding the polypeptides as set forth in Table 4, operably linked to a transcriptional regulatory sequence. As used herein, the term "operably linked," refers to a functional relationship between two or more nucleic acid (e.g., DNA) segments. Typically, it refers to the functional relationship of a transcriptional regulatory sequence to a transcribed sequence. For example, a promoter (defined below) is operably linked to a coding sequence, such as a nucleic acid of the invention, if it stimulates or modulates the transcription of the coding sequence in an appropriate host cell or other expression system. Generally, promoter transcriptional regulatory sequences that are operably linked to a transcribed sequence are physically contiguous to the transcribed sequence, *i.e.*, they are *cis*-acting. However, some transcriptional regulatory sequences, such as enhancers, need not be physically contiguous or located in close proximity to the coding sequences whose transcription they enhance. For example, in one embodiment, a promoter is operably linked to an ORF-containing nucleic acid sequence of the invention, as exemplified by, e.g., a nucleic acid sequence as set forth in Table 3.

As used herein, the term "promoter" includes all sequences capable of driving transcription of a coding sequence in an expression system. Thus, promoters used in the constructs of the invention include *cis*-acting transcriptional control elements and regulatory

sequences that are involved in regulating or modulating the timing and/or rate of transcription of a nucleic acid of the invention. For example, a promoter can be a *cis*-acting transcriptional control element, including an enhancer, a promoter, a transcription terminator, an origin of replication, a chromosomal integration sequence, 5' and 3' untranslated regions, or an intronic sequence, which are involved in transcriptional regulation. These *cis*-acting sequences typically interact with proteins or other biomolecules to carry out (turn on/off, regulate, modulate, etc.) transcription.

The invention comprises expression cassettes comprising nucleic acids comprising sequences as set forth in Table 3, or comprising nucleic acids encoding the polypeptides as set forth in Table 4. The term "expression vector" refers to any recombinant expression system for the purpose of expressing a nucleic acid sequence of the invention *in vitro* or *in vivo*, constitutively or inducibly, in any cell, including prokaryotic, yeast, fungal, plant, insect or mammalian cell. The term includes linear or circular expression systems. The term includes expression systems that remain episomal or integrate into the host cell genome. The expression systems can have the ability to self-replicate or not, *i.e.*, drive only transient expression in a cell. The term includes recombinant "expression cassettes" which contain only the minimum elements needed for transcription of the recombinant nucleic acid.

Alignment Analysis of Sequences

The nucleic acid and polypeptide sequences of the invention include genes and gene products identified and characterized by sequence identify analysis (*i.e.*, by homology) using the exemplary nucleic acid and protein sequences of the invention, including, *e.g.*, those set forth in Tables 3 and 4. In alternative aspects of the invention, nucleic acids and polypeptides within the scope of the invention include those having 98%, 95%, 90%, 85% or 80% sequence identity (homology) to the exemplary sequences as set forth in Tables 3 and 4.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Default program parameters are used unless alternative parameters are designated herein. The sequence comparison algorithm then calculates the percent sequence identity for the test

sequence(s) relative to the reference sequence, based on the designated or default program parameters. A "comparison window", as used herein, includes reference to a segment of any one of the number of contiguous positions selected from the group consisting of from 25 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence
5 may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, *e.g.*, by the local homology algorithm of Smith & Waterman, *Adv. Appl. Math.* 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, *J. Mol. Biol.* 48:443 (1970),
10 by the search for similarity method of Pearson & Lipman, *Proc. Natl. Acad. Sci. USA* 85:2444 (1988), by computerized implementations of these algorithms (CLUSTAL, GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection.

15 In one aspect of the invention (in the methods of the invention, and, to determine if a sequence is within the scope of the invention), a CLUSTAL algorithm is used, *e.g.*, the CLUSTAL W program, see, *e.g.*, Thompson (1994) *Nuc. Acids Res.* 22:4673-4680; Higgins (1996) *Methods Enzymol* 266:383-402. Variations can also be used, such as CLUSTAL X, see Jeanmougin (1998) *Trends Biochem Sci* 23:403-405; Thompson (1997)
20 *Nucleic Acids Res* 25:4876-4882. In one aspect, the CLUSTAL W program described by Thompson (1994) *supra*, is used with the following parameters: K tuple (word) size: 1, window size: 5, scoring method: percentage, number of top diagonals: 5, gap penalty: 3, to determine whether a nucleic acid has sufficient sequence identity to an exemplary sequence to be with the scope of the invention. In another aspect, the algorithm PILEUP is used in the
25 methods and to determine whether a nucleic acid has sufficient sequence identity to be with the scope of the invention. This program creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments to show relationship and percent sequence identity. It also plots a tree or dendrogram showing the clustering relationships used to create the alignment. PILEUP uses a simplification of the progressive alignment method
30 of Feng & Doolittle, *J. Mol. Evol.* 35:351-360 (1987). The method used is similar to the method described by Higgins & Sharp, *CABIOS* 5:151-153 (1989). Using PILEUP, a

reference sequence (*e.g.*, an exemplary GCA-associated sequence of the invention) is compared to another sequence to determine the percent sequence identity relationship (*i.e.*, that the second sequence is substantially identical and within the scope of the invention) using the following parameters: default gap weight (3.00), default gap length weight (0.10), and weighted end gaps. In one embodiment, PILEUP obtained from the GCG sequence analysis software package, *e.g.*, version 7.0 (Devereaux(1984) *Nuc. Acids Res.* 12:387-395), using the parameters described therein, is used in the methods and to identify nucleic acids within the scope of the invention. In a another aspect, a BLAST algorithm is used (in the methods, *e.g.*, to determine percent sequence identity (*i.e.*, substantial similarity or identity) and whether a nucleic acid is within the scope of the invention), see, *e.g.*, Altschul (1990) *J. Mol. Biol.* 215:403-410. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information, NIH. This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul (1990) *supra*). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are then extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues, always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. In one embodiment, to determine if a nucleic acid sequence is within the scope of the invention, the BLASTN program (for nucleotide sequences) is used incorporating as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=4, and a comparison of both strands. For amino acid sequences, the BLASTP program uses as default parameters a wordlength (W) of 3, an expectation (E) of 10, and the

BLOSUM62 scoring matrix (see, *e.g.*, Henikoff (1989) Proc. Natl. Acad. Sci. USA 89:10915).

Hybridization for Identifying Nucleic Acids of the Invention

Nucleic acids within the scope of the invention include isolated or
5 recombinant nucleic acids that specifically hybridize under stringent hybridization conditions to an exemplary nucleic acid of the invention (including a sequence encoding an exemplary polypeptide) as set forth in Tables 3 and 4. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in,
10 *e.g.*, Tijssen (1993) *infra*. Generally, stringent conditions are selected to be about 5 to 10°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic acid concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m, 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt
15 concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (*e.g.*, 10 to 50 nucleotides) and at least about 60°C for long probes (*e.g.*, greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of
20 destabilizing agents such as formamide.

For selective or specific hybridization, a positive signal (*e.g.*, identification of a nucleic acid of the invention) is about 10 times background hybridization. “Stringent” hybridization conditions that are used to identify substantially identical nucleic acids within the scope of the invention include hybridization in a buffer comprising 50% formamide, 5x
25 SSC, and 1% SDS at 42°C, or hybridization in a buffer comprising 5x SSC and 1% SDS at 65°C, both with a wash of 0.2x SSC and 0.1% SDS at 65°C. Exemplary “moderately stringent hybridization conditions” include a hybridization in a buffer of 40% formamide, 1 M NaCl, and 1% SDS at 37°C, and a wash in 1X SSC at 45°C. Those of ordinary skill will readily recognize that alternative but comparable hybridization and wash conditions can be
30 utilized to provide conditions of similar stringency. Nucleic acids which do not hybridize to each other under stringent hybridization conditions are still substantially identical if the

polypeptides which they encode are substantially identical. This may occur, *e.g.*, when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code, as discussed herein (see discussion on “conservative substitutions”). However, the selection of a hybridization format is not critical - it is the stringency of the wash

5 conditions that set forth the conditions that determine whether a nucleic acid is within the scope of the invention. Wash conditions used to identify nucleic acids within the scope of the invention include, *e.g.*: a salt concentration of about 0.02 molar at pH 7 and a temperature of at least about 50°C or about 55°C to about 60°C; or, a salt concentration of about 0.15 M NaCl at 72°C for about 15 minutes; or, a salt concentration of about 0.2X SSC at a

10 temperature of at least about 50°C or about 55°C to about 60°C for about 15 to about 20 minutes; or, the hybridization complex is washed twice with a solution with a salt concentration of about 2X SSC containing 0.1% SDS at room temperature for 15 minutes and then washed twice by 0.1X SSC containing 0.1% SDS at 68°C for 15 minutes; or, equivalent conditions. See Sambrook, Tijssen and Ausubel (see below) for a description of

15 SSC buffer and equivalent conditions.

General Techniques

The nucleic acid and polypeptide sequences of the invention and other nucleic acids used to practice this invention, whether RNA, cDNA, genomic DNA, vectors, viruses or hybrids thereof, may be isolated from a variety of sources, genetically engineered,

20 amplified, and/or expressed recombinantly. Any recombinant expression system can be used, including, in addition to bacterial cells, *e.g.*, mammalian, yeast, insect or plant cell expression systems.

Alternatively, these nucleic acids and polypeptides can be synthesized *in vitro* by well-known chemical synthesis techniques, as described in, *e.g.*, Carruthers (1982) Cold

25 Spring Harbor Symp. Quant. Biol. 47:411-418; Adams (1983) J. Am. Chem. Soc. 105:661; Belousov (1997) Nucleic Acids Res. 25:3440-3444; Frenkel (1995) Free Radic. Biol. Med. 19:373-380; Blommers (1994) Biochemistry 33:7886-7896; Narang (1979) Meth. Enzymol. 68:90; Brown (1979) Meth. Enzymol. 68:109; Beaucage (1981) Tetra. Lett. 22:1859; U.S. Patent No. 4,458,066.

30 Techniques for the manipulation of nucleic acids, such as, *e.g.*, generating mutations in sequences, subcloning, labeling probes, sequencing, hybridization and the like

are well described in the scientific and patent literature, see, e.g., Sambrook, ed.,
MOLECULAR CLONING: A LABORATORY MANUAL (2ND ED.), Vols. 1-3, Cold Spring Harbor
Laboratory, (1989); CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, Ausubel, ed. John Wiley
& Sons, Inc., New York (1997); LABORATORY TECHNIQUES IN BIOCHEMISTRY AND
5 MOLECULAR BIOLOGY: HYBRIDIZATION WITH NUCLEIC ACID PROBES, Part I. Theory and
Nucleic Acid Preparation, Tijssen, ed. Elsevier, N.Y. (1993).

Polypeptides and peptides of the invention can also be synthesized, whole or
in part, using chemical methods well known in the art. See e.g., Caruthers (1980) Nucleic
Acids Res. Symp. Ser. 215-223; Horn (1980) Nucleic Acids Res. Symp. Ser. 225-232;
10 Banga, A.K., Therapeutic Peptides and Proteins, Formulation, Processing and Delivery
Systems (1995) Technomic Publishing Co., Lancaster, PA. For example, peptide synthesis
can be performed using various solid-phase techniques (see e.g., Roberge (1995) Science
269:202; Merrifield (1997) Methods Enzymol. 289:3-13) and automated synthesis may be
achieved, e.g., using the ABI 431A Peptide Synthesizer (Perkin Elmer) in accordance with
15 the instructions provided by the manufacturer.

The skilled artisan will recognize that individual synthetic residues and
polypeptides incorporating mimetics can be synthesized using a variety of procedures and
methodologies, which are well described in the scientific and patent literature, e.g., Organic
Syntheses Collective Volumes, Gilman, et al. (Eds) John Wiley & Sons, Inc., NY.
20 Polypeptides incorporating mimetics can also be made using solid phase synthetic
procedures, as described, e.g., by Di Marchi, et al., U.S. Pat. No. 5,422,426. Peptides and
peptide mimetics of the invention can also be synthesized using combinatorial
methodologies. Various techniques for generation of peptide and peptidomimetic libraries
are well known, and include, e.g., multipin, tea bag, and split-couple-mix techniques; see,
25 e.g., al-Obeidi (1998) Mol. Biotechnol. 9:205-223; Hruby (1997) Curr. Opin. Chem. Biol.
1:114-119; Ostergaard (1997) Mol. Divers. 3:17-27; Ostresh (1996) Methods Enzymol.
267:220-234. Modified peptides of the invention can be further produced by chemical
modification methods, see, e.g., Belousov (1997) Nucleic Acids Res. 25:3440-3444; Frenkel
(1995) Free Radic. Biol. Med. 19:373-380; Blommers (1994) Biochemistry 33:7886-7896.

30 Peptides and polypeptides of the invention can also be synthesized and
expressed as fusion proteins with one or more additional domains linked thereto for, e.g.,

producing a more immunogenic peptide, to more readily isolate a recombinantly synthesized peptide, to identify and isolate antibodies and antibody-expressing B cells, and the like.

Detection and purification facilitating domains include, *e.g.*, metal chelating peptides such as polyhistidine tracts and histidine-tryptophan modules that allow purification on immobilized metals, protein A domains that allow purification on immobilized immunoglobulin, and the domain utilized in the FLAGS extension/affinity purification system (Immunex Corp, Seattle WA). The inclusion of a cleavable linker sequences such as Factor Xa or enterokinase (Invitrogen, San Diego CA) between the purification domain and GCA-associated peptide or polypeptide can be useful to facilitate purification. For example, an expression vector can include an epitope-encoding nucleic acid sequence linked to six histidine residues followed by a thioredoxin and an enterokinase cleavage site (see *e.g.*, Williams (1995) *Biochemistry* 34:1787-1797; Dobeli (1998) *Protein Expr. Purif.* 12:404-414). The histidine residues facilitate detection and purification while the enterokinase cleavage site provides a means for purifying the epitope from the remainder of the fusion protein. Technology pertaining to vectors encoding fusion proteins and application of fusion proteins are well described in the scientific and patent literature, see *e.g.*, Kroll (1993) *DNA Cell. Biol.*, 12:441-53.

The invention provides antibodies that specifically bind to the polypeptides of the invention, as set forth in Table 4. These antibodies can be useful in the screening methods of the invention. The polypeptides or peptide can be conjugated to another molecule or can be administered with an adjuvant. The coding sequence can be part of an expression cassette or vector capable of expressing the immunogen *in vivo*. (see, *e.g.*, Katsumi (1994) *Hum. Gene Ther.* 5:1335-9). Methods of producing polyclonal and monoclonal antibodies are known to those of skill in the art and described in the scientific and patent literature, see, *e.g.*, Coligan, *CURRENT PROTOCOLS IN IMMUNOLOGY*, Wiley/Greene, NY (1991); Stites (eds.) *BASIC AND CLINICAL IMMUNOLOGY* (7th ed.) Lange Medical Publications, Los Altos, CA; Goding, *MONOCLONAL ANTIBODIES: PRINCIPLES AND PRACTICE* (2d ed.) Academic Press, New York, NY (1986); Harlow (1988) *ANTIBODIES, A LABORATORY MANUAL*, Cold Spring Harbor Publications, New York.

Antibodies also can be generated *in vitro*, *e.g.*, using recombinant antibody binding site expressing phage display libraries, in addition to the traditional *in vivo* methods using animals. See, *e.g.*, Huse (1989) *Science* 246:1275; Ward (1989) *Nature* 341:544;

Hoogenboom (1997) Trends Biotechnol. 15:62-70; Katz (1997) Annu. Rev. Biophys. Biomol. Struct. 26:27-45. Human antibodies can be generated in mice engineered to produce only human antibodies, as described by, e.g., U.S. Patent No. 5,877,397; 5,874,299; 5,789,650; and 5,939,598. B-cells from these mice can be immortalized using standard techniques (e.g., by fusing with an immortalizing cell line such as a myeloma or by manipulating such B-cells by other techniques to perpetuate a cell line) to produce a monoclonal human antibody-producing cell. See, e.g., U.S. Patent No. 5,916,771; 5,985,615.

TABLE 3

>Rv0002 dnaN DNA polymerase III, b-subunit TB.seq 2052:3257 MW:42114

>emb|AL123456|MTBH37RV:2052-3260, dnaN SEQ ID NO:1

ATGGACGCGGCTACGACAAGAGTTGGCCTCACCGACTTGACGTTTCGTTTGCTACGAGAGTCTT
TCGCCGATGCGGTGTCGTGGGTGGCTAAAAATCTGCCAGCCAGGCCCGCGGTGCCGGTGCTCT
CCGGCGTGTTGTTGACCGGCTCGGACAACGGTCTGACGATTTCCGGATTCGACTACGAGGTTTC
CGCCGAGGCCAGGTTGGCGCTGAAATTGTTTCTCCTGGAAGCGTTTTAGTTTCTGGCCGATTG
TTGTCCGATATTACCGGGCGTTGCCTAACAAGCCCGTAGACGTTTCATGTGGAAGGTAACCGGG
TCGCATTGACCTGCGGTAACGCCAGGTTTTCGCTACCGACGATGCCAGTCGAGGATTATCCGAC
GCTGCCGACGCTGCCGGAAGAGACCGGATTGTTGCCTGCGGAATTATTCGCCGAGGCAATCAG
TCAGGTCGCTATCGCCGCCGGCCGGGACGACACGTTGCCTATGTTGACCGGCATCCGGGTCTGA
AATCCTCGGTGAGACGGTGTTTTGGCCGCTACCGACAGGTTTCGCCTGGCTGTTTCGAGAACTG
AAGTGGTCGGCGTCGTCGCCAGATATCGAAGCGGCTGTGCTGGTCCCGGCCAAGACGCTGGC
CGAGGCCGCCAAAGCGGGCATCGGCGGCTCTGACGTTTCGTTTGCTGTTGGGTACTGGGCCGG
GGGTGGGCAAGGATGGCCTGCTCGGTATCAGTGGGAACGGCAAGCGCAGCACCACGCGACTT
CTTGATGCCGAGTTCCTCGAAGTTTCGGCAGTTGCTACCAACCGAACACACCGCGGTGGCCACC
ATGGACGTGGCCGAGTTGATCGAAGCGATCAAGCTGGTTGCGTTGGTAGCTGATCGGGGCGCG
CAGGTGCGCATGGAGTTCGCTGATGGCAGCGTGCGGCTTTCTGCGGGTGCCGATGATGTTGGA
CGAGCCGAGGAAGATCTTGTTGTTGACTATGCCGGTGAACCATTGACGATTGCGTTTAACCCAA
CCTATCTAACGGACGGTTTTGAGTTGCTTGGCTCGGAGCGAGTGTCTTTCGGGTTTACGACTGC
GGGTAAGCCTGCCTTGCTACGTCCGGTGTCCGGGGACGATCGCCCTGTGGCGGGTCTGAATGG
CAACGGTCCGTTCCCGGCGGTGTGACGGACTATGTCTATCTGTTGATGCCGGTTCCGTTGCCG
GGCTGA

>Rv0003 recF DNA replication and SOS induction TB.seq 3280:4434 MW:42181

>emb|AL123456|MTBH37RV:3280-4437, recF SEQ ID NO:2

GTGTACGTCCGTCATTTGGGGCTGCGTGAAGTTCGGTCCCTGGGCATGTGTAGATCTGGAATTGC
ATCCAGGGCGGACGGTTTTTGTGGGCCTAACGGTTATGGTAAGACGAATCTTATTGAGGCACT

GTGGTATTCGACGACGTTAGGTTTCGCACCGCGTTAGCGCCGATTTGCCGTTGATCCGGGTAGGT
 ACCGATCGTGCGGTGATCTCCACGATCGTGGTGAACGACGGTAGAGAATGTGCCGTCGACCTC
 GAGATCGCCACGGGGCGAGTCAACAAAGCGCGATTGAATCGATCATCGGTCCGAAGTACACGT
 GATGTGGTCGGAGTGCTTCGAGCTGTGTTGTTTGCCCCTGAGGATCTGGGGTTGGTTCGTGGG
 5 GATCCCCGTGACCGGCGGCGCTATCTGGATGATCTGGCGATCGTGCGTAGGCCTGCGATCGCT
 GCGGTACGAGCCGAATATGAGAGGGTGTTGCGCCAGCGGACGGCGTTATTGAAGTCCGTACCT
 GGAGCACGGTATCGGGGTGACCGGGGTGTGTTTGACACTCTTGAGGTATGGGACAGTCGTTTG
 GCGGAGCACGGGGCTGAACTGGTGGCCGCCCGCATCGATTTGGTCAACCAGTTGGCACCGGA
 AGTGAAGAAGGCATACCAGCTGTTGGCGCCGGAATCGCGATCGGCGTCTATCGGTTATCGGGC
 10 CAGCATGGATGTAACCGGTCCCAGCGAGCAGTCAGATATCGATCGGCAATTGTTAGCAGCTCGG
 CTGTTGGCGGCGCTGGCGGGCCCGTCGGGATGCCGAACTCGAGCGTGGGGTTTGTCTAGTTGGT
 CCGCACCGTGACGACCTAATACTGCGACTAGGCGATCAACCCGCGAAAGGATTTGCTAGCCATG
 GGGAGGCGTGGTCGTTGGCGGTGGCACTGCGGTTGGCGGCCTATCAACTGTTACGCGTTGATG
 GTGGTGAGCCGGTGTGTTGCTCGACGACGTGTTGCGCGAACTGGATGTCATGCGCCGTCGAG
 15 CGTTGGCGACGGCGGCCGAGTCCGCCGAACAGGTGTTGGTGAAGTGGCGCGGTGCTCGAGGAT
 ATTCCCGCCGGCTGGGACGCCAGGCGGGTGCACATCGATGTGCGTGCCGATGACACCGGATC
 GATGTCCGTGGTTCTGCCATGA

>Rv0005 gyrB DNA gyrase subunit B TB.seq 5123:7264 MW:78441

20 >emb|AL123456|MTBH37RV:5123-7267, gyrB SEQ ID NO:3

ATGGGTAAAAACGAGGCCAGAAGATCGGCCCTGGCGCCCGATCACGGTACAGTGGTGTGCGAC
 CCCCTGCGGCGACTCAACCGCATGCACGCAACCCCTGAGGAGAGTATTCCGATCGTGGCTGCC
 CAGAAAAAGAAGGCCCAAGACGAATACGGCGCTGCGTCTATCACCATTCTCGAAGGGCTGGAG
 GCCGTCCGCAAACGTCCCGGCATGTACATTGGCTCGACCGGTGAGCGCGGTTTACACCATCTC
 25 ATTTGGGAGGTGGTCGACAACGCGGTGCGACGAGGCGATGGCCGGTTATGCAACCACAGTGAAC
 GTAGTGCTGCTTGAGGATGGCGGTGTCGAGGTGCGCGACGACGGCCGCGGCATTCCGGTTCGC
 CACCCACGCCTCCGGCATAACCGACCGTGCACGTGGTGATGACACAACCTACATGCCGGCGGCAA
 GTTCGACTCGGACGCGTATGCGATATCTGGTGGTCTGCACGGCGTCGGCGTGTGCGTGGTTAA
 CGCGCTATCCACCCGGCTCGAAGTCGAGATCAAGCGCGACGGGTACGAGTGGTCTCAGGTTTA
 30 TGAGAAAGTCGGAACCCCTGGGCCCTCAAGCAAGGGGCGCCGACCAAGAAGACGGGGTCAACGG
 TGCGGTTCTGGGCCGACCCCGCTGTTTTCGAAACCACGGAATACGACTTCGAAACCGTCGCCC
 GCCGGCTGCAAGAGATGGCGTTCCTCAACAAGGGGCTGACCATCAACCTGACCGACGAGAGGG
 TGACCCAAGACGAGGTCGTCGACGAAGTGGTCAGCGACGTGCGCGAGGCGCCGAAGTCGGCA
 AGTGAACGCGCAGCCGAATCCACTGCACCGCACAAAGTTAAGAGCCGCACCTTTCATATCCGG
 35 GTGGCCTGGTGGACTTCGTGAAACACATCAACCGCACCAAGAACGCGATTATAGCAGCATCGT
 GGACTTTTCCGGCAAGGGCACCGGGCACGAGGTGGAGATCGCGATGCAATGGAACGCCGGGT
 ATTCGAGTCGGTGCACACCTTCGCCAACACCATCAACACCCACGAGGGCGGCACCCACGAAG

AGGGCTTCCGCAGCGCGCTGACGTCGGTGGTGAACAAGTACGCCAAGGACCGCAAGCTACTGA
 AGGACAAGGACCCCAACCTCACCGGTGACGATATCCGGGAAGGCCTGGCCGCTGTGATCTCGG
 TGAAGGTCAGCGAACCGCAGTTCGAGGGCCAGACCAAGACCAAGTTGGGCAACACCGAGGTCA
 AATCGTTTGTGCAGAAGGTCTGTAAACGAACAGCTGACCCACTGGTTTGAAGCCAACCCACCGA
 5 CGCGAAAGTCGTTGTGAACAAGGCTGTGTCTCGGCGCAAGCCCGTATCGCGGCACGTAAGGC
 ACGAGAGTTGGTGCGGCGTAAGAGCGCCACCGACATCGGTGGATTGCCCGGCAAGCTGGCCG
 ATTGCCGTTCCACGGATCCGCGCAAGTCCGAAGTGTATGTCGTAGAAGGTGACTCGGCCGGCG
 GTTCTGCAAAAAGCGGTCGCGATTTCGATGTTCCAGGCGATACTTCCGCTGCGCGGCAAGATCAT
 CAATGTGGAGAAAGCGCGCATCGACCGGGTGCTAAAGAACACCGAAGTTCAGGCGATCATCAC
 10 GCGCTGGGCACCGGGATCCACGACGAGTTCGATATCGGCAAGCTGCGCTACCACAAGATCGT
 GCTGATGGCCGACGCCGATGTTGACGGCCAACATATTTCCACGCTGTTGTTGACGTTGTTGTTT
 CGGTTTCATGCGGCCGCTCATCGAGAACGGGCATGTGTTTTTGGCACAACCGCCGCTGTACAAAC
 TCAAGTGGCAGCGCAGTGACCCGGAATTCGCATACTCCGACCGCGAGCGCGACGGTCTGCTGG
 AGGCGGGGCTGAAGGCCGGGAAGAAGATCAACAAGGAAGACGGCATTACGCGGTACAAGGGT
 15 CTAGGTGAAATGGACGCTAAGGAGTTGTGGGAGACCACCATGGATCCCTCGGTTCTGTGTTGC
 GTCAAGTGACGCTGGACGACGCCGCCGCCGCGACGAGTTGTTCTCCATCCTGATGGGCGAGG
 ACGTCGACGCGCGGCGCAGCTTTATCACCGCAACGCCAAGGATGTTGCGTTCCTGGATGTCTA
 A

>Rv0006 gyrA DNA gyrase subunit A TB.seq 7302:9815 MW:92276

>emb|AL123456|MTBH37RV:7302-9818, gyrA SEQ ID NO:4

ATGACAGACACGACGTTGCCGCCTGACGACTCGCTCGACCGGATCGAACCGGTTGACATCGAG
 CAGGAGATGCAGCGCAGCTACATCGACTATGCGATGAGCGTGATCGTCGGCCGCGCGCTGCCG
 GAGGTGCGCGACGGGCTCAAGCCCGTGTCATCGCCGGGTGCTCTATGCAATGTTGATTCCGGC
 25 TTCCGCCCGGACCGCAGCCACGCCAAGTCGGCCCGGTGCGTTGCCGAGACCATGGGCAACTA
 CCACCCGCACGGCGACGCGTCGATCTACGACAGCCTGGTGCGCATGGCCAGCCCTGGTCGC
 TGCGCTACCCGCTGGTGACGGCCAGGGCAACTTCGGCTCGCCAGGCAATGACCCACCGGCG
 GCGATGAGGTACACCGAAGCCCGGCTGACCCCGTTGGCGATGGAGATGCTGAGGGAAATCGAC
 GAGGAGACAGTTCGATTTTCATCCCTAACTACGACGGCCGGGTGCAAGAGCCGACGGTGCTACCC
 30 AGCCGGTTCCCAACCTGCTGGCCAACGGGTGAGCGGCATCGCGGTGCGCATGGCAACCAAT
 ATCCCGCCGCACAACCTGCGTGAGCTGGCCGACGCGGTGTTCTGGGCGCTGGAGAATCACGAC
 GCCGACGAAGAGGAGACCCTGGCCGCGGTTCATGGGGCGGGTTAAAGGCCCGGACTTCCCGAC
 CGCCGGACTGATCGTCGGATCCCAGGGCACCGCTGATGCCTACAAAATGGCCGCGGCTCCAT
 TCGAATGCGCGGAGTTGTTGAGGTAGAAGAGGATTCCCGCGGTCTACCTCGCTGGTGATCAC
 35 CGAGTTGCCGTATCAGGTCAACCACGACAATTTCATCACTTCGATCGCCGAACAGGTCCGAGAC
 GGCAAGCTGGCCGGCATTTCACACATTGAGGACCAGTCTAGCGATCGGGTCGGTTTACGCATC
 GTCATCGAGATCAAGCGCGATGCGGTGGCCAAGGTGGTGATCAATAACCTTTACAAGCACACCC

AGCTGCAGACCAGCTTTGGCGCCAACATGCTAGCGATCGTCGACGGGGTGCCGCGCACGCTGC
 GGCTGGACCAGCTGATCCGCTATTACGTTGACCACCAACTCGACGTCATTGTGCGGCGCACCAC
 CTACCGGCTGCGCAAGGCAAACGAGCGAGCCCACATTCTGCGCGGCCTGGTTAAAGCGCTCGA
 CGCGCTGGACGAGGTCATTGCACTGATCCGGGCGTCGGAGACCGTCGATATCGCCCCGGGCCG
 5 GACTGATCGAGCTGCTCGACATCGACGAGATCCAGGCCCAGGCAATCCTGGACATGCAGTTGC
 GGCGCCTGGCCGCACTGGAACGCCAGCGCATCATCGACGACCTGGCCAAAATCGAGGCCGAG
 ATCGCCGATCTGGAAGACATCCTGGCAAAACCCGAGCGGCAGCGTGGGATCGTGCGCGACGAA
 CTCGCCGAAATCGTGGACAGGCACGGCGACGACCGGCGTACCCGGATCATCGCGGCCGACGG
 AGACGTCAGCGACGAGGATTTGATCGCCCGCGAGGACGTCGTTGTCACTATCACCGAAACGGG
 10 ATACGCCAAGCGCACCAAGACCGATCTGTATCGCAGCCAGAAACGCGGCGGCAAGGGCGTGCA
 GGGTGCGGGGTTGAAGCAGGACGACATCGTCGCGCACTTCTTCGTGTGCTCCACCCACGATTT
 GATCCTGTTCTTCACCACCCAGGGACGGGTTTATCGGGCCAAGGCCTACGACTTGCCCCGAGGC
 CTCCCGGACGGCGCGCGGGCAGCACGTGGCCAACTGTTAGCCTTCCAGCCCGAGGAACGCA
 TCGCCCAGGTCATCCAGATTCGCGGCTACACCGACGCCCGTACCTGGTGTGCTGGCCACTCGCA
 15 ACGGGCTGGTGAAAAAGTCCAAGCTGACCGACTTCGACTCCAATCGCTCGGGCGGAATCGTGG
 CGGTCAACCTGCGCGACAACGACGAGCTGGTCGGTGCGGTGCTGTGTTTCGGCCGGCGACGAC
 CTGCTGCTGGTCTCGGCCAACGGGCAGTCCATCAGGTTCTCGGCGACCGACGAGGCGCTGCG
 GCCAATGGGTGCTGCCACCTCGGGTGTGCAGGGCATGCGGTTCAATATCGACGACCGGCTGCT
 GTCGCTGAACGTCGTGCGTGAAGGCACCTATCTGCTGGTGGCGACGTGAGGGGGCTATGCGAA
 20 ACGTACCGCGATCGAGGAATACCCGGTACAGGGCCGCGGCGGTAAAGGTGTGCTGACGGTCAT
 GTACGACCGCCGGCGCGGCAGGTTGGTTGGGGCGTTGATTGTGACGACGACAGCGAGCTGT
 ATGCCGTCACTTCCGGCGGTGGCGTGATCCGCACCGCGGCACGCCAGGTTGCAAGGCGGGA
 CGGCAGACCAAGGGTGTTGCGTTGATGAATCTGGGCGAGGGCGACACACTGTTGGCCATCGCG
 CGCAACGCCGAAGAAAGTGGCGACGATAATGCCGTGGACGCCAACGGCGCAGACCAGACGGG
 25 CAATTAA

>Rv0014c pknB serine-threonine protein kinase TB.seq 15593:17470 MW:66511

>emb|AL123456|MTBH37RV:c17470-15590, pknB SEQ ID NO:5

ATGACCACCCCTTCCCACCTGTCCGACCGCTACGAACTTGGCGAAATCCTTGGATTTGGGGGCA
 30 TGTCCGAGGTCCACCTGGCCCGCGACCTCCGTTGCACCGCGACGTTGCGGTCAAGGTGCTGC
 GCGCTGATCTAGCCCGCGATCCCAGTTTTTACCTTCGTTCCGGCGTGAGGCGCAAAACGCCG
 CGGCATTGAACCACCCTGCAATCGTCGCGGTCTACGACACCGGTGAAGCCGAAACGCCCGCCG
 GGCCATTGCCCTACATCGTCATGGAATACGTCGACGGCGTTACCCTGCGCGACATTGTCCACAC
 CGAAGGGCCGATGACGCCCAAACGCGCCATCGAGGTCATCGCCGACGCCTGCCAAGCGCTGA
 35 ACTTCAGTCATCAGAACGGAATCATCCACCGTGACGTCAAGCCGGCGAACATCATGATCAGCGC
 GACCAATGCAGTAAAGGTGATGGATTTGGGCATCGCCCGCGCCATTGCCGACAGCGGCAACAG
 CGTGACCCAGACCGCAGCAGTGATCGGCACGGCGCAGTACCTGTCACCCGAACAGGCCCGGG

GTGATTCCGTCGACGCCCGATCCGATGTCTATTCTTGGGCTGTGTTCTTTATGAAGTCCTCACC
 GGGGAGCCACCTTTACCGGCGACTCACCCGTCTCGGTTGCCTACCAACATGTGCGCGAAGAC
 CCGATCCCACCTTCGGCGCGGCACGAAGGCCTCTCCGCCGACCTGGACGCCGTGTTCTCAAG
 GCGCTGGCCAAAATCCGGAAAACCGCTATCAGACAGCGGCGGAGATGCGCGCCGACCTGGTC
 5 CCGGTGCACAACGGTGAGCCGCCGAGGCGCCCAAAGTGCTCACCGATGCCGAGCGGACCTC
 GCTGCTGTCGTCTGCGGCCGGCAACCTTAGCGGTCCGCGCACCGATCCGCTACCACGCCAGGA
 CTTAGACGACACCGACCGTGACCGCAGCATCGGTTCCGGTGGGCCGTTGGGTTGCGGTGGTGC
 CGTGCTCGCTGTGCTGACCGTCGTGGTAACCATCGCCATCAACACGTTCCGGCGGCATCACCCG
 CGACGTTCAAGTTCCCGACGTTCCGGGTCAATCCTCCGCCGACGCCATCGCCACACTGCAAAA
 10 CCGGGGCTTCAAATCCGCACCTTGAGAAAGCCGACTCGACAATCCCACCGGACCACGTTAT
 CGGCACCGACCCGGCCGCCAACACGTCGGTGAGTGACGGCGACGAGATCACAGTCAACGTGT
 CCACCGGACCCGAGCAACGCGAAATACCCGACGTCTCCACGCTGACATACGCCGAAGCGGTCA
 AGAAACTGACTGCCGCCGGATTCCGGCCGCTTCAAGCAAGCGAATTCCCGGTCCACCCCGGAAC
 TGGTGGGCAAGGTCATCGGGACCAACCCGCCAGCCAACCAGACGTCGGCCATCACCATGTGG
 15 TCATCATCATCGTTGGCTCTGGTCCGGCGACCAAAGACATTCCCGATGTGCGGGGCCAGACCGT
 CGACGTGGCGCAGAAGAACCTCAACGTCTACGGCTTACCAAATTCAGTCAGGCCTCGGTGGA
 CAGCCCCCGTCCCGCCGGCGAGGTGACCGGCACCAATCCACCCGCAGGCACCACAGTTCCGG
 TCGATTCAATCATCGAACTACAGGTGTCCAAGGGCAACCAATTCGTATGCCCGACCTATCCGG
 CATGTTCTGGGTGACGCGCGAACCACGATTGCGCGCGCTGGGCTGGACCGGGATGCTCGACAA
 20 AGGGGCCGACGTCGACGCCGGTGGCTCCCAACACAACCGGGTCTGTCTATCAAACCCGCCGG
 CGGGGACCGGCGTCAACCGGGACGGCATCATCACGCTGAGGTTCCGGCCAGTAG

>Rv0016c pbpA TB.seq 18762:20234 MW:51577

>emb|AL123456|MTBH37RV:c20234-18759, pbpA SEQ ID NO:6

25 ATGAACGCCTCTCTGCGCCGAATATCGGTGACCGTGATGGCGTTGATCGTGTTGCTACTGCTCA
 ACGCGACCATGACGCAGGTCTTACCGCCGACGGGCTGCGTGCCGATCCCCGCAACCAGCGA
 GTGTTGCTCGACGAGTATTACGGCAGCGCGGCCAGATCACCGCTGGTGGCCAACTGCTGGCG
 TACTCGGTAGCCACCGACGGCCGCTTTCTGTTTCTGCGGGTCTATCCCAATCCTGAGGTGTACG
 CGCCGTTACCGGCTTCTACTCCCTGCGCTATTCCAGCACCGCCCTAGAACGAGCCGAGGACC
 30 CGATATTGAACGGTCCGACCGCCGTCTGTTCCGGCCGCCGGTGGCCGACTTCTTACCGGTC
 GCGACCCACGCGGCGGTAATGTCGATACCACGATCAACCCGCGCATTACAGCAAGCCGGCTGGG
 ACGCGATGCAGCAAGGCTGCTACGGGGCCCTGTAAGGGAGCGGTGGTCGCCCTTGAGCCATCAA
 CCGGCAAGATTTTGGCGTTGGTGTCTTCTCCGTCTACGACCCCAACCTGCTGGCGTCGCATAA
 CCCCAGGTGCAGGCGCAAGCCTGGCAGCGGCTTGGCGACAATCCCGCCTCTCCACTGACCAA
 35 CCGTGCCATCTCTGAGACGTATCCACCGGGTTCGACTTTCAAAGTGATCACCACTGCGGCCGCG
 CTGGCCGCCGGGGGCCACCGAGACCGAACAGCTGACTGCGGCGCCACAATCCGTTGCCAGG
 CAGCACCGCCCAGCTAGAGAACTACGGCGGTGCGCCGTGCGGGGACGAACCCACCGTGTGCG

TGCGTGAGGCATTTCGTCAAATCATGCAACACCGCATTTCGTCCAGCTGGGCATCCGCACCGGCG
CCGACGCCCTGCGCAGCATGGCGCGCGCGTTCGGTCTCGATAGCCCACCGCGCCCAACTCCG
CTGCAAGTGCGGAATCAACCGTCGGGCCTATCCCGGACAGCGCCGCACTAGGGATGACCAGT
ATCGGCCAAAAGGACGTTGCGCTGACCCCGCTAGCGAACGCAGAAATAGCCGCGACCATCGCA
5 AACGGCGGCATTACGATGAGGCCTTATCTAGTCGGCAGCCTCAAGGGACCGGACCTAGCCAAT
ATCTCAACCACCGTCGGATACCAGCAGCGCCGCGCGGTGTCACCGCAGGTGCGCGCTAAGCTA
ACAGAGCTGATGGTCGGCGCCGAGAAAGTCGCACAGCAGAAAGGGGCAATCCCCGGCGTGCA
GATCGCATCCAAGACGGGCACCGCCGAACATGGCACCGACCCTCGTCACACTCCACCGCACGC
TTGGTACATCGCCTTTGCGCCCGCACAAGCGCCCAAGGTGGCTGTTGCCGTGCTGGTGAGAA
10 CGGGGCTGATCGGCTGTCCGCCACCGGAGGTGCCCTCGCGGCACCGATCGGGCGGGCGGTG
ATCGAAGCCGCACTGCAGGGGGAACCATGA

>Rv0017c rodA TB.seq 20234:21640 MW:50612

>emb|AL123456|MTBH37RV:c21640-20231, rodA SEQ ID NO:7

15 ATGACGACACGACTGCAAGCGCCGGTGGCCGTAACGCCCCCGTTGCCGACTCGGCGCAACGC
TGAAGTCTGCTGCTGTGCTTTGCCGCGGTAATCACGTTTGCCGCACTGCTGGTCGTGCAGGCC
AATCAAGACCAGGGGGTGCCCTGGGACTTGACTAGCTACGGACTGGCCTTCCTGACCCTGTTC
GGATCCGCGCATCTGGCCATCCGGCGCTTCGCCCCCTACACTGACCCGCTGTTGCTCCCGGTG
GTGGCACTGCTCAACGGACTTGGCCTGGTAATGATCCACCGCCTCGATCTGGTGGACAACGAG
20 ATCGGCGAGCATCGGCACCCAGCGCAAACCAGCAGATGCTGTGGACGCTGGTGGGCGTAGC
TGCCTTCGCGCTCGTGGTGACCTTCCTCAAGGACCACCGACAGCTCGCACGCTACGGCTACATT
TGCGGGCTCGCGGGTCTGGTTTTCTTGGCAGTTCCCGCGCTGCTCCCGGCAGCACTGTCCGAA
CAGAACGGCGCCAAGATCTGGATCCGGTTGCCCGGCTTCTCGATTCAACCCGCCGAATTTTCAA
AGATTCTGCTGCTGATCTTCTTTTCGGCGGTACTGGTGGCCAAACGCGGCCTGTTACCAGCGC
25 CGGCAAACATTTGCTCGGAATGACCCTGCCGCGCCCGCGAGACCTCGCGCCACTGTTGGCAGC
CTGGGTCATCTCGGTGGGTGTGATGGTCTTCGAGAAAGACCTCGGCGCTTCGCTGCTGCTGTAC
ACATCGTTTCTGGTGGTGGTTTTACCTCGCCACCCAGCGGTTCAAGTTGGGTCGTCATCGGCCTGA
CTCTGTTCCGCGCAGGAACCTTGGTGGCGTACTTCATTTTTGAGCACGTCCGGCTCCGCGTACA
GACCTGGCTGGATCCGTTTCGAGATCCAGACGGCACCGGATATCAGATCGTGCAGTCGCTTTTC
30 AGCTTCGCTACAGGCGGTATCTTCGGCACCGGGCTCGGTAATGGTCAACCCGACACCGTGCCC
GCGGCATCCACCGATTTTCATCATCGCCGCGTTCGGCGAAGAGCTTGGGTGGTGGGCTTGACG
GCCATCCTGATGCTCTACACCATCGTGATCATCCGGGGTTTGCGCACGGCCATCGCCACCCGC
GATAGCTTCGGCAAGCTGCTGGCCGCCGGCCTCTCATCGACGCTAGCCATTCAGCTGTTTCATCG
TCGTGCGCGGTGTGACCCGACTCATTCCGCTGACCGGGTTGACCACACCGTGGATGTCCTACG
35 GCGGGTCTTCACTGCTGGCCAACTACATATTGCTGGCCATCCTGGCACGCATCTCGCACGGAGC
CCGCCGCCCACTGCGCACCCGCCACGAAATAAGTCGCCGATTACGGCGGCCGGCACCGAGG
TCATCGAACGCGTATGA

>Rv0018c ppp TB.seq 21640:23181 MW:53781

>emb|AL123456|MTBH37RV:c23181-21637, ppp SEQ ID NO:8

GTGGCGCGCGTGACCCTGGTCCTGCGATACGCGGCGCGCAGCGATCGCGGCTTGGTACGCGC
5 CAACAACGAAGACTCGGTCTACGCTGGGGCACGGCTATTGGCCCTGGCCGACGGCATGGGTG
GGCATGCGGCCGCGCAGGTGGCGTCCCAGTTGGTGATTGCCGCATTGGCCCATCTCGATGACG
ACGAGCCCCGGTGGCGATCTGCTGGCCAAGCTGGATGCCGCGGTGCGCGCCGGCAACTCGGCT
ATCGCAGCGCAAGTCGAGATGGAGCCCCGATCTCGAAGGCATGGGTACCACGCTCACCGCAATC
CTGTTGCGGGGCAACCGGCTCGGCCTGGTGCATATCGGTGACTCGCGCGGTTACCTGCTGCGC
10 GACGGTGAGCTGACGCAGATCACCAAGGACGACACGTTTGTCCAAACGCTGGTCGACGAAGGC
CGGATCACCCCGGAGGAGGCGCACAGCCACCCGCAACGCTCGTTGATCATGCGGGCGTTGAC
CGGCCATGAGGTGCAACCGACGCTGACCATGCGAGAAGCCCGCGCCGGTGATCGTTACCTGCT
GTGCTCGGACGGGTTGTCCGATCCGGTTAGCGATGAACTATCCTCGAGGCCCTGCAGATCCC
CGAGGTTGCCGAGAGCGCTCACCGCCTCATTGAACTGGCGCTGCGCGGCGGCGGCCCGGACA
15 ACGTCACTGTCGTGTCGCGACGTGTCGACTACGACTACGGCCAGACCCAACCGATTCTGG
CCGGGGCGGTCTCAGGCGACGACGACCAACTGACCCTGCCCAACACCGCCGCGCGGGGCC
TCTGCCATCAGCCAGCGCAAGGAGATCGTTAAACGCGTTCCGCCACAGGCCGATACATTCAGTC
GGCCACGGTGGTCGGGGCCGACGGCTAGCATTGTTGTGCGACTGGTGACCGTGCTGATGACTG
CGGGCCTGCTCATTGGTCGCGCGATCATCCGCAGCAACTACTACGTAGCGGACTACGCCGGCA
20 GCGTGTCCATCATGCGGGGGATTCAAGGGTCGCTACTGGGCATGTCCCTGCACCAGCCTTACC
TGATGGGCTGCCTCAGCCCGCGTAACGAGCTGTGCGAGATCAGCTACGGACAGTCTGGGGGCC
CTCTCGACTGCCATCTGATGAACTGGAGGATCTGCGACCGCCGGAGCGCGCACAGGTTCTGGG
CCGGTCTCCCGGCCGGCACTCTCGATGACGCCATCGGGCAGTTGCGCGAACTGGCGGCCAACT
CCCTGCTGCCGCCTTGCCCGGCGCCGCGTGCCACGTCCCCGCCCGGGCGCCCGGCCCCACCC
25 ACCACCAGCGAGACAACCGAACCACAAACGTCACCTCCTCGCCAGCCTCTCCATACCCACCACCT
CCGCGCCGGCCCCCACCAGAACTACTCCTGCCATCCCCACGAGTGCCTCCCCGGCAGCGCCC
GCGTCGCCGCGGACGCCTTGCCCCGTACACAGCTCGCCGACGATGGCCGCACTTCCGCCACC
CCCGCCTCAGCCGGGCATCGACTGCCGGGCGGCGGCATGA

>Rv0019c - TB.seq 23273:23737 MW:17153

>emb|AL123456|MTBH37RV:c23737-23270, Rv0019c SEQ ID NO:9

ATGCAGGGGTTGGTACTGCAACTGACGCGTGCCGATTCTTGATGTTGTTGTGGGTATTCATCT
GGTCCGTGCTACGGATCTTGAAGACCGACATTTATGCGCCGACCGGCGCGGTTCATGATGCGCC
GCGGCCTGGCGCTGCGAGGGACGCTCTTAGGCGCGCGTCAGCGCCGGCACGCTGCACGCTAC
35 CTGGTGGTGACCGAAGGTGCGTTGACTGGCGCGCGTATCACGCTGAGCGAACAGCCGGTGTG
ATCGGGCGCGCCGACGACTCGACCCTGGTGTGACCGACGACTACGCCTCGACGCGGCACGC
TCGGCTGTCTATGCGCGGCTCCGAGTGGTACGTGGAAGATCTAGGATCGACCAACGGCACTTA

CCTGGACAGGGCGAAGGTGACGACTGCGGTACGAGTTCCGATCGGAACGCCGGTTCGCATCG
GCAAACTGCAATCGAGTTGCGCCCGTGA

>Rv0020c - TB.seq 23864:25444 MW:56881

5 >emb|AL123456|MTBH37RV:c25444-23861, Rv0020c SEQ ID NO:10

ATGGGTAGCCAGAAAAGGCTGGTTCAGCGCGTTGAGCGCAAACTCGAGCAGACGGTTGGCGAT
GCGTTTGCCCGCATCTTTGGAGGCTCGATCGTCCCGCAAGAGGTCGAAGCCCTGCTGCGCCGC
GAGGCGGCCGACGGCATCCAGTCGCTGCAGGGAAATCGCCTTTTGGCGCCCAACGAATACATC
ATTACCCTCGGTGTGCACGACTTTGAGAAGTTGGGCGCTGATCCTGAGCTGAAGTCAACCGGT
10 TTGCTCGGGACTTGGCGGACTATATCCAAGAACAGGGGTGGCAAACGTATGGTGATGTGGTCGT
CCGATTCGAGCAGTCGTGAACCTGCATACCGGCCAGTTCCGCGCCCGCGGCACTGTAAACCC
CGACGTTGAGACCCACCCGCGGTCATCGATTGCGCCCGGCCACAATCAAACCACGCGTTTGG
CGCAGAACCAGGAGTAGCACCAATGAGTGACAATTCGAGCTACCGTGGCGGTCAGGGGCAGGG
GCGTCCCGACGAGTATTACGACGACCGCTATGCGCGTCCGCAAGAGGATCCGCGTGGTGGCCC
15 GGATCCGCAAGGCGGATCTGACCCCCGCGGGGGGTATCCACCCGAGACGGGCGGCTACCCGC
CCCAGCCGGGCTACCCACGCCCGCGCCACCCGGACCAGGGCGACTACCCCGAGCAAATCGGG
TACCCCGACCAGGGCGGTTACCCCGAGCAACGCGGTTACCCCGAGCAACGCGGCTACCCCGA
CCAGCGCGGGTACCAGGACCAGGGTCGAGGCTACCCCGACCAAGGGCAGGGGGGCTATCCGC
CGCCCTACGAGCAACGCCCTCCTGTTTCTCCCGGCCCGGCTGCCGGCTACGGCGCTCCCGGCT
20 ACGACCAGGGCTATCGCCAAAGCGGCGGCTACGGCCCTTACCCGGTGGCGGCCAGCCCGGC
TACGGCGGGTACGGGGAGTACGGGCGTGGCCCGGCTCGCCACGAGGAGGGCAGCTATGTGCC
CTCTGGCCCTCCGGGCCCCGCCGAGCAACGACCGGCTTACCCCGACCAAGGCGGTTACGACC
AGGGCTACCAGCAAGGCGCCACGACATACGGCCGGCAAGACTATGGCGGCGGCGCTGACTAC
ACCCGCTACACCGAATCCCCGCGGGTCCCGGGATACGCTCCTCAGGGTGGCGGGTACGCCGA
25 ACCCGCCGGCCGAGACTACGACTACGGCCAATCAGGCGCTCCGGAATACGGTCAGCCAGCGC
CCGGTGGCTACAGCGGTTACGGGCAGGGCGGCTATGGGTCCGCCGGAACGTCGGTTACGCTG
CAGCTCGACGACGGCAGCGGACGCACTTACCAGCTCCGCGAGGGCTCCAACATCATCGGTGCG
GGACAGGACGCCAGTTCCGGCTGCCCGACACCGGTGTGTCACGCCGTCACTTGGAGATCCG
GTGGGACGGGACAGTTCGATTGCTCGCAGACCTGAACTCCACCAACGGCACCACTGTAAACAA
30 TGCACCGGTACAGGAGTGGCAGTTGGCCGACGGTGATGTGATCCGCTTGGGACACTCCGAGAT
CATCGTCCGCATGCACTGA

>Rv0032 bioF2 C-terminal similar to B. subtilis BioF TB.seq 34295:36607 MW:86245

>emb|AL123456|MTBH37RV:34295-36610, bioF2 SEQ ID NO:11

35 ATGCCCCACTGGCTTGGGCTATGACTTTCTGCGCCCTGTCGAGGACTCGGGGATCAACGACCTGA
AGCACTATTACTTCATGGCGGATTTGGCCGATGGGCAACCGCTAGGCCGGGCAAACCTCTATAG
CGTCTGTTTCGACCTGGCCACCACCGACCGCAAGCTCACTCCGGCCTGGCGAACGACCATCAA

ACGGTGGTTTCCGGGGTTTATGACCTTCCGTTTCCTCGAGTGCGGGTTGCTCACCATGGTGAGC
AACCCGCTGGCGTTGCGGTCCGACACCGACTTGAGCGGGTATTGCCTGTGCTGGCCGGCCAG
ATGGACCAAGTTGGCGCATGACGACGGGTGCGATTCTTGATGATCCGGGACGTGGACCCGGAA
CACTACCAGCGATACCTTGACATCCTGCGCCCGTTGGGCTTTGCGCCTGCGCTGGGCTTTTCCC
5 GGGTAGACACGACCATCAGCTGGTCGAGCGTGGAAGAGGCACTGGGCTGCCTGTCTCACAAA
GGCGCCTGCCGTTGAAGACGTCGCTGGAGTTTCGTGAGCGGTTCCGTATCGAGGTGAGGAAC
TCGACGAGTATGCCGAGCATGCGCCGGTATTGGCCCGGCTTTGGCGCAACGTCAAGACGGAGG
CAAAGGATTACCAGCGCGAGGACCTGAACCCTGAGTTCTTCGCGGCGTGTTCTCGGCATCTGCA
TGGACGTAGCAGACTGTGGTTGTTCCGCTACCAGGGCACGCCAATTGCCTTCTTTTTGAACGTTT
10 GGGGTGCGGATGAGAACTACATACTGCTTGAGTGGGGCATCGATCGTGATTTTGAACATTATAG
GAAGGCGAATCTGTACCGGGCGGCGCTGATGCTCAGCCTAAAAGATGCGATCAGCCGAGATAA
ACGGCGAATGGAAATGGGTATTACGAACTATTTACAAAACTTCGCATTCCGGGTGCCCGAGTC
ATACCGACCATCTATTTCTGCGTCACAGCACGGATCCGGTGCATACGGCAACGTTAGCGCGAA
TGATGATGCACAATATTCAACGGCCAACGCTACCCGACGATATGTGCGAGGAATTCTGTGCTG
15 GGAAGAGCGAATACGTCTGGACCAGGACGGGCTACCCGAACACGATATCTTTGCAAGATCGAT
CGTCAGCACAAATACACGGGGCTCAAACCTCGGCGGAGTCTACGGTTTTTATCCCCGATTACCG
GACCGCAGCGATCCACGGTCAAGGCCGCGGAGCTGGGCGAGATCGTGTTGCTGGGCACGAAC
TCGTATCTGGGCCTGGCCACCCATCCAGAGGTGGTGGAGGCCTCGGCGGAGGCCACGCGACG
GTACGGCACCGGCTGCTCGGGTTCGCCGTTGCTGAACGGCACGTTGGACTTGACGTCTCGCT
20 TGAGCAGGAACTAGCCTGTTTTTTGGGCAAACCCGCCGCCGTGTTGTGCTCCACCGGATATCAG
AGCAACCTGGCGGCGATCAGCGCGCTATGCGAATCCGGGGACATGATCATCCAAGACGCGCTG
AACCACCGCAGCCTGTTGACGCGCCAGGTTGTCCGGGGCCGACTTCACCTTGACCGGCAC
AACGACATGGACCACCTGGCGCGGGTGTACGCCGACCGAGGGGCGCCGCCGGATCATCGT
CGTGGACGCGGTGTTGAGCATGGAAGGCACCGTCGCCGACCTGGCCACCATCGCCGAGCTTG
25 CCGACCGGCACGGCTGCCGGGTCTATGTGGACGAGTCCCATGCGCTGGGCGTGCTCGGCCCC
GACGGGCGAGGAGCTTCGGCCGCGTTGGGTGTCTTGGCGCGCATGACGTGGTGATGGGCAC
GTTGAGCAAATCCTTTGCCTCCGTGCGCGGGTTCATCGCCGGAGATCGGCCCGTCGTGGACTA
CATCCGGCACAAACGGTTGAGGTCATGTGTTTTCCGCCAGCCTGCCGCCGGCCGCCGGCTGC
CACCCACGCGGCTCTGCGCGTCAGTCGGCGTGAACCCGACCGGCGGGCTCGGGTGCTGGCCG
30 CGGCCGAGTACATGGCCACCGGCCTGGCACGGCAGGGCTATCAGGCCGAGTATCACGGAACC
GCGATCGTGCCGGTGATCCTGGGCAACCCGACCGTGCGCATGCGGGCTATCTGCGGCTGAT
GCGCTCCGGGGTGTATGTGAACCCGGTGGCCCCCCCAGCCGTGCCGGAGGAGCGTTCCGGAT
TCCGCACCAGCTACCTAGCCGACCAACGACAATCTGACCTCGACCGGGCCTTGACGTGTTTGC
CGGCCTTGCCGAGGACCTGACCCCGCAAGGAGCCGCGCTATGA

>Rv0050 ponA1 TB.seq 53661:55694 MW:71119

>emb|AL123456|MTBH37RV:53661-55697, ponA SEQ ID NO:12

GTGGTGATCCTGTTGCCGATGGTCACCTTCACGATGGCCTACCTGATCGTCGACGTTCCCAAGC
 CAGGTGACATCCGTACCAACCAGGTCTCCACGATCCTTGCCAGCGACGGCTCGGAAATCGCCA
 AAATTGTTCCGCCCCGAAGGTAATCGGGTCGACGTCAACCTCAGCCAGGTGCCGATGCATGTGC
 GCCAGGCGGTGATTGCGGCCGAAGACCGCAATTTCTATTGAATCCGGGATTCTCGTTCACCGG
 5 CTTGCGCGGGCAGTCAAGAACAACCTGTTGCGCGGGCGATCTGCAGGGCGGATCGACGATTAC
 CCAGCAGTACGTCAAGAACGCGCTGGTCGGTTCGCGACAGCACGGGTGGAGCGGTCTGATGC
 GCAAGGCGAAAGAATTGGTCATCGCGACGAAGATGTGCGGGGAGTGGTCTAAAGACGATGTGC
 TGCAGGCGTATCTGAACATCATCTACTTCGGCCGGGGCGCCTACGGCATTTCGGCGGCGTCCA
 AGGCTTATTTGACAAGCCCGTCGAGCAGCTGACCGTTGCCGAAGGGGCGTTGTTGGCAGCGC
 10 TGATTGCGCGGCCCTTCGACGCTGGACCCGGCGGTGACCCCGAAGGGGCCCATGCCCGCTGG
 AATTGGGTACTCGACGGCATGGTGGAAACCAAGGCTCTCTCGCCGAATGACCGTGCGGCGCAG
 GTGTTTCCCGAGACAGTGCCGCCCCGATCTGGCCCGGGCAGAGAATCAGACCAAAGGACCCAAC
 GGGCTGATCGAGCGGCAGGTGACAAGGGAGTTGCTCGAGCTGTTCAACATCGACGAGCAGACC
 CTAACACCCAGGGGCTGGTGGTCACCACCACGATTGATCCGACGGCCCAACGGGCGGCGGA
 15 GAAGGCGGTTGCGAAATACCTGGACGGGCAGGACCCCGACATGCGTGCCGCCGTGGTTTCCAT
 CGACCCGCACAACGGGGCGGTGCGTGCGTACTACGGTGCGGACAATGCCAATGGCTTTGACTT
 CGCTCAAGCGGGATTGCAGACTGGATCGTCGTTTAAGGTGTTTGCTCTGGTGGCCGCCCTTGAG
 CAGGGGATCGGCCTGGGCTACCAGGTAGACAGCTCTCGTTGACGGTCGACGGCATCAAGATC
 ACCAACGTCGAGGGCGAGGGTTGCGGGACGTGCAACATCGCCGAGGCGCTCAAATGTGCT
 20 GAACACCTCCTACTACCGGCTGATGCTCAAGCTCAACGGCGGCCACAGGCTGTGGCCGATGC
 CGCGCACCAAGCCGGCATTGCCTCCAGCTTCCCGGGCGTTGCGCACACGCTGTCCGAAGATGG
 CAAGGGTGGACCGCCCAACAACGGGATCGTGTTGGGCCAGTACCAAACCCGGGTGATCGACAT
 GGCATCGGCGTATGCCACGTTGGCCGCGTCCGGTATCTACCACCCGCCGCATTTCTGTACAGAA
 GGTGGTCAGTGCCAACGGCCAGGTCCTCTTCGACGCCAGCACCGCGGACAACACCGGCGATCA
 25 GCGCATCCCCAAGGCGGTAGCCGACAACGTGACTGCGGCGATGGAGCCGATCGCAGGTTATTC
 GCGTGGCCACAACCTAGCGGGTGGGCGGGATTTCGGCGGCCAAGACCGGCACTACGCAATTTG
 GTGACACCACCGCGAACAAGACGCCTGGATGGTGGGTACACGCCGTCGTTGTCTACGGCTG
 TGTGGGTGGGCACCGTCAAGGGTGACGAGCCACTGGTAACCGCTTCGGGTGCAGCGATTTACG
 GCTCGGGCCTGCCGTCGGACATCTGGAAGGCAACCATGGACGGCGCCTTGAAGGGCACGTGCG
 30 AACGAGACTTTCCCCAAACCGACCGAGGTGCGTGGTTATGCCGGTGTGCCGCCGCCGCCGCCG
 CCGCCGGAGGTACCACCTTCGGAGACCGTCATCCAGCCCACGGTCGAAATTGCGCCGGGGATT
 ACCATCCCGATCGGTCCCCCGACCACTTACCCTGGCGCCACCGCCCCCGGCCCGCCCGCT
 GCGACTCCACGCGCCGCCCGTGA

>Rv0051 - TB.seq 55694:57373 MW:61210

>emb|AL123456|MTBH37RV:55694-57376, Rv0051 SEQ ID NO:13

GTGACCGGCGCGCTGTCCCAAAGCAGCAACATCTCGCCACTTCCTTTGGCCGCCGATCTGCGG
AGCGCCGATAACCGCGATTGCCCCAGCCGCACCGACGTATTGGGTGCCGCTCTGGCGAATGTC
GTCGGTGGCCCCGGTAGGCCGGCAGCGCTGATCGGCCGCACCCGGCTGATGACCCCGCTGCG
GGTGATGTTTGCAATCGCGTTGGTGTTCCTGGCGCTCGGTTGGTCGACGAAAGCGGCCTGCTT
5 GCAGTCCACCGGAACCGGTCCAGGTGATCAGCGGGTGGCCAACTGGGATAACCAGCGTGCTTA
CTACCAGTTGTGCTACTCCGATACGGTGCCGCTCTATGGCGCTGAGTTATTGAGCCAAGGCAAG
TTTCCGTACAAATCAAGCTGGATCGAAACCGACAGCAACGGCACACCCGACGTGCGCTACGAC
GGACAGATCGCGGTGCGCTATATGGAGTATCCGGTGCTGACTGGGATCTATCAGTACCTGTGCA
TGGCGATAGCCAAGACCTACACCGCGTTAAGCAAGGTGGCTCCCCCTCCCGGTGGTTGCCGAAG
10 TGGTGATGTTCTTCAACGTCGCCGCGTTTCGGTTTGGCGCTGGCGTGGCTGACAACCGTCTGGG
CGACCTCGGGCCTGGCCGGCCGCCGGATATGGGATGCGGCGCTGGTGGCCGCCTCACCGCTG
GTGATCTTTTCAGATATTCACCAATTTTCGATGCGCTGGCAACGGGTTTGGCGACGAGTGGGCTGC
TGGCCTGGGCGCGGCGCAGACCGGTGCTTGCCGGTGTGCTGATCGGGTTGGGCTCCGCGGCG
AAACTGTATCCGCTGTTGTTCTTGTACCCGTTGTTGCTGCTGGGCATCCGGGGCCGGTCCGCTGA
15 ATGCTCTGGCCCGCACCATGGCGGCCGCGGCGGCGACCTGGTTGTTGGTGAATCTGCCGGTGA
TGCTGCTCTTTCCGCGCGGCTGGTTCGAGTTCTTCCGGCTCAACACCCGGCGCGGCGACGACA
TGGACTCGTTGTACAACGTCGTCAAGTCGTTACCCGGCTGGCGTGGCTTCGACCCACCCCTGG
GCTTCTGGGAGCCGCGCTGGTGTGAACACGGTTGTCACGCTCTTGTTCTGTTATGTTGTGC
GGCAATTGCTTACATCGCGCTCACCGCACCCACCGGCCGCGCGTGGCGCAGCTGACTTTCTT
20 GACGGTGGCCAGCTTCCTGTTGGTCAACAAGGTGTGGAGTCCCCAGTTCTCGCTTTGGCTGGTG
CCGCTGGCCGTGCTGGCTTTGCCGCACCGCCGGATCTTGCTGGCGTGGATGACGATCGACGCG
TTGGTGTGGGTGCCGCGGATGTACTACCTATACGGCAACCCGAGCCGCTCGCTGCCCGAGCAG
TGGTTCACCACGACGGTGTGCTGCGTGACATCGCCGTGATGGTGTGTCGGACTGGTGGTC
TGGCAGATCTACCGCCCCGGGCGCGACCTCGTGCGTACCGGCGGGCCAGGGGCACTGCCGGC
25 TTGTGGGGGAGTCGACGACCCGGTGGGAGGGGTCTTTGCCAACGCCGCCGACGCCCCGCCAG
GTCGGCTACCGTCGTGGCTGCGTCCCCGGCTGGGCGACGAGCATGCGCGAGAGAGGACGCCC
GATGCAGGTCGCGATCGCACTTTTTCCGGGCAACACCGCGCTTGA

>Rv0106 - TB.seq 124372:125565 MW:43701

>emb|AL123456|MTBH37RV:124372-125568, Rv0106 SEQ ID NO:14

ATGCGTACTCCGGTGATATTGGTGGCAGGTGAGGATCACACCGACGAGGTGACGGGCGCCTTG
TTGCGCCGGACCGGAACGGTGGTTCGTGGAGCACCGGTTTGACGGCCATGTGGTGCGACGGAT
GACTGCCACGCTGAGCCGTGGCGAATTGATCACACGGAGGACGCTTTGGAGTTGCCCCACGG
CTGTGTGTCGTGCACAATCCGCGACGACCTGCTGGTGTGTTACGCAGACTGCACCGCCGAGA
35 CAATGTCGGCCGGATCGTCGTGCACCTGGCGCCGTGGCTGGAGCCCCAGCCCATCTGCTGGG
CGATCGACCACGTGCGGGTTTGCGTTCGGACACGGATACCCAGACGGACCAGCCGCCCTCGAC
GTGCGGGTTCGCGGCCGTGGTGACCTGTGTGGACTGCGTAAGGTGGCTGCCGCAGTCACTCGG

CGAGGACGAACTGCCCCACGGGCGCACGGTGGCCCAAGTGACGGTCGGTCAGGCCGAGTTCG
CCGACCTTCTGGTGCTGACCCACCCGGAACCGGTGCGCGTGGCGGTTCTGCGCCGACTGGCC
CCTCGAGCGCGAATCACCGGCGGCGTGCACCGCGTGCAGCTGGCGCTGGCGCATCTGGACGA
CAACTCACGGAGGGGTCGTACCGATACCCCGCACACGCCATTGCTGGCGGGCCTGCCTCCGTT
5 GGCAGCCGACGGTGAGGTTGCGATCGTGGAATTCAGTGCCCGCCGCCGTTTACCCGCAACG
TCTGCATGCCGCGGTTGACCTGCTGCTCGATGGCGTGGTTCGCACTCGAGGTCGGCTGTGGCT
GGCCAACCGGCCGGATCAGGTCATGTGGCTCGAATCAGCCGGTGGCGGTCTGCGGGTCGCAT
CGGCCGGAAGTGGTTGGCGGCGATGGCGGCCTCGGAGGTGGCCTATGTGCACCTGGAGCGG
CGGTTGTTGCGCGACCTGATGTGGGTCTACCCGTTTCGGAGACCGGCACACCGCGATGACGGTA
10 CTGGTATGCGGCGCCGATCCGACCGACATCGTCAATGCCCTGAACGCGGCGCTGCTCAGCGAC
GACGAAATGGCATCTCCGCAACGCTGGCAGTCCTACGTCGACCCTTTTCGGCGACTGGCATGAC
GACCCGTGCCACGAAATGCCCGATGCGGCTGGGGAATTCTCGGCACACCGCAACTCAGGAGAA
TCTCGATGA

15 >Rv0125 - TB.seq 151146:152210 MW:34927

>emb|AL123456|MTBH37RV:151146-152213, pepA SEQ ID NO:15

ATGAGCAATTCGCGCCGCCGCTCACTCAGGTGGTCATGGTTGCTGAGCGTGCTGGCTGCCGTC
GGGCTGGGCCTGGCCACGGCGCCGGCCAGGCGGCCCGCCGGCCTTGTGCGAGGACCGGT
TCGCCGACTTCCCGCGCTGCCCTCGACCGTCCGCGATGGTCGCCCAAGTGGGGCCACAG
20 GTGGTCAACATCAACACCAAACCTGGGCTACAACAACGCCGTGGGCGCCGGGACCGGCATCGTC
ATCGATCCCAACGGTGTGCTGCTGACCAACAACACGTGATCGCGGGCGCCACCGACATCAAT
GCGTTCAGCGTCGGCTCCGGCCAAACCTACGGCGTCGATGTGGTCGGGTATGACCGCACCCAG
GATGTGCGGGTGCTGCAGCTGCGCGGTGCCGGTGGCCTGCCGTGCGCGGCGATCGGTGGCG
GCGTCGCGGTTGGTGAGCCCGTCGTCGCGATGGGCAACAGCGGTGGGCAGGGCGGAACGCC
25 CCGTGCGGTGCCTGGCAGGGTGGTCGCGCTCGGCCAAACCGTGCAGGCGTCGGATTGCTGA
CCGGTGCCGAAGAGACATTGAACGGGTTGATCCAGTTCGATGCCGCGATCCAGCCCGGTGATT
CGGGCGGGCCCGTCTGTAACGGCCTAGGACAGGTGGTCGGTATGAACACGGCCGCGTCCGAT
AACTTCCAGCTGTCCCAGGGTGGGCAGGGATTGCGCATTCCGATCGGGCAGGCGATGGCGATC
GCGGGCCAGATCCGATCGGGTGGGGGGTACCCACCGTTCATATCGGGCCTACCGCCTTCCTC
30 GGCTTGGGTGTTGTGACAACAACGGCAACGGCGCACGAGTCCAACGCGTGGTCGGGAGCGC
TCCGGCGGCAAGTCTCGGCATCTCCACCGGCGACGTGATCACCGCGGTGACGGCGCTCCGAT
CAACTCGGCCACCGCGATGGCGGACGCGCTTAACGGGCATCATCCCGGTGACGTCATCTCGGT
GACCTGGCAAACCAAGTCGGGCGGCACGCGTACAGGGAACGTGACATTGGCCGAGGGACCCC
CGGCCTGA

35 >Rv0350 dnaK 70 kD heat shock protein, chromosome replication TB.seq 419833:421707

MW:66832 SEQ ID NO:16

>emb|AL123456|MTBH37RV:419833-421710, dnaK

ATGGCTCGTGCGGTTCGGGATCGACCTCGGGACCACCAACTCCGTCGTCTCGGTTCTGGAAGGT
GGCGACCCGGTTCGTCTCGCCAACTCCGAGGGCTCCAGGACCACCCCGTCAATTGTCGCGTTC
GCCCCGAACGGTGAGGTGCTGGTCGGCCAGCCCGCCAAGAACCAGGCAGTGACCAACGTCGA
5 TCGCACCGTGCGCTCGGTCAAGCGACACATGGGCAGCGACTGGTCCATAGAGATTGACGGCAA
GAAATACACCGCGCCGGAGATCAGCGCCCGCATTCTGATGAAGCTGAAGCGCGACGCCGAGGC
CTACCTCGGTGAGGACATTACCGACGCGGTTATCACGACGCCCGCCTACTTCAATGACGCCCGAG
CGTCAGGCCACCAAGGACGCCGGCCAGATCGCCGGCCTCAACGTGCTGCGGATCGTCAACGA
GCCGACCGCGGCCGCGCTGGCCTACGGCCTCGACAAGGGCGAGAAGGAGCAGCGAATCCTGG
10 TCTTCGACTTGGGTGGTGGCACTTTTCGACGTTTCCCTGCTGGAGATCGGCGAGGGTGTGGTTGA
GGTCCGTGCCACTTCGGGTGACAACCACCTCGGCGGCGACGACTGGGACCAGCGGGTCGTCTG
ATTGGCTGGTGGACAAGTTCAAGGGCACCAGCGGCATCGATCTGACCAAGGACAAGATGGCGA
TGCAGCGGCTGCGGGAAGCCGCCGAGAAGGCAAAGATCGAGCTGAGTTCGAGTCAGTCCACCT
CGATCAACCTGCCCTACATCACCGTCGACGCCGACAAGAACCCGTTGTTCTTAGACGAGCAGCT
15 GACCCGCGCGGAGTTCCAACGGATCACTCAGGACCTGCTGGACCGCACTCGCAAGCCGTTCCA
GTCGGTGATCGCTGACACCGGCATTTTCGGTGTGCGGAGATCGATCACGTTGTGCTCGTGGGTGG
TTCGACCCGGATGCCCCGCGGTGACCGATCTGGTCAAGGAACTCACCGGCGGCAAGGAACCCAA
CAAGGGCGTCAACCCCGATGAGGTTGTGCGGTTGGGAGCCGCTCTGCAGGCCGCGCTCCTCA
AGGGCGAGGTGAAAGACGTTCTGCTGCTTGATGTTACCCCGCTGAGCCTGGGTATCGAGACCA
20 AGGGCGGGGTGATGACCAGGCTCATCGAGCGCAACACCACGATCCCCACCAAGCGGTCCGAG
ACTTTCACCACCGCCGACGACAACCAACCGTCGGTGCAGATCCAGGTCTATCAGGGGGAGCGT
GAGATCGCCGCGCACAACAAGTTGCTCGGGTCCTTCGAGCTGACCGGCATCCCGCCGGCGCC
GCGGGGGATTCCGCGAGATCGAGGTCACTTTTCGACATCGACGCCAACGGCATTGTGCACGTCAC
CGCCAAGGACAAGGGCACCGGCAAGGAGAACACGATCCGAATCCAGGAAGGCTCGGGCCTGT
25 CCAAGGAAGACATTGACCGCATGATCAAGGACGCCGAAGCGCACGCCGAGGAGGATCGCAAGC
GTCGCGAGGAGGCCGATGTTTCGTAATCAAGCCGAGACATTGGTCTACCAGACGGAGAAGTTTCG
TCAAAGAACAGCGTGAGGCCGAGGGTGGTTTCAAGGTACCTGAAGACACGCTGAACAAGTTG
ATGCCGCGGTGGCGGAAGCGAAGGCGGCACTTGGCGGATCGGATATTTGCGCCATCAAGTCG
GCGATGGAGAAGCTGGGCCAGGAGTCGACGGCTCTGGGGCAAGCGATCTACGAAGCAGCTCA
30 GGCTGCGTCACAGGCCACTGGCGCTGCCACCCCGGCGGCGAGCCGGGCGGTGCCACCCC
GGCTCGGCTGATGACGTTGTGGACGCGGAGGTGGTTCGACGACGGCCGGGAGGCCAAGTGA

>Rv0351 grpE stimulates DnaK ATPase activity TB.seq 421707:422411 MW:24501

>emb|AL123456|MTBH37RV:421707-422414, grpE SEQ ID NO:17

GTGACGGACGGAAATCAAAAGCCGGATGGCAATTCGGGCGAACAGGTAACCGTCACTGACAAG
CGGCGGATCGATCCCGAGACGGGTGAAGTGCGGCACGTCCCTCCCGGCGACATGCCGGGAGG
GACGGCTGCGGCCGATGCGGCGCACACCGAAGACAAGGTCGCCGAGCTGACCGCCGATCTGC

AACGCGTGCAGGCCGACTTCGCCAACTACCGTAAGCGGGCGTTGCGCGATCAGCAGGCGGCC
GCTGACCGAGCCAAGGCCAGCGTTGTCAGCCAATTGCTGGGTGTACTGGACGATCTCGAGCGG
GCGCGCAAGCACGGCGATTTGGAGTCGGGTCCACTGAAGTCGGTCGCCGACAAGCTAGACAGC
GCGTTGACCGGGCTGGGTCTGGTGGCGTTTCGGTGCCGAGGGCGAGGATTTGACCCCGTGCT
5 GCACGAAGCGGTGCAACACGAGGGCGACGGCGGGCAGGGGTCCAAGCCGTAATCGGCACC
GTCATGCGGCAGGGCTACCAACTGGGTGAGCAGGTGCTGCGGCACGCCTTGGTCGGCGTCGT
CGACACGGTGGTCGTGACGCGGCCGAACTGGAGTCAGTCGACGACGGCACTGCGGTGCGAG
ATACCGCCGAAAACGATCAAGCTGACCAGGGCAATAGCGCCGACACCTCGGGCGAACAGGCAG
AATCAGAACCGTCGGGCAGTTAA

>Rv0352 dnaJ acts with GrpE to stimulate DnaK ATPase TB.seq 422450:423634 MW:41346

>emb|AL123456|MTBH37RV:422450-423637, dnaJ SEQ ID NO:18

ATGGCCCAAAGGGAATGGGTGCAAAAAGACTTCTACCAGGAGCTGGGCGTCTCCTCTGATGCC
AGTCCTGAAGAGATCAAACGTGCCTATCGGAAGTTGGCGCGCGACCTGCATCCGGACGCGAAC
15 CCGGGCAACCCGGCCGCCGGCGAACGGTTCAAGGCGGTTTCGGAGGCGCATAACGTGCTGTC
GGATCCGGCCAAGCGCAAGGAGTACGACGAAACCGCCGCCTGTTGCGCCGGCGGCGGGTTGCG
GCGGCCGTGCGTTTCGACAGCGGCTTTGGGGGCGGGTTGCGCGGTTTCGGGGTGGTGGAGAC
GGCGCCGAGTTCAACCTCAACGACTTGTTCGACGCCGCCAGCCGAACCGGCGGTACCACCATC
GGTGA CTGTTGCGGTGGCTTGTTCGGACGCGGTGGCAGCGCCCGTCCCAGCCGCCCGCGACG
20 CGGCAACGACCTGGAGACCGAGACCGAGTTGGATTTGCTGGAGGCCGCCAAGGGCGTGGCGA
TGCCGCTGCGATTAACCAGCCCGGCGCCGTGCACCAACTGCCATGGCAGCGGGGCCCGGCCA
GGCACCAGCCCAAAGGTGTGTCCCACTTGCAACGGGTGCGGCGTGATCAACCGCAATCAGGGC
GCGTTGCGCTTCTCCGAGCCGTGCACCGACTGCCGAGGTAGCGGCTCGATCATCGAGCACCCC
TGCGAGGAGTGCAAAGGCACCGGCGTGACCACCCGCACCCGAACCATCAACGTGCGGATCCC
25 GCCCGGTGTCGAGGATGGGCAGCGCATCCGGCTAGCCGGTCAGGGCGAGGCCGGGTTGCGC
GGCGCTCCCTCGGGGATCTCTACGTGACGGTGATGTGCGGCCCGACAAGATCTTCGGCCGC
GACGGCGACGACCTCACCGTCACCGTTCCGGTCAGCTTACCGAATTGGCTTTGGGCTCGACG
CTGTGCGGTGCCCTACCCTGGACGGCACGGTCGGGGTCCGGGTGCCCAAAGGCACCGCTGACGG
CCGCATTCTGCGTGTGCGCGGACGCGGTGTGCCAAGCGCAGTGGGGGTAGCGGCGACCTAC
30 TTGTACCGTGAAGGTGGCCGTGCCGCCAATTTGGCAGGCGCCGCTCAGGAAGCTCTGGAAG
CCTATGCGGCGGCGGAGCGGTCCAGTGGTTTCAACCCGCGGGCCGGATGGGCAGGTAATCGC
TGA

>Rv0363c fba fructose bisphosphate aldolase TB.seq 441266:442297 MW:36545

>emb|AL123456|MTBH37RV:c442297-441263, fba SEQ ID NO:19

ATGCCTATCGCAACGCCCGAGGTCTACGCGGAGATGCTCGGTGAGGCCAAACAAAACCTCGTAC
GCTTTCCCGGCTATCAACTGCACCTCCTCGGAAACCGTCAACGCCGCGATCAAAGGTTTCGCCG

ACGCCGGCAGTGACGGAATCATCCAGTTCTCGACCGGTGGCGCAGAATTCGGCTCCGGCCTCG
GGGTCAAAGACATGGTGACCGGTGCGGTGCGCTTGGCGGAGTTCACCCACGTTATCGCGGCCA
AGTACCCGGTCAACGTGGCGCTGCACACCGACCACTGCCCAAGGACAAGTTGGACAGCTATG
TCCGGCCCTTGCTGGCGATCTCGGCGCAACGCGTGAGCAAAGGTGGCAATCCTTTGTTCCAGT
5 CGCACATGTGGGACGGCTCGGCAGTGCCAATCGATGAGAACCTGGCCATCGCCCAGGAGCTGC
TCAAGGCGGCGGCGGCCGCAAGATCATTCTGGAGATCGAGATCGGCGTCGTCGGCGGCGAA
GAGGACGGCGTGCGGAACGAGATCAACGAGAAGCTGTACACCAGCCCGGAGGACTTCGAGAAA
ACCATCGAGGCGCTGGGCGCCGGTGAGCACGGCAAATACCTGCTGGCCGCGACGTTTCGGCAA
CGTGCGATGGCGTCTACAAGCCCGGCAACGTCAAGCTTCGCCCCGACATCCTTGCGCAAGGGCA
10 ACAGGTGGCGGCGGCCAAGCTCGGACTGCCGGCCGACGCCAAGCCGTTGACTTCGTGTTCC
ACGGCGGCTCGGGTTTCGCTTAAGTCGGAGATCGAGGAGGCGCTGCGCTACGGCGTGGTGAAG
ATGAACGTCGACACCGACACCCAGTACGCGTTACCCGCCCCGATCGCCGGTCACATGTTACCC
AACTACGACGGAGTGCTCAAGGTCGATGGCGAGGTGGGTGTCAAGAAGGTCTACGACCCGCGC
AGCTACCTCAAGAAGGCCGAAGCTTCGATGAGCCAGCGGGTCGTTCAAGCGTGCAATGACCTG
15 CACTGCGCCGAAAGTCCCTAACCCACTAA

>Rv0405_pks6_TB.seq 485729:489934 MW:147615 >emb|AL123456|MTBH37RV:485729-489937,
pks6 SEQ ID NO:20

ATGACAGACGGTTCGGTCACTGCGGATAAGCTTCAAAAATGGTTTCGAGAGTACTTGTCCACGC
20 ATATCGAGTGTCATCCAAATGAGGTCAGCCTAGACGTTCCGATTAGAGATTTAGGTTTGAATCG
ATTGATGTCTTAGCGATTCCCGGCGACCTCGGTGACAGATTTGGGTTTTGTATTCCCGATTTGGC
CGTTTGGGATAATCCTAGCGCTAATGATTTGATTGATAGTCTGTTGAACCAGCGTAGTGCTGACT
CGTTAAGAGAGAGTCATGGACACGCCGACAGGAACACGCAGGGTCGGGGCAGCATAAACGAGC
CGGTTGCGGTTCATCGGAGTGGGCTGTCGATTTCCGGGAGATATTGACGGCCCCGAACGGCTAT
25 GGGACTTTCTGACCGAGAAGAAGTGTGCGATAACAGCGTATCCAGATCGTGGGTTACGAATGC
TGGAACTTTCGCGGAGTCCGGAGGCTTTTTAAAGGATGTCGCGGGTTTCGATAATAGATTTTTTG
ATATCCCGCCGGACGAGGCTCTGCGAATGGATCCGCAACAACGGTTGTTACTGGAGGTCTCTTG
GGAAGCGTTAGAGCATGCAGGAATTATTCCTGAGTCATTAAGACTTTACGTACGGGCGTATTC
GTTGGGGTGTGCTCAACTGACTACGTCCGGCTTGTCGAGCTAGCGCTCAGAAAAGTCTACTA
30 TTTGGGATAACACCGGCGGTTCTTCGAGTATTATTGCCAATAGAATCTCATACTTTCTCGATATTC
AGGGTCCGTCCATTGTCATTGACACGGCATGCTCGTCATCCCTGGTCGCCGTGCATCTAGCCTG
TCGAAGTCTCAGTACCTGGGACTGCGATATCGCACTTGTCGGTGGGACGAATGTTCTTATTTAC
CAGAACCATGGGGTGGGTTTAGGGAAGCGGGCATCTTGTCGCGAGACAGGCTGCTGTCACGCGT
TCGATAAATCCGCCGACGGGATGGTACGCGGTGAGGGATGCGGAGTTATCGTGCTGCAGCGCC
35 TCAGTGATGCACGCCTTGAGGGCCGGCGGATATTAGCGATTCTGACGGGTTACGCGGTCAATC
AGGACGGTAAGTCCAACGGTATTATGGCGCCAAATCCTAGTGCGCAAATTGGTGTCTTGAAT
GCATGCAAGAGCGCTCGCGTCGATCCGCTGGAATCGGCTACGTGAGGCCACGGGACCGG

AACGTCGTTAGGGGATAGGATCGAGGCGCACGCCTTAGGCATGGTCTTTGGTCGCAAGAGACC
 GGGATCTGGGCCCCTGATGATCGGGAGCATCAAGCCGAATATCGGCCATCTGGAAGGTGCGGC
 TGGCATCGCCGGATTGATCAAGGCGGTGTTGATGGTTGAGCGTGGCTCGCTGCTTCCGAGCGG
 GGGGTTTACGGAGCCAAATCCAGCTATCCATTACGGAATTGGGCCTGAGAGTTGTAGACGAA
 5 CTTCAGGAGTGGCCGGTGGTGGCGGGTCGGCCGCGCCGGGCTGGGGTGTCATCGTTCCGGCTT
 TGGCGGCACCAATGCGCATGTGATTGTCGAGGAAGCTGGTTCGGTTGGGGCGGACACGGTTTC
 GGGCCGCGCGGATGTTGGCGGTTCCGGTGGTGGGGTGGTGGCGTGGGTGATTCGGGGAAGA
 CGGCTTCGGCGTTGGCTGCTCAGGCGGGTCGGTTGGGGCGGTATGTGCGGGCTCGGCCGGCG
 CTTGATGTTGTTGATGTGGGGTATTCGTTGGTGAGCACGCGGTGGTGTTCGATCATCGGGCGG
 10 TGGTGGTCGGCCAGACTCGCGATGAGTTGCTGGCTGGGTGGCTGGGGTGGTTGCTGGTCGG
 CCGGAGGCTGGGGTGGTCTGCGGTGTTGGCAAGCCGGCGGGCAAGACGGCTTTTGTGTTTGC
 CGGTCAAGGCTCGCAGTGGCTGGGTATGGGTAGCGAGCTTTATGCTGCCTACCCGGTTTTCGC
 CGAGGCCCTCGATGCTGTGGTGGACGAGTTGACCGGCACCTGCGGTATCCGCTGCGCGATGT
 GATCTGGGGGCACGACCAAGATCTGTTGAATACCACCGAATTCGCCAGCCGGCGCTGTTTGC
 15 GGTGGAGGTGGCGCTGTATCGGCTGCTCATGTCGTGGGGGGTGC GGCCGGGTTTGGTGCTGG
 GTCATTGGTGGGCGAGTTGGCGCGGCGCACGTGCGCGGGGCGCTGTGTTTGCCGGATGCG
 GCGATGCTGGTGGCCGCGCGTGGACGGTTGATGCAGGCGTTGCCCGCCGGCGGCCATGTT
 TCGGGTGCAGGCCCGTGAAGACGAGGTAGCGCCGATGCTGGGGCACGATGTGAGCATCGCGG
 CGGTCAATGGTCCGGCTTCGGTGGTGTCTCTGGTGCCACGATGCGGTGAGCGCGATCGCTG
 20 ATCGGCTGCGCGGCCAGGGCCGTCGGGTCCACCGGTTGGCGGTCTCGCATGCCTTTCACTCG
 GCGTTGATGGAGCCGATGATCGCTGAGTTCACAGCCGTTGCGGCCGAAGTGTCTGTGGGCTTG
 CCCACGATCCCGGTCATTTCCAATGTGACCGGGCAGTTGGTGGCCGACGACTTCGCCTCAGCT
 GATTACTGGGCCCCGGCATATCCGGGCGGTGGTGGGTTTGGCGACAGTGTTCTAGTGCCAC
 TGGCGCCGGTGCCAGTCGTTTCATCGAAGTCGGGCCCGGTGGCGGCTTGACGTCGTTGATCGAG
 25 GCATCGCTGGCCGACGCGCAGATCGTGTGGTGGCCACGCTGCGCAAAGATCGGCCCGAACC
 GGTCAGTGTGATGACGGCGGCGGCCAGGGCTTCGTCTCGGGGATGGGCCTGGATTGGGCCT
 CGGTGTTTTCCGGGTACCGGCCCAAGCGGGTGGAGTTGCCGACGTATGCCTTCCAGCATCAA
 AGTTCTGGCTCGCACCAGCCCCATCGGTGAGCGACCCACCGCCGCCGCGGAGATCGGGGCT
 AGCGATGGTGGTGCTGAACTCTTGGCGTCCTCCGGGTTTGCCGCCCGGCTGGCCGGTCGGTCG
 30 GCCGACGAGCAACTCGCCGACGATCGAGGTGGTATGTGAGCATGCCGACGCGGTGCTGGG
 GCGCGACGGCGCTGCCGGAAGTTCGACGCTGGCCAGGCGTTTGCCGATTCCGGATTAAATTCCTT
 GAGTGCCGTGGAGCTACGTAACCGCTTAACAGCCGTCACCGCAGTAACGCTGCCGGCCACCGC
 GATCTTCGATACCCCCACCCGACCGAACTAGCCAGTATCTGATACCCAAATAGACGGTCAC
 GGCAGCTCCGCCGCCGACGCGGCAACCCGGCGGAGCGAATCGATGCGCTACCGATCTTTTT
 35 CTACAAGCTTGCGATGCGGGTCGGGATGCCGATGGTTGGAAGATGGTCGCCCTGGCGTCGAAT
 ACGCGGAGCGCATGAGCTCACCGGTTCCGAACAACGTATCGAAGAAGCTCGCACTGCTGGCA
 GATGGTATCTCCGATGTGGTTGTAATTTGTATCCCAACTCTAACTGTGCTATCGGATCAGCGTGA

ATATCGAGATATTGCGAATGCGATGACAGGCCGCCATTTCGGTTTATTCGCTTACGCTTCCCGGG
TTCGATTTCGTCTGATGCACTGCCGCAAACGCGGATATGATTGTTGAAACCGTATCTAACGCAAT
TATTGATGTGGTAGGCGGCAGCTGCCGTTTTGTGCTGTCTGGGCTATTCATCGGGTGGGGTGTTC
GCCTATGCCCTCTGCTCCCATCTGTCTGGTCAAGCACCAGCGGAATCCCCTCGGAGTCGCACTCA
5 TCGATACATATCTGCCTAGTCAGATCGCCAATCCTTCAATGAATGAAGGGTTCAGCCCCAACGAT
ACTGGGAAGGGCCTTTCCCGTGAAGTAATTCGAGTGGCCAGAATGTTGAATCGGTAACTGCCA
CCCGACTCACCGCGGCAGCCACCTATGCTGCAATCTTTCAGGCCTGGGAACCAGGTAGATCAAT
GGCTCCGTTCTTAACATCGTGGCGAAGGACCGAATAGCTACCGTCGAAAATTTACGCGAAGAA
CGAATCAACCGGTGGCGAACTGCTGCTGCAGAGCGGCCTATTCTGTAGCCGAAGTACCCGGG
10 GATCATTTTCGGAATGATGAGCACCTCGAGTGAGGCAATAGCTACCGAAATACATGATTGGATTTC
TGGGCTCGTTCGAGGGCCTCATCGGTAG

>Rv0435c - ATPase of AAA-family TB.seq 522348:524531 MW:75315

>emb|AL123456|MTBH37RV:c524531-522345, Rv0435c SEQ ID NO:21

15 GTGACCCACCCGGACCCGGCCCGCCAACTCACCTTACCGCCCGGCTGAACACCTCGGCCGTC
GACTCACGCCCGCGGCGTCTCGGTTGCACCCCAATGCCATTGCTGCCCTTGGCATCCGCGAG
TGGGACGCGGTGTCTGCTGACCGGCTCTCGGACAACCGCCGCGGTGCGCCGGCCTGGCCGCGGC
AGACACCGCGGTGCGGACGGTGCTGCTCGATGACGTCACACTGTCCAATGCGGGCCTTCGCGA
AGGCACCGAGGTGATCGTCAGCCCGGTACCGTCTACGGAGCGCGATCGGTGACGCTGAGCG
20 GTTCAACGCTGGCCACCCAGTCGGTGCCGCCGGTACGCTGCGGCAGGCCCTACTCGGCAAG
GTGATGACCGTCGGTGACGCGGTCTCGCTGCTGCCCCGCGATCTAGGCCCGGCACATCCACG
TCGGCTGCCAGCCGCGCATTGGCAGCTGCGGTCTGGGATCAGTTGGACCTCGGAGCTGCTGACC
GTTACCGGCGTCGACCCCGACGGGCCGGTACGCTGACGCCCAACTCGCTGGTCACCTGGGG
CGCTGGGGTCCCGGCCGCAATGGGTACGTCCACGGCCGGGCAAGTGAGCATCTCGAGTCCGG
25 AGATCCAGATCGAAGAGCTCAAGGGCGCCCAGCCGAGGCTGCCAAGCTCACCGAATGGCTCA
AGCTTGCCCTCGATGAGCCGCACCTACTACAGACCTTGGGCGCCGGCACCAATTTGGGTGTGC
TGGTGTCTGGGTCCGGCCGGGGTGGGCAAGGCGACGCTGGTGCGCGCGGTGTGCGACGGCCG
AAGGTTGGTGACACTGGATGGTCCGGAGATTGGAGCTCTGGCCGCCGGAGACCGGGTCAAAGC
CGTGGCCTCGGCAGTGACGGCGGTTCCGCATGAGGGCGGTGTGTTGCTGATACCGATGCCGA
30 CGCCCTGCTGCCAGCCGCCGCCGAGCCGGTAGCCTCGCTGATCCTGTCCGAGCTGCGTACCG
CGGTGGCCACCGCCGGTGTGGTATTGATCGCCACCTCAGCACGGCCCGATCAACTCGATGCC
GGCTGCGTTCCCCGAGTTGTGCGACCGGGAGCTTGGCCTGCCGCTGCCCGACGCGGCCACC
CGCAAATCGCTGCTGGAGGCGCTGCTGAATCCGTTTCTACCGGAGACCTCAACCTCGACGAA
ATCGCCTCCCGCACACCGGGTTTCGTCGTGGCCGACCTGGCTGCGCTGGTTCGCGAGGCGGC
35 GCTGCGGGCAGCGTCTCGAGCCAGTGCCGACGGCCGACCACCGATGCTGCACCAAGACGACC
TCCTCGGTGCGTTGACCGTCATCCGGCCGCTGTCCCGCTCGGCCAGCGACGAAGTCACCGTGG
GTGACGTGACGCTCGACGATGTCTGGTGACATGGCCGCGGCCAAACAAGCACTGACCGAGGCG

GTGCTGTGGCCGCTGCAGCACCCCGACACCTTCGCTCGGCTAGGTGTGCAACCGCCGCGCGG
GGTGTGCTGTACGGCCCGCCCGGCTGCGGCAAGACCTTTGTGGTTCGTGCCCTGGCCAGCAC
CGGACAGTTGAGCGTGCATGCCGTCAAAGGGTCGGAGCTGATGGACAAGTGGGTGGGCTCCTC
GGAGAAGGCAGTCCGCGAGCTATTCCGGCGGGCCCGCGACTCCGCGCCGTCACTGGTGTTC
5 TCGACGAGCTGGACGCTCTGGCGCCACGGCGCGGTGAGAGCTTCGACTCGGGCGTCTCCGAC
CGGGTGGTGGCCGCGCTGCTGACTGAGCTCGACGGTATTGACCCGCTGCGGGATGTCGTCATG
CTAGGCGCGACCAACCGGCCCGATCTGATAGACCCGGCGCTGCTGCGCCCGGGGCGGCTAGA
ACGGCTGGTGTTCGTTGAACCGCCCGACGCTGCCGCTCGCCGCGAAATCCTGCGCACCGCTGG
CAAGTCGATCCCGCTGAGCTCCGACGTCGACCTGGACGAGGTGGCAGCCGGAAGTTCGACGGTGA
10 TAGTGCCGCCGACTGTGTGGCGCTGCTGCGCGAAGCCGCGCTTACCGCGATGCGGCGTTCCAT
CGATGCCGCCAACGTCACCGCCGCCGACCTGGCGACCGCGCGAGAAACCGTGCGCGCGTTCG
TGGATCCGCTGCAGGTGGCGTCGCTGCGTAAGTTCGGCACCAAGGGTGACCTTCGGTCCTAG

>Rv0436c pssA CDP-diacylglycerol-serine o-phosphatidyltransferase TB.seq 524531:525388

MW:31219 >emb|AL123456|MTBH37RV:c525388-524528, pssA SEQ ID NO:22

ATGATCGGAAAGCCCCGCGGCAGGCGAGGGGTAAACCTGCAGATACTGCCAGCGCGATGAC
GGTGTGCTGTCCATTTGCGCGGGACTGACCGCAATCAAGTTTTCGCTCGAGCACCAGCCGAAGGC
CGCGATGGCACTGATCGCCGCAGCGGCCATCCTCGACGGGCTCGACGGCCGGGTGGCCCGCA
TCCTGGATGCCAGTCGCGGATGGGCGCAGAGATCGACTCACTGGCCGACGCGGTGAACCTTCG
20 GAGTGACACCCGCGCTGGTGTCTTACGTGTGATGTTGTGCAAGTGGCCGGTTCGTTGGGTGG
TCGTGCTGCTCTACGCGGTGTGCGTGGTATTACGGCTGGCGCGGTACAACGCACTGCAGGACG
ACGGAACCCAGCCCGCCTACGCGCATGAATTCTTCGTCGGAATGCCCGCGCCGGCGGGCGCG
GTTTCCATGATCGGCCTGCTAGCCCTCAAATGCAGTTCGGCGAAGGATGGTGGACCTCGGGCT
GGTTCCTCAGCTTTTGGGTGACGGGAACGTCGATACTCTTGGTCAGCGGGATCCCGATGAAAAA
25 GATGCACGCCGTGTGCGGTACCAACCAACTACGCGGCCCGCCCTGCTGGCGGTGCTGGCTATCTG
CGCGGCGGCCGCGAGTCCTGGCCCCCTACTTGTGATCTGGGTGATCATCATCGCCTACATGTGC
CATATTCCTTTTCGCGGTGCGCAGCCAGCGCTGGCTTGCCCAACACCCTGAGGTGTGGGACGAC
AAGCCCAAGCAACGGCGCGCGGTGCGGCGCGGAGCCGCGGGCGCATCCCTACCGGCCGT
CGATGGCGCGGCTGGGCCTGCGCAAGCCGGGTGACGGCTGTGA

>Rv0440 groEL 260 kD chaperonin 2 TB.seq 528606:530225 MW:56728

>emb|AL123456|MTBH37RV:528606-530228, groEL2 SEQ ID NO:23

ATGGCCAAGACAATTGCGTACGACGAAGAGGCCCGTCGCGGCCTCGAGCGGGGCTTGAACGC
CCTCGCCGATGCGGTAAAGGTGACATTGGGCCCAAGGGCCGCAACGTCGTCCTGGAAAAGAA
35 GTGGGGTGCCCCACGATACCAACGATGGTGTGTCCATCGCCAAGGAGATCGAGCTGGAGGA
TCCGTACGAGAAGATCGGCGCCGAGCTGGTCAAAGAGGTAGCCAAGAAGACCGATGACGTGCG
CGGTGACGGCACCAACGACGGCCACCGTGTGGCCAGGCGTTGGTTCGCGAGGGCCTGCGCA

ACGTCGCGGCCGCGGCCAACCCGCTCGGTCTCAAACGCGGCATCGAAAAGGCCGTGGAGAAG
 GTCACCGAGACCCTGCTCAAGGGCGCCAAGGAGGTGAGACCAAGGAGCAGATTGCGGCCAC
 CGCAGCGATTTGCGCGGGTGACCAAGTCCATCGGTGACCTGATCGCCGAGGCGATGGACAAGGT
 GGGCAACGAGGGCGTCAACCGTCGAGGAGTCCAACACCTTTGGGCTGCAGCTCGAGCTCAC
 5 CGAGGGTATGCGGTTTCGACAAGGGCTACATCTCGGGGTACTTCGTGACCGACCCGGAGCGTCA
 GGAGGCGGTCTCTGGAGGACCCCTACATCCTGCTGGTCAGCTCCAAGGTGTCCACTGTCAAGGA
 TCTGCTGCCGCTGCTCGAGAAGGTATCGGAGCCGGTAAGCCGCTGCTGATCATCGCCGAGGA
 CGTCGAGGGCGAGGCGCTGTCCACCCTGGTCGTCAACAAGATCCGCGGCACCTTCAAGTCGGT
 GGCGGTCAAGGCTCCCGGCTTCGGCGACCGCCGCAAGGCGATGCTGCAGGATATGGCCATTCT
 10 CACCGGTGGTCAGGTGATCAGCGAAGAGGTGCGCCTGACGCTGGAGAACGCCGACCTGTGCGC
 TGCTAGGCAAGGCCCCGCAAGGTGCTGGTCACCAAGGACGAGACCACCATCGTCGAGGGCGCC
 GGTGACACCGACGCCATCGCCGACGAGTGGCCAGATCCGCCAGGAGATCGAGAACAGCGA
 CTCCGACTACGACCGTGAGAAGCTGCAGGAGCGGCTGGCCAAGCTGGCCGGTGGTGTGCGCG
 TGATCAAGGCCGGTGCCGCCACCGAGGTGGAAGTCAAGGAGCGCAAGCACCGCATCGAGGAT
 15 GCGGTTTCGAATGCCAAGGCCGCCGTCGAGGAGGGCATCGTCGCCGGTGGGGGTGTGACGCT
 GTTGCAAGCGGCCCCGACCCTGGACGAGCTGAAGCTCGAAGGCGACGAGGCGACCGGCGCCA
 ACATCGTGAAGGTGGCGCTGGAGGCCCGCTGAAGCAGATCGCCTTCAACTCCGGGCTGGAGC
 CGGGCGTGGTGGCCGAGAAGGTGCGCAACCTGCCGGCTGGCCACGGAAGTGAACGCTCAGACC
 GGTGTCTACGAGGATCTGCTCGCTGCCGGCGTTGCTGACCCGGTCAAGGTGACCCGTTGCGCG
 20 CTGCAGAATGCGGCGTCCATCGCGGGGCTGTTCTGACCACCGAGGCCGTGTTGCCGACAAG
 CCGGAAAAGGAGAAGGCTTCCGTTCCCGGTGGCGGCGACATGGGTGGCATGGATTTCTGA

>Rv0482 murB TB.seq 570537:571643 MW:38522

>emb|AL123456|MTBH37RV:570537-571646, murB SEQ ID NO:24

25 ATGAAACGGAGCGGTGTGCGTTTCGCTCTTTGCCGGTGCGCATATTGCCGAGGCGGTCCCGTTG
 GCGCCGCTGACCACTTTGCGTGTGGGCCCGATCGCCCGACGTGTCATCACTTGACCAAGCGCC
 GAACAGGTGGTGGCTGCGCTGCGGCACCTGGATTGCGCGGCCAAGACCGGAGCTGACCGCCC
 GCTGGTGTGTTGCTGGTGGCTCCAATTTGGTGATCGCCGAGAACCTGACCGACCTGACCGTGGT
 GCGGTTGGCCAATAGCGGCATCACCATCGACGGTAAGTTGGTGCGGGCCGAGGCCGGTGGCG
 30 TCTTCGATGACGTGGTGGTTAGGGCCATCGAACAGGGTCTGGGCGGACTGGAATGCCTGTCTG
 GCATCCAGGATCGGCCGGGGCGACACCCGTGCAGAACGTGGGGGCGTATGGCGCGGAGGT
 GTCTGACACCATCACTCGGGTTCGGCTTTTGGATCGGTGCACGGGTGAGGTGCGTTGGGTATC
 CGCGCGCGACCTGCGCTTCGGCTATCGCACGAGCGTGCTCAAACACGCTGATGGGCTTGCGGT
 GCCACCGTGGTCTTGAGAGGTGGAGTTTGGCTGGATCCGTGCGGGCCGAGCGCACCGCTGC
 35 GCTACGGCGAGCTGATCGCCGCGCTGAATGCGACCAGCGGCGAGCGCGCCGACCCGCAAGCG
 GTCCGCGAAGCGGTGCTGGCCCTGCGGGCACGCAAGGGCATGGTGCTGGACCCGACCGACCA
 TGACACCTGGAGCGTGGGATCGTTCTTCACAAACCCGGTGGTCACCCAGGATGTTTACGAACGG

CTGGCCGGTGACGCGGCCACCAGAAAGGACGGTCCGGTCCCGCACTATCCCGCGCCCGACGG
CGTCAAGCTGGCCGCCGGCTGGCTGGTGGAACGGGCGGCTTCGGCAAGGGCTATCCGGATG
CCGGCGCCGCCCATGCCGGCTTTCCACCAAACATGCGCTGGCGCTGACAAATCGTGGCGGG
GCCACCGCCGAAGATGTGGTGACGCTGGCGCGCGCCGTGCGCGATGGGGTCCATGATGTGTTT
5 GGTATCACACTAAAACCCGAACCCGTGCTGATCGGCTGCATGTTGTAG

>Rv0483 - TB.seq 571708:573060 MW:47859

>emb|AL123456|MTBH37RV:571708-573063, Rv0483 SEQ ID NO:25

GTGGTCATTCGTGTGCTGTTTCGCCCCGGTATCTTTGATACCCGTGAATAACTCCAGCACCCCCCA
10 GAGTCAGGGGGCCGATCAGTCGGCGTCTGGCGTTGACGGCCCTTGGGTTTGGGGTGTGGCACC
GAACGTTCTGGTCGCGTGCGCCGGCAAAGTGACCAAGCTGGCCGAGAAGAGGCCGCCACCGG
CGCCTCGTCTGACTTTCCGGCCTGCCGACTCTGCCGCCGACGTGGTGCCGATCGCGCCGATCA
GCGTCGAGGTCGGTGACGGCTGTTTTAGCGGGTCGCGCTGACCAATTCGGCAGGCAAGGTC
GTCGCCGGGGCATAACAGCCGGGATCGCACCATCTACACGATCACCGAGCCGCTGGGCTACGAC
15 ACGACCTACACCTGGAGCGGTTTCGGCCGTGCGCCATGACGGCAAGGCGGTTCCGGTGGCGGG
CAAGTTCACCACCGTGGCACCCGTCAAGACGATCAACGCGGGATTCCAGCTCGCCGACGGCCA
GACCGTCGGGATCGCGGCGCCGGTGATTATTCAGTTCGATTACCGATCAGCGACAAGGCCGC
CGTCGAGCGGGCACTAACCGTGACCACCGACCCGCCTGTGAGGGCGGGCTGGGCCTGGCTGC
CCGACGAGGCGCAGGGCGCTCGCGTGCACTGGCGTCCTCGGGAGTACTACCCGGCGGGTACC
20 ACCGTCGACGTCGACGCCAAGCTGTATGGGCTGCCGTTTCGGCGACGGCGCGTACGGCGCGCA
GGATATGTCGTTGCACTTCCAGATCGGTGTCGTCGTCAGGTGGTCAAGGCCGAAGTCTCGTCGCAC
CGCATCCAAGTCGTCACCGATGCCGGCGTCATCATGGAATTCCCGTGCAGCTACGGCGAGGCC
GACTTGGCGCGCAACGTCACCCGCAACGGCATCCACGTCGTCACCGAGAAATACTCGGACTTC
TACATGTCCAACCCGGCCGCCGGTTACAGCCATATCCACGAACGTTGGGCGGTGCGGATTTCC
25 AACAACGGCGAGTTCATCCATGCCAACCCTATGAGCGCCGGTGCCCAGGGCAACAGCAATGTC
ACCAACGGCTGTATCAACCTGTCGACGGAGAACGCCGAACAGTACTACCGCAGCGCGGTCTAC
GGTGACCCGGTTGAGGTGACCGGCAGTTCGATCCAGCTGTCCTACGCCGACGGTGACATCTGG
GACTGGGCGGTGGACTGGGACACCTGGGTGTCGATGTCGGCGCTACCGCCACCGGCGGCCAA
ACCGGCGGCGACGCAAATCCCGGTCACCGCCCCGGTCACGCCGTCGGATGCCCCACCCCGT
30 CCGGCACACCCACGACTACTAACGGACCGGGTGGGTAG

>Rv0489 gpm phosphoglycerate mutase I TB.seq 578424:579170 MW:27217

>emb|AL123456|MTBH37RV:578424-579173, gpm SEQ ID NO:26

ATGGCAAACACTGGCAGCCTGGTGTGCTGCGCCACGGCGAGAGCGACTGGAATGCCCTCAAC
35 CTGTTACCCGGCTGGGTGATGTCGGCCTGACGGACAAGGGCCAGGCAGAGGCGGTTTCAAG
CGGCGAGCTGATCGCGGAACACGACCTATTGCCCGACGTGCTCTACACCTCGTTGCTGCGGCG
CGCGATCACCAACGCGCATCTGGCGTTGGACAGCGCCGATCGGCTCTGGATTCCCGTGCGGCG

TAGCTGGCGGCTCAACGAACGCCACTACGGCGCGCTGCAGGGTTTGGACAAGGCCGAGACCAA
GGCCCGCTATGGCGAAGAGCAGTTCATGGCCTGGCGGCGCAGCTATGACACGCCGCCGCCGC
CGATCGAGCGGGGCAGTCAGTTCAGCCAGGACGCCGACCCTCGTTACGCCGACATCGGCGGT
GGCCCGCTCACCGAATGTCTGGCTGACGTGGTCGCCCCGTTTTTGGCATATTTACCGACGTCA
5 TCGTTGGCGACTTGCGGGTCGGCAAGACGGTGCTGATCGTTGCCACGGCAACTCGTTGCGCG
CGCTGGTCAAGCACCTGGACCAGATGTCTGACGACGAAATCGTCGGACTGAACATCCCGACCG
GAATTCCGCTGCGCTACGACCTGGATTCCGCGATGAGGCCGCTGGTGCGCGGTGGTACGTATC
TGGACCCGGAGGCGGCAGCCGCCGGCGCCGCCGCGGTGGCCGGCCAGGGCCGCGGGTAA

10 >Rv0490 senX 3sensor histidine kinase TB.seq 579347:580576 MW:44794

>emb|AL123456|MTBH37RV:579347-580579, senX3 SEQ ID NO:27

GTGACTGTGTTCTCGGCGCTGTTGCTGGCCGGGGTTTTGTCCGCGCTGGCACTGGCCGTCGGT
GGTGCTGTTGGAATGCGGCTGACGTCGCGGGTCGTGAACAGCGCCAACGGGTGGCCACGGA
GTGGTCGGGAATCACGGTTTCGCGAGATGTTGCAATGCATTGTCACGCTGATGCCGCTGGGCGC
15 CGCGGTGGTGGACACCCATCGCGACGTTGTCTACCTCAACGAACGGGCCAAAGAGCTAGGTCT
GGTGCGCGACCGCCAGCTCGATGATCAGGCCTGGCGGGCCGCCGGCAGGCGCTGGGTGGT
GAAGACGTCGAGTTCGACCTGTGCGCGCGCAAGCGGTGGCCACGGGTGATCCGGGCTATC
AGTGCATGGGCATGCCCGGTTGCTGAGCGAGGAAGACCGCCGGTTCGCCGTGGTGTTCGTGCA
CGACCAGTCGGATTATGCGCGGATGGAGGCGGCTAGGCGTGACTTCGTGGCCAACGTCAGTCA
20 CGAGCTCAAGACGCCCGTCGGTGCCATGGCTCTACTCGCCGAGGCGCTGCTGGCGTCGGCCG
ACGACTCCGAAACCGTTTCGGCGGTTTCGCCGAGAAGGTGCTCATTGAGGCCAACGGCTCGGTG
ACATGGTCGCCGAGTTGATCGAGCTATCCCGGCTACAGGGCGCCGAGCGGCTACCCAATATGA
CCGACGTCGACGTCGATACGATTGTGTGCGGAAGCGATTTACGCCATAAGGTGGCGGGCCGACA
ACGCCGACATCGAAGTCCGCACCGACGCGCCCAGCAATCTGCGGGTGCTGGGCGACCAAACTC
25 TGCTGGTTACCGCACTGGCAAACCTGGTTTCCAATGCGATTGCCTATTCGCCGCGCGGGTCGCT
GGTGTCGATCAGCCGTCGCCGTCGCGGTGCCAACATCGAGATCGCCGTCACCGACCGGGGCA
TCGGCATCGCGCCGGAAGACCAGGAGCGGGTCTTCAACGGTTCTTCCGGGGGGACAAGGCG
CGCTCGCGTGCCACCGGAGGCAGCGGACTCGGGTTGGCCATCGTCAAACACGTCGCGGCTAAT
CACGACGGCACCATCCGCGTGTGGAGCAAACCGGGAACCGGGTCAACGTTACCTTGGCTCTT
30 CCGGCGTTGATCGAGGCCTATCACGACGACGAGCGACCCGAGCAGGCGCGAGAGCCCGAACT
GCGGTCAAACAGGTCACAACGAGAGGAAGAGCTGAGCCGATGA

>Rv0500 proC pyrroline-5-carboxylate reductase TB.seq 590081:590965 MW:30172

>emb|AL123456|MTBH37RV:590081-590968, proC SEQ ID NO:28

35 ATGCTTTTCGGCATGGCAAGGATCGCGATTATCGGCGGCGGCAGCATCGGTGAGGCATTGCTG
TCGGGTCTGCTGCGGGCGGGCCGGCAGGTCAAAGACCTGGTAGTGGCCGAGCGGATGCCCGA
TCGCGCCAACCTACCTGGCGCAGACCTATTCGGTGTTGGTGACGTCGGCGGGCCGACGCGGTGGA

GAACGCGACGTTTCGTTCGTTCGTTCGCGGTCAAACCAGCCGACGTCGAGCCGGTGATCGCGGATCT
 GGCGAACGCGACTGCGGCGGCCGAAAACGACAGTGCTGAGCAGGTGTTTCGTACCGTGGTAG
 CGGGCATCACGATCGCGTATTTTGAATCCAAGCTACCGGCTGGGACGCCAGTGGTGCGTGCGA
 TGCCGAACGCGGCGGCATTGGTGGGAGCGGGGGTTACAGCGCTGGCCAAAGGCCGCTTTGTC
 5 ACCCCGCAACAGCTTGAGGAGGTCTCGGCCTTGTTTCGACGCGGTTCGGCGGCGTGCTGACCGTT
 CCGGAATCGCAGTTGGACGCGGTGACCGCGGTGTCCGGCTCGGGTCCGGCCTATTTCTTTCTG
 CTGGTCGAGGCCCTGGTGGATGCCGGAGTCGGGGTGGGCTTGAGCCGTGAGTGGCCACCGA
 TCTCGCCGCGCAGACAATGGCTGGCTCAGCGGCGATGCTGCTGGAGCGGATGGAGCAAGACC
 AGGGTGGCGCCAATGGCGAGCTGATGGGGCTGCGCGTGACCTTACCGCATCACGGCTGCGC
 10 GCCGCGGTTACCTCGCCGGGCGGTACGACCGCCGCTGCGCTGCGGGAACCTCGAACGCGGCG
 GGTTTCGGATGGCTGTCGACGCGGCGGTTCAAGCCGCCAAAAGCCGCTCTGAGCAGCTCAGAA
 TTACACCGGAATGA

>Rv0528 - TB.seq 618303:619889 MW:57132

>emb|AL123456|MTBH37RV:618303-619892, Rv0528 SEQ ID NO:29

15 ATGTGGCGGTTCGTTGACGTCGATGGGCACCGCGCTGGTGCTGCTGTTTTTGCTCGCGCTGGCT
 GCCATACCCGGGGCCCTGCTGCCGACGCTGGCCTCAACGCCGCCAAGGTGGACGACTACCT
 GGCCGCGCACCCACTCATCGGTCCGTGGCTGGACGAGCTGCAGGCCTTCGACGTGTTCTCCAG
 CTTCTGGTTACCCGCCATCTACGTGCTGCTGTTTCGTGTCCCTCGTCGGCTGTCTGGCCCCGCGG
 ACGATCGAGCACGCCCGCAGCCTGCGGGCTACACCGGTGCGCGCCCCGCGCAACCTGGCCCCG
 20 GCTGCCCAAGCACGCCACGCCCGGCTGGCCGGCGAGCCCGCCGCCCTGGCCGCCACCATCA
 CGGGCCGGCTGCGCGGCTGGCGCAGCATACCCGGCAACAAGGCGACAGCGTGGAAGTCTCC
 GCCGAGAAGGGCTACCTGCGCGAGTTCGGCAACCTGGTGTTCACCTTCGCGCTGCTGGGTCTG
 CTGGTGGCGGTGGCCGTGCGCAAGCTGTTTCGGCTACGAGGGCAACGTGATCGTGATAGCCGA
 CGGCGGACCCGGTTTTTTGTTTCGGCGTCGCCGGCCGCGTTTCTGACTCGTTTCGCGCCGGCAACAC
 25 CGTCGACGGCACGTTCGTTGCACCCGATCTGTGTGCGGGTCAACAACCTCCAAGCGCACTACCT
 GCCGTCCGGGCAGGCCACCTCGTTTCGCCGCCGACATCGACTATCAGGCCGACCCGGCCACTG
 CTGACCTGATCGCCAACAGCTGGCGGCCCTACCGGCTGCAGGTCAATCACCCGCTGCGGGTCG
 GCGGCGACCGGGTGTACCTGCAGGGCCACGGCTATGCGCCACCTTCACCGTGACGTTCCCG
 GACGGGCAGACCCGCACGTGACCGTGCAGTGGCGACCCGACAACCCGACAGCCCTGCTGTC
 30 GGCGGGCGTCGTGCGCATCGACCCGCCGGCCGGCAGCTACCCCAACCCGACGAGCGTCGCA
 AACACCAGATCGCCATCCAGGGCCTGCTGGCTCCCACCGAGCAGCTCGACGGCACCCCTGCTGT
 CGTCGCGTTTTCCCCGCGCTCAATGCCCCGGCGGTGGCCATCGACATCTACCGCGGCGACACCG
 GCCTGGACAGCGGGCGGCCCCAGTCGTTGTTACCCTGGACCACCGGCTGATCGAGCAGGGC
 CGGCTGGTCAAGGAAAAGCGGGTCAACCTGCGCGCCGGTCAGCAAGTCCGCATCGACCAAGG
 35 CCCGGCGGCCGGCACGGTGGTCCGGTTCGACGGCGCGGTGCCGTTTCGTCAACCTGCAGGTCT
 CCCACGACCCCGGCCAGTCCTGGGTGCTGGTCTTCGCAATCACGATGATGGCGGGACTGCTGG
 TGTGCTGCTGGTGCGCAGGCGCCGGGTGTGGGCGCGGATCACGCCGACGACCGCGGGTACG

GTAAACGTCGAGCTGGGCGGCCTGACGCGCACCGACAACCTCCGGGTGGGGCGCCGAGTTCTGA
GCGGCTGACCGGGCGGTTGCTGGCGGGTTTTGAGGCGCGGTCCCCGGACATGGCCGAAGCGG
CCGCAGGGACCGGAAGGGACGTCGATTGA

5 >Rv0667 rpoB [beta] subunit of RNA polymerase TB.seq 759805:763320 MW:129220
>emb|AL123456|MTBH37RV:759805-763323, rpoB SEQ ID NO:30
TTGGCAGATTCCC GCCAGAGCAAAACAGCCGCTAGTCCTAGTCCGAGTCGCCCCGAAAGTTCTCT
CGAATAACTCCGTACCCGGAGCGCCAAACCGGGTCTCCTTCGCTAAGCTGCGCGAACCACCTTG
AGGTTCCGGGACTCCTTGACGTCCAGACCGATTGTTTCGAGTGGCTGATCGGTTCCGCCGCGCT
10 GCGCGAATCCGCCGCCGAGCGGGGTGATGTCAACCCAGTGGGTGGCCTGGAAGAGGTGCTC
TACGAGCTGTCTCCGATCGAGGACTTCTCCGGGTCGATGTGTTGTCGTTCTCTGACCCCTCGTT
TCGACGATGTCAAGGCACCCGTCGACGAGTGCAAAGACAAGGACATGACGTACGCGGCTCCAC
TGTTTCGTCACCGCCGAGTTCATCAACAACAACACCGGTGAGATCAAGAGTCAGACGGTGTTTCAT
GGGTGACTTCCCGATGATGACCGAGAAGGGCACGTTTCATCATCAACGGGACCGAGCGTGTGGT
15 GGTGAGCCAGCTGGTGCGGTGCCCCGGGGTGTACTTCGACGAGACCATTGACAAGTCCACCGA
CAAGACGCTGCACAGCGTCAAGGTGATCCCGAGCCGCGGCGCGTGGCTCGAGTTTGACGTCTGA
CAAGCGCGACACCGTCGGCGTGCGCATCGACCGCAAACGCCGGCAACCGGTACCGTGCTGC
TCAAGGCGCTGGGCTGGACCAGCGAGCAGATTGTGCGAGCGTTTCGGGTTCTCCGAGATCATGC
GATCGACGCTGGAGAAGGACAACACCGTCGGCACCGACGAGGCGCTGTTGGACATCTACCGCA
20 AGCTGCGTCCGGGCGAGCCCCGACCAAAGAGTCAGCGCAGACGCTGTTGGAAAATTGTTCT
TCAAGGAGAAGCGCTACGACCTGGCCCGCGTCGGTCGCTATAAGGTCAACAAGAAGCTCGGGC
TGCATGTGCGCGAGCCCATCACGTGTCGACGCTGACCGAAGAAGACGTCGTGGCCACCATCG
AATATCTGGTCCGCTTGACGAGGGTCAGACCACGATGACCGTTCCGGGCGGCGTCGAGGTGC
CGGTGGAAACCGACGACATCGACCACTTCGGCAACCGCCGCCTGCGTACGGTCGGCGAGCTG
25 ATCCAAAACAGATCCGGGTGCGCATGTGCGGGATGGAGCGGGTGGTCCGGGAGCGGATGAC
CACCCAGGACGTGGAGGCGATCACACCGCAGACGTTGATCAACATCCGGCCGGTGGTCGCCG
CGATCAAGGAGTTCTTCGGCACCAAGCCAGCTGAGCCAATTCATGGACCAGAACACCCGCTGTC
GGGGTTGACCCACAAGCGCCGACTGTGCGCGCTGGGGCCCCGGCGTCTGTACGTGAGCGTG
CCGGGCTGGAGGTCCGCGACGTGCACCCGTGCACTACGGCCGGATGTGCCGATCGAAACC
30 CCTGAGGGGCCCAACATCGGTCTGATCGGCTCGCTGTGCGGTGTACGCGCGGGTCAACCCGTTT
GGGTTTCATCGAAACGCCGTACCGCAAGGTGGTCGACGGCGTGGTTAGCGACGAGATCGTGTAC
CTGACCGCCGACGAGGAGGACCGCCACGTGGTGGCACAGGCCAATTCGCCGATCGATGCGGA
CGGTGCTTCGTGAGCCGCGCGTGTGGTCCGCCGCAAGGCGGGCGAGGTGGAGTACGTGC
CCTCGTCTGAGGTGGACTACATGGACGTCTCGCCCCGCCAGATGGTGTGCGTGGCCACCGCGA
35 TGATTCCCTTCTGGAGCACGACGACGCCAACCGTGCCCTCATGGGGGCAAACATGCAGCGCC
AGGCGGTGCCGCTGGTCCGTAGCGAGGCCCGCTGGTGGGCACCGGGATGGAGCTGCGCGC
GGCGATCGACGCCGGCGACGTCGTGTCGCCGAAGAAAGCGGCGTCATCGAGGAGGTGTGG

CCGACTACATCACTGTGATGCACGACAACGGCACCCGGCGTACCTACCGGATGCGCAAGTTTG
 CCCGGTCCAACCACGGCACTTGCGCCAACCAGTGCCCCATCGTGGACGCGGGGCGACCGAGTC
 GAGGCCGGTCAGGTGATCGCCGACGGTCCCTGTACTGACGACGGCGAGATGGCGCTGGGCAA
 GAACCTGCTGGTGGCCATCATGCCGTGGGAGGGGCCACAACCTACGAGGACGCGATCATCCTGTC
 5 CAACCGCCTGGTGAAGAGGACGTGCTCACCTCGATCCACATCGAGGAGCATGAGATCGATGC
 TCGCGACACCAAGCTGGGTGCGGAGGAGATCACCCGCGACATCCCGAACATCTCCGACGAGGT
 GCTCGCCGACCTGGATGAGCGGGGCATCGTGCGCATCGGTGCCGAGGTTGCGGACGGGGACA
 TCCTGGTTCGGCAAGGTCACCCCGAAGGTGAGACCGAGCTGACGCCGGAGGAGCGGCTGCTG
 CGTGCCATCTTCGGTGAGAAGGCCCGCGAGGTGCGCGACACTTCGCTGAAGGTGCCGCACGG
 10 CGAATCCGGCAAGGTGATCGGCATTGCGGTGTTTTCCCGCGAGGACGAGGACGAGTTGCCGGC
 CGGTGTCAACGAGCTGGTGCGTGTGTATGTGGCTCAGAAACGCAAGATCTCCGACGGTGACAA
 GCTGGCCGGCCGGCACGGCAACAAGGGCGTGATCGGCAAGATCCTGCCGGTTGAGGACATGC
 CGTTCCTTGCCGACGGCACCCCCGGTGGACATTATTTTGAACACCCACGGCGTGCCGCGACGGA
 TGAACATCGGCCAGATTTTGGAGACCCACCTGGGTGTTGGTGTGCCACAGCGGCTGGAAGGTGCG
 15 ACGCCGCCAAGGGGGTTCCGGACTGGGCCGCCAGGCTGCCCGACGAACTGCTCGAGGCGCAG
 CCGAACGCCATTGTGTCGACGCCGGTGTTTCGACGGCGCCCGAGGAGGCCGAGCTGCAGGGCCT
 GTTGTGCTGCACGCTGCCCAACCGCGACGGTGACGTGCTGGTCGACGCCGACGGCAAGGCCA
 TGCTCTTCGACGGGCGCAGCGGCGAGCCGTTCCCGTACCCGGTCACGGTTGGCTACATGTACA
 TCATGAAGCTGCACCACCTGGTGGACGACAAGATCCACGCCCGCTCCACCGGGCCGTAICTGA
 20 TGATCACCCAGCAGCCGCTGGGCGGTAAGGCGCAGTTCGGTGGCCAGCGGTTGCGGGAGATG
 GAGTGCTGGGCCATGCAGGCCTACGGTGCTGCCTACACCCTGCAGGAGCTGTTGACCATCAAG
 TCCGATGACACCGTCGGCCGCGTCAAGGTGTACGAGGCGATCGTCAAGGGTGAGAACATCCCG
 GAGCCGGGCATCCCCGAGTCGTTCAAGGTGCTGCTCAAAGAACTGCAGTCGCTGTGCCTCAAC
 GTCGAGGTGCTATCGAGTGACGGTGCGGCGATCGAACTGCGCGAAGGTGAGGACGAGGACCT
 25 GGAGCGGGCCGCGGCCAACCTGGGAATCAATCTGTCCCGCAACGAATCCGCAAGTGTCGAGGA
 TCTTGCGTAA

>Rv0668 rpoC [beta]' subunit of RNA polymerase TB.seq 763368:767315 MW:146740

>emb|AL123456|MTBH37RV:763368-767318, rpoC SEQ ID NO:31

30 GTGCTCGACGTCAACTTCTTCGATGAACTCCGCATCGGTCTTGCTACCGCGGAGGACATCAGGC
 AATGGTCCTATGGCGAGGTCAAAAAGCCGGAGACGATCAACTACCGCACGCTTAAGCCGGAGA
 AGGACGGCCTGTTCTGCGAGAAGATCTTCGGGCCGACTCGCGACTGGGAATGCTACTGCGGCA
 AGTACAAGCGGGTGCGCTTCAAGGGCATCATCTGCGAGCGCTGCGGCGTCGAGGTGACCCGC
 GCCAAGGTGCGTCGTGAGCGGATGGGCCACATCGAGCTTGCCGCGCCCGTCACCCACATCTG
 35 GTACTTCAAGGGTGTGCCCTCGCGGCTGGGGTATCTGCTGGACCTGGCCCCGAAGGACCTGGA
 GAAGATCATCTACTTCGCTGCCTACGTGATCACCTCGGTGACGAGGAGATGCGCCACAATGAG
 CTCTCCACGCTCGAGGCCGAAATGGCGGTGGAGCGCAAGGCCGTGGAAGACCAGCGCGACGG

CGAACTAGAGGCCCGGGCGCAAAAGCTGGAGGCCGACCTGGCCGAGCTGGAGGCCGAGGGC
GCCAAGGCCGATGCGCGGCGCAAGGTTGCGGACGGCGGCGAGCGCGAGATGCGCCAGATCC
GTGACCGCGCGCAGCGTGAGCTGGACCGGTTGGAGGACATCTGGAGCACTTTACCAAGCTGG
CGCCCAAGCAGCTGATCGTCGACGAAAACCTCTACCGCGAACTCGTCGACCGCTACGGCGAGT
5 ACTTCACCGGTGCCATGGGCGCGGAGTCGATCCAGAAGCTGATCGAGAAGTTTCGACATCGACG
CCGAAGCCGAGTCGCTGCGGGATGTCATCCGAAACGGCAAGGGGCAGAAGAAGCTTCGCGCC
CTCAAGCGGCTGAAGGTGGTTGCGGCGTTCCAACAGTCGGGCAACTCGCCGATGGGCATGGTG
CTCGACGCCGTCCCGGTGATCCCGCCGGAGCTGCGCCCGATGGTGCAGCTCGACGGCGGCCG
GTTCCGCCACGTCCGACTTGAACGACCTGTACCGCAGGGTGATCAACCGCAACAACCGGCTGAA
10 AAGGCTGATCGATCTGGGTGCGCCGGAATCATCGTCAACAACGAGAAGCGGATGCTGCAGGA
ATCCGTGGACGCGCTGTTGACAATGGCCGCCGCGGCCGCGCCGTCACCGGGCCGGGCAACC
GTCCGCTCAAGTCGTTTTCCGATCTGCTCAAGGGCAAGCAGGGCCGGTTCCGGCAGAACCTGC
TCGGCAAGCGTGTCGACTACTCGGGCCGGTCGGTCATCGTGGTCGGCCCGCAGCTCAAGCTGC
ACCAGTGCGGTCTGCCAAGCTGATGGCGCTGGAGCTGTTCAAGCCGTTCTGTATGAAGCGGC
15 TGGTGGACCTCAACCATGCGCAGAACATCAAGAGCGCCAAGCGCATGGTGGAGCGCCAGCGCC
CCCAAGTGTGGGATGTGCTCGAAGAGGTGATCGCCGAGCACCCGGTGTGCTGAACCGCGCAC
CCACCCTGCACCGGTTGGGTATCCAGGCCTTCGAGCCAATGCTGGTGAAGGCAAGGCCATT
AGCTGCACCCGTTGGTGTGTGAGGCGTTCAATGCCGACTTCGACGGTGACCAGATGGCCGTGC
ACCTGCCTTTGAGCGCCGAAGCGCAGGCCGAGGCTCGCATTTTGATGTTGTCTCCAACAACAT
20 CCTGTGCGCGGCATCTGGGCGTCCGTTGGCCATGCCGCGGCTGGACATGGTGACCGGGCTGT
ACTACCTGACCACCGAGGTCCCCGGGGACACCGGCGAATACCAGCCGGCCAGCGGGGATCAC
CCGGAGACTGGTGTCTACTCTTCGCCGGCCGAAGCGATCATGGCGGCCGACCGCGGTGTCTTG
AGCGTGCGGGCCAAGATCAAGGTGCGGCTGACCCAGCTGCGGCCGCGCGGTGAGATCGAGGC
CGAGCTATTCGGCCACAGCGGCTGGCAGCCGGGCGATGCGTGGATGGCCGAGACCACGCTGG
25 GCCGGGTGATGTTCAACGAGCTGCTGCCGCTGGGTTATCCGTTCTGTCACAAGCAGATGCACAA
GAAGGTGCAGGCCGCCATCATCAACGACCTGGCCGAGCGTTACCCGATGATCGTGGTCGCCCA
GACCGTCGACAAGCTCAAGGACGCCGGCTTCTACTGGGCCACCCGCGAGCGGCGTGACGGTGT
CGATGGCCGACGTGCTGGTGCCGCCGCGCAAGAAGGAGATCCTCGACCACTACGAGGAGCGC
GCGGACAAGGTGAAAAGCAGTTCAGCGTGCGGCTTTGAACCACGACGAGCGCAACGAGGC
30 GCTGGTGGAGATTTGGAAGGAAGCCACCGACGAGGTGCGTCAGGCGTTGCGGGAGCACTACC
CCGACGACAACCCGATCATCACCATCGTCGACTCCGGCGCCACCGGCAACTTCACCCAGACTC
GAACGCTGGCCGGTATGAAGGGCCTGGTGACCAACCCGAAGGGTGAGTTCATCCCGCGTCCG
GTCAAGTCCTCCTTCCGTGAGGGCCTGACCGTGCTGGAGTACTTCATCAACACCCACGGCGCTC
GAAAGGGCTTGGCGGACACCGCGTTGCGCACCGCCGACTCCGGCTACCTGACCCGACGTCTG
35 GTGGACGTGTCCCAGGACGTGATCGTGCGCGAGCACGACTGCCAGACCGAGCGCGGCATCGT
CGTCGAGCTGGCCGAGCGTGACCCGACGGCACGCTGATCCGCGACCCGTACATCGAAACCTC
GGCCTACGCGCGGACCCTGGGCACCGACGCGGTGACGAGGCCGGCAACGTATCGTCGAGC

GTGGTCAAGACCTGGGCGATCCGGAGATTGACGCTCTGTTGGCTGCTGGTATTACCCAGGTCAA
 GGTGCGTTCGGTGCTGACGTGTGCCACCAGCACCGGCGTGTCGCGACCTGCTACGGGCGTT
 CCATGGCCACCGGCAAGCTGGTGCACATCGGTGAAGCCGTCGGCATCGTGCCCGCCAGTCC
 ATCGGCGAACC CGGCAACCAGCTGACCATGCGCACCTTCCACCAGGGTGGCGTCGGTGAGGA
 5 CATCACCGGTGGTCTGCCCCGGGTGCAGGAGCTGTTTCGAGGCCCGGGTACCGCGTGGCAAGG
 CGCCGATCGCCGACGTACCGGCCGGGTTCGGCTCGAGGACGGCGAGCGGTTCTACAAGATC
 ACCATCGTTCCTGACGACGGCGGTGAGGAAGTGGTCTACGACAAGATCTCCAAGCGGCAGCGG
 CTGCGGGTGTTC AAGCACGAAGACGGTTCGGAACGGGTGCTCTCCGATGGCGACCACGTGAG
 GTGGGCCAGCAGCTGATGGAAGGCTCGGCCGACCCGCATGAGGTGCTGCGGGTGCAGGGCCC
 10 CCGCGAGGTGCAGATACACCTGGTTCGCGAGGTCCAGGAGGTCTACCGCGCCCAAGGTGTGTC
 GATCCACGACAAGCACATCGAGGTGATCGTTCGCCAGATGCTGCGCCGGGTGACCATCATCGA
 CTCGGGCTCGACGGAGTTTTTGCCTGGCTCGCTGATCGACCGCGCGGAGTTCGAGGCAGAGAA
 CCGCCGAGTGGTGGCCGAGGGCGGTGAGCCCGCGGCCGGCCGTCCGGTGCTGATGGGCATC
 ACGAAGGCGTCGCTGGCCACCGACTCGTGGCTGTGCGCGCGCTCGTTCAGGAGACCACTCG
 15 CGTGCTGACCGATGCGGCGATCAACTGCCGCAGCGATAAGCTCAACGGTCTGAAGGAAAACGT
 GATCATCGGCAAGCTGATCCCGGCCGGTACCGGTATCAACCGCTACCGCAACATCGCGGTGCA
 GCCCACCAGAGGAGGCCCGCGCTGCGGCGTACACCATCCCGTCGTATGAGGATCAGTACTACAG
 CCCGGA CTTCGGTGC GGCCACCGGTGCTGCCGTCCCGCTGGACGACTACGGCTACAGCGACTA
 CCGCTAG

>Rv0711 atsA TB.seq 806333:808693 MW:86216

>emb|AL123456|MTBH37RV:806333-808696, atsA SEQ ID NO:32

ATGGCACCCGAGGCCACCGAGGCGTTCAACGGCACCATCGAGCTGGATATTCGTGATTCGGAG
 CCGGATTGGGGCCCATACGCAGCGCCGGTGGCACCGGAGCACTACCAAACATCCTGTATCTG
 25 GTCTGGGACGACGTGCGCATCGCGACCTGGGACTGCTTTGGCGGCCTGGTCGAGATGCCCGC
 GATGACGCGCGTCGCCGAGCGTGGCGTGCGACTGTCGCAATTTACACCACCGCACTGTGCTC
 GCCGACCCGGGCGTCGCTGCTGACCGGTGCGAACGCCACCACCGTAGGCATGGCTACCATCG
 AAGAGTTCACCGACGGGTTCCCAACTGCAACGGGCGGATCCCGGCTGACACCGCGTTGCTCC
 CAGAGGTGCTGGCCGAACATGGCTACAACACCTACTGTGTGGGCAAGTGGCACCTGACGCCAC
 30 TCGAAGAATCCAATATGGCGTCGACGAAGCGGCACTGGCCGACCTCGCGTGGGTTTCGAGCGGT
 TCTACGGATTCCTAGGCGGGGAGACCGACCACTGGTATCCCGACCTGGTATACGACAACCACC
 CAGTGAGTCCTCCCGGCACACCCGAGGTGGCTACCACCTGTCAAAAGACATCGCCGACAAGA
 CGATCGAGTTCATTGCTGATGCCAAGGTGATCGCGCCCGACAAGCCGTGGTTCAGCTACGTGTG
 CCCAGGCGCCGGGCATGCGCCGCACCACGTCTTCAAGGAATGGGCGGACAGATACGCCGGCC
 35 GATTCGACATGGGGTATGAGCGCTATCGCGAGATCGTGCTGGAAAGGCAAAAGGCGCTAGGGA
 TCGTGCCACCGACACCGAACTGTGCGCCATAAACCTTATCTGGATGTGCCGGGGCCAAACG
 GCGAGACCTGGCCGCTGCAGGACACGGTGC GGCCGTGGGACTCGCTGAGCGATGAAGAAAAG

AAGCTGTTTTGCCGGATGGCCGAGGTGTTCCGGGCTTTCTGAGCTACACCGACGCCCAGATC
GGACGGATCCTGGACTACCTCGAGGAATCCGGCCAGCTGGACAACACCATCATCGTGGTGATC
TCCGACAACGGCGCCAGCGGCGAGGGCGGACCCAACGGATCGGTCAACGAAGGCAAGTTCTT
CAACGGCTACATCGACACCGTCGCTGAAAGCATGAAGCTCTTCGACCACCTCGGTGGCCCGCA
5 GACCTACAACCACTACCCCATCGGGTGGGCAATGGCCTTCAACACCCCTACAAGCTGTTCAAG
CGCTACGCCTCGCATGAAGGCGGCATTGCCGACCCGGCAATCATCTCCTGGCCCAACGGCATT
GCCGCACACGGTGAAATCCGCGACAACCTACGTCAATGTCAGCGACATCACGCCCACCGTCTAC
GACCTGTTGGGCATGACACCGCCGGGGACCGTCAAGGGGATTCCGCAGAAACCGATGGACGG
CGTGAGCTTCATAGCGGCCCTTGCCGACCCGGCCGCCGACACCGGCAAGACCACCCAGTTCTA
10 CACCATGCTGGGCACCCGCGGGATCTGGCATGAAGGTTGGTTCGCCAACACCATTACGCGGC
CACGCCCCGCCGGCTGGTCAATTTCAACGCTGACCGCTGGGAACTGTTCCACATCGCAGCAGA
CCGCAGCCAGTGCCACGACCTGGCCGCCGAGCATCCCGACAACTTGAGGAGCTCAAGGCGCT
GTGGTTCTCCGAAGCCGCCAAGTACAACGGGCTGCCGCTGGCCGATCTGAACCTCCTGGAAAC
GATGACTCGGTGCGGGCCTTACCTGGTCAGCGAACGAGCCAGCTACGTCTACTATCCCGACTG
15 CGCTGACGTCGGCATCGGCGCGGCCGTAGAGATTGCGGGGCGCTCGTTCGCCGTGCTGGCCG
ATGTGACCATCGATAACACCGGCGCCGAGGGCGTGCTGTTCAAGCACGGCGGGCGCCCATGGC
GGGCACGTGCTGTTGTCGTCGGGACGGACGCTTGCACTACGTCTACAACTTCCTCGGTGAGCGC
CAGCAGCTGGTCAGCTCGTCGGGTCCGGTCCCGTCCGGAAGACATCTACTCGGGGTTCGTTAT
TTGCGGACCGGAACCGTGCCCAACAGTCACACGCCGGTGGGCGATCTTGAGCTGTTCTTCGAC
20 GAGAACCTGGTCGGCGCCCTGACCAATGTGCTGACCCACCCTGGAACGTTTCGGGTTGGCCGGC
GCCGCTATCAGCGTTGGCCGCAACGGCGGTTTCGGCTGTGTCCAGCCACTACGAAGCGCCGTTCC
GCGTTCACCGGCGGTACCATCACCCAGGTACCGTCGACGTGTCAGGCCGACCGTTCAAGAT
GTGGAATCCGATCTTGCGCTTGCTTTTTTCGCGTGACTGA

25 >Rv0764c - lanosterol 14-demethylase cytochrome P450 TB.seq 856683:858035 MW:50879
>emb|AL123456|MTBH37RV:c858035-856680, Rv0764c SEQ ID NO:33
ATGAGCGCTGTTGCACTACCCCGGGTTTCGGGTGGCCACGACGAACACGGCCACCTCGAGGAG
TTCCGCACCGATCCGATCGGGCTGATGCAACGGGTCCGCGACGAATGCGGAGACGTCCGTACC
TTCCAGCTGGCCGGGAAGCAGGTCGTGCTGCTGTCCGGCTCGCACGCCAACGAATCTTCTTC
30 CGGGCGGGCGACGACGACCTGGACCAGGCCAAGGCATACCCGTTTCATGACGCCGATCTTCGG
CGAGGGCGTGTTGTTGACGCCAGCCCGGAACGGCGTAAAGAGATGCTGCACAATGCCGCGC
TACGCGGCGAGCAGATGAAGGGCCACGCTGCCACCATCGAAGATCAAGTCCGACGGATGATCG
CCGACTGGGGTGAGGCCGGCGAGATCGATCTGCTGGACTTCTTCGCCGAGCTGACCATCTACA
CCTCCTCGGCCTGCCTGATCGGCAAGAAGTTCCGCGACCAGCTCGACGGGCGATTGCCAAGC
35 TCTATCACGAGTTGGAGCGCGGCACCGACCCACTAGCCTACGTGACCCGTATCTGCCGATCG
AGAGCTTCCGTGCGCGGACGAAGCCCGCAATGGTCTGGTGGCACTGGTTGCGGACATCATGA
ACGGCCGGATCGCCAACCCACCCACCGACAAGAGCGACCGTGACATGCTCGACGTGCTCATCG

CCGTCAAGGCTGAGACCGGCACTCCCCGGTTCTCGGCCGACGAGATCACCGGCATGTTTCATCT
CGATGATGTTCCCGGGCCATCACACCAGCTCGGGTACGGCTTCGTGGACGCTGATCGAGTTGA
TGCGCCATCGCGACGCCTACGCGGCCGTGATCGACGAACTCGACGAGCTGTACGGCGACGGC
CGATCGGTGAGTTTCCATGCGCTGCGCCAGATTCCGCAGCTGGAAAACGTGCTGAAAGAGACG
5 CTGCGCCTGCACCCTCCGCTGATCATCCTCATGCGAGTGGCCAAGGGCGAGTTCGAGGTGCAA
GGCCACCGGATTTCATGAGGGCGATCTGGTGGCGGCCTCCCCGGCGATCTCCAACCGGATCCCC
GAAGACTTCCCCGATCCCCACGACTTCGTGCCAGCACGATACGAGCAGCCGCGCCAGGAAGAT
CTGCTCAACCGCTGGACGTGGATTCCGTTCCGCGCCGGCCGGCATCGTTGCGTGGGGGCGGC
GTTCCGCATCATGCAGATCAAAGCGATCTTCTCGGTGTTGTTGCGCGAGTATGAGTTTGAGATG
10 GCGCAACCGCCAGAAAGCTATCGTAACGACCATTGAAGATGGTGGTGCAGTTGGCCCAGCCC
GCTTGCGTGCGCTACCGCCGGCGAACGGGAGTTTAA

>Rv0861c - DNA helicase TB.seq 958524:960149 MW:59773

>emb|AL123456|MTBH37RV:c960149-958521, Rv0861c SEQ ID NO:34

15 GTGCAGTCCGATAAGACGGTGCTGTTGGAAGTCGACCATGAACTGGCCGGCGCTGCACGCGCC
GCCATCGCGCCGTTCCGCCAGCTGGAACGTGCACCCGAACATGTCCACACCTACCGCATCACA
CCGCTGGCACTGTGGAATGCTCGCGCCGCGGCCATGATGCCGAGCAAGTCGTGACGCGCT
GGTCAGTTACTCCCGCTACGCGGTGCCGCAACCCTTGCTCGTCGACATCGTCGACACCATGGC
CCGCTACGGACGACTGCAGTTGGTCAAGAACCCGGCCCATGGCCTGACGCTGGTGAGCCTGGA
20 CCGCGCGGTGCTTGAGGAAGTGCTGCGCAACAAGAAGATCGCGCCGATGCTTGGCGCCCGCAT
CGATGACGACACCGTCGTGTCACCCAGCGAACGCGGCGGGTCAAGCAGCTGCTGCTCAA
GATCGGTTGGCCCGCAGAGGATCTCGCCGGCTACGTCGATGGTGAAGCGCACCCGATCAGCCT
GCACCAGGAGGGCTGGCAGCTGCGCGATTACCAGCGGCTGGCCGCGGACTCGTTCTGGGCGG
GCGGCTCCGGGGTGGTGGTGCTGCCATGTGGGGCCGGCAAGACGCTGGTCGGTGCGGCCGC
25 AATGGCCAAAGCCGGCGCGACGACGTTGATCCTGGTCACCAATATCGTCGCGGCCCGGCAATG
GAAACGAGAGCTGGTCGCGCGCACCTCGCTCACCGAGAATGAGATCGGCGAATTCTCGGGAGA
ACGCAAGGAAATCCGACCTGTCACCATCTCGACATACCAGATGATCACCCGCCGCACTAAGGGC
GAGTACCGCCATCTGGAAGTGTTCGACAGCCGCGACTGGGGGCTCATCATCTATGACGAGGTG
CACCTGTTGCCGGCACCGGTCTTCCGGATGACCGCTGACCTGCAGTCCAAACGGCGGCTGGGG
30 CTGACCGCCACGTTGATCCGTGAAGACGGACGCGAGGGCGACGTGTTTTCCCTTATCGGACCA
AAGCGCTATGACGCGCCGTGGAAGGACATTGAGGCGCAGGGCTGGATCGCGCCAGCTGAGTG
CGTGGAAGTCCGGGTACGATGACCGACAGCGAGCGGATGATGTACGCCACCGCCGAACCCG
AAGAACGCTACCGGATCTGCTCGACGGTGACACCAAAATTGCTGTGGTCAAGTCGATTCTGGC
GAAGCACCCGGATGAGCAGACCCTGGTCATCGGAGCGTACTTGGATCAGCTCGACGAGCTGGG
35 CGCCGAGCTCGGCGCTCCGGTGATTACGGGGTGCACAAGGACCAGCGAACGCGAGGCACTGT
TCGACGCCCTTCCGCCGCGGCGAGGTGCTACGCTCGTGGTGTCCAAGGTGGCTAACTTCTCCA
TCGACTTGCCGGAAGCCGCCGTGGCGGTACAGGTTTCGGGAACATTCCGCTCACGCCAGGAAG

AGGCGCAACGGCTCGGCCGGATATTGCGACCCAAGGCCGACGGGGGCGGTGCCATCTTCTAC
TCGGTGGTGGCCCGCAGACGCTGGATGCCGAGTACGCCGCACACCGGCAGCGTTTTTAGCT
GAGCAGGGCTACGGTTACATCATCCGCGACGCCGACGACCTGCTGGGCCCGGCAATTTAG

5 >Rv0904c accD3 TB.seq 1006694:1008178 MW:51741

>emb|AL123456|MTBH37RV:c1008178-1006691, accD3 SEQ ID NO:35

GTGAGTCGTATCACGACCGACCAACTGCGGCACGCGGTGCTAGACCGGGGATCTTTGTCAGC
TGGGATAGCGAGCCGCTGGCGGTGCCGGTAGCCGACTCCTATGCGCGGGAGCTGGCCGCCGC
TCGGGCGGCCACCGGCGCGGACGAATCGGTGCAGACCGGTGAGGGACGCGTATTCGGGCGG
10 CGGGTGGCCGTGGTGGCCTGTGAGTTCGACTTCCTGGGCGGCTCGATTGGGGTGGCAGCGGC
CGAACGGATCACCGCCGCCGTGAGCGGGCGACCGCCGAGCGGCTGCCGCTACTGGCGTCAC
CAAGCTCGGGAGGCACCCGCATGCAAGAAGGCACGGTTCGCGTTTCTGCAGATGGTGAAGATCG
CTGCGGCCATCCAGCTGCACAACCAGGCGCGCCTGCCCTACCTGGTCTATTTGCGCCATCCGA
CCACGGGTGGAGTTTTTCGCGTCGTGGGGCTCGCTGGGGCATCTCACCGTCGCCGAGCCGGGC
15 GCCCTGATCGGCTTTCTGGGACCACGGGTCTATGAGTTGCTCTATGGCGACCCCTTCCCATCCG
GCGTCCAAACCGCCGAGAATCTACGGCGGCATGGGATCATCGACGGCGTCGTTGCACTGGACC
GGCTACGACCGATGCTGGATCGTGCGTTGACGGTGCTCATCGACGCTCCCGAACCGCTTCCGG
CACCGCAGACGCCCGCGCCCGTACCCGATGTGCCACGTGGGACTCGGTGGTGGCATCGCGC
CGGCCGGACCGGCCGGGCGTCAAGCAGCTACTGCGACACGGCGCCACCGACCGGGTGTGTT
20 GTCAGGAACCGATCAAGGCGAAGCGGCGACACGCTGCTGGCGCTGGCCCGCTTTGGCGGCC
AACCACGGTGGTCTCGGCCAGCAAAGGGCAGTAGGCGGCGGGGGAAGCACTGTGGGGCCC
GCTGCGTTACGCGAAGCCCGACGCGGGATGGCGCTCGCCGCCGAGCTGTGCCTGCCGCTGGT
GCTGGTCAATTGACGCGGCCGGACCCGCGTTGTGCGCCGACCCGAACAGGGCGGGCTGGCCG
GCCAGATCGCGCATTGCCTGGCCGAGCTCGTCACGCTGGATACCCCGACCGTGTGATCCTGC
25 TGGGCCAGGGCAGCGGCGGGCGCGCTGGCGATGTTGCCCGCCGACCGGGTGTGCGCCG
ACTCCACGGCTGGCTGGCGCCCTTGCCTCCCGAAGGAGCCAGCGCGATCGTGTTCCGAGACAC
TGCTCATGCCCGCGAACTCGCTGCCGCCAAGGCATCCGGTCGGCCGACCTACTGAAGTCGGG
GATTGTCGACACCATCGTGCCGGAGTACCCCGACGCGCAGACGAGCCGATCGAGTTCGCCCT
ACGACTGTGCAACGCCATCGCCGCCGAAGTGCACGCGTTACGGAAGATACCGGCCCGGGAACG
30 CCTCGCGACTCGGTTGCAACGCTACCGCCGGATCGGGTTGCCCCGCGACTAA

>Rv0983 - TB.seq 1099064:1100455 MW:46454

>emb|AL123456|MTBH37RV:1099064-1100455, Rv0983 SEQ ID NO:36

ATGGCCAAGTTGGCCCGAGTAGTGGGCCTAGTACAGGAAGAGCAACCTAGCGACATGACGAAT
35 CACCCACGGTATTCGCCACCGCCGCGAGCAGCCGGGAACCCAGGTTATGCTCAGGGGCAGCA
GCAAACGTACAGCCAGCAGTTCGACTGGCGTTACCCACCGTCCCCGCCCCCGCAGCCAACCCA
GTACCGTCAACCCTACGAGGCGTTGGGTGGTACCCGGCCGGGTCTGATACCTGGCGTGATTCC

GACCATGACGCCCCCTCCTGGGATGGTTCGCCAACGCCCTCGTGCAGGCATGTTGGCCATCGG
 CGCGGTGACGATAGCGGTGGTGTCCGCCGGCATCGGCGGCGCGGCCGCATCCCTGGTCGGGT
 TCAACCGGGACACCGCGGCCAGCGGCGGCCAGTGGCTGCCAGCGCGGCCCAAGCAT
 CCCCCGAGCAAACATGCCGCCGGGTGGTTCGAACAGGTGGCGGCCAAGGTGGTGGCCAGTG
 5 TCGTCATGTTGAAACCGATCTGGGCCGCCAGTCGGAGGAGGGCTCCGGCATCATTCTGTCTG
 CCGAGGGGGCTGATCTTGACCAACAACCACGTGATCGCGGCGGCCGCCAAGCCTCCCCTGGGC
 AGTCCGCCGCCGAAAACGACGGTAACCTTCTCTGACGGGCGGACCGCACCCCTTCACGGTGGTG
 GGGGCTGACCCACCAAGTGATATCGCCGTCTCGTGTTCAGGGCGTCTCCGGGCTCACCCCG
 ATCTCCCTGGGTTCTCCTCGGACCTGAGGGTCGGTCAGCCGGTGTGGCGATCGGGTCGCCG
 10 CTCGTTTTGGAGGGCACCGTGACCACGGGGATCGTCAGCGCTCTCAACCGTCCAGTGTGACG
 ACCGGCGAGGCCGGCAACCAGAACACCGTGCTGGACGCCATTACAGACCGACGCCGCGATCAA
 CCCCCGTAACCTCCGGGGGCGCGCTGGTGAACATGAACGCTCAACTCGTCGGAGTCAACTCGGC
 CATTGCCACGCTGGGCGCGGACTCAGCCGATGCGCAGAGCGGCTCGATCGGTCTCGGTTTTGC
 GATTCCAGTCGACCAGGCCAAGCGCATCGCCGACGAGTTGATCAGCACCGGCAAGGCGTCACA
 15 TGCCTCCCTGGGTGTGCAGGTGACCAATGACAAAGACACCCTGGGCGCCAAGATCGTCGAAGT
 AGTGGCCGGTGGTGTGCTGCCGCGAACGCTGGAGTGCCGAAGGGCGTCTTGTACCAAGGTGCG
 ACGACCGCCCGATCAACAGCGCGGACGCGTTGGTTGCCGCCGTGCGGTCCAAAGCGCCGGGC
 GCCACGGTGGCGCTAACCTTTCAGGATCCCTCGGGCGGTAGCCGCACAGTGCAAGTCACCCTC
 GGCAAGGCGGAGCAGTGA

>Rv1008 - Similar to E.coli protein YcfH TB.seq 1127087:1127878 MW:29066

>emb|AL123456|MTBH37RV:1127087-1127881, Rv1008 SEQ ID NO:37

TTGGTCGACGCCCACACCCATCTCGACGCGTGCGGTGCACGAGACGCCGATACGGTGCGGTC
 GCTCGTCGAGCGAGCCGCCGCGGCCGGCGTGACCGCGGTGGTCACCGTCGCCGACGACCTG
 25 GAGTCCGCGCGCTGGGTACCCGCGCGGCCGAATGGGATCGGCGAGTCTATGCCGCGGTGGC
 GTTGCACCCGACCCGCGCCGATGCGCTACCGACGCTGCCCGTGCCGAGCTCGAGCGATTGG
 TTGCCACCCAGGGTGGTGGCCGTGGTGAGACCGGAATCGACATGTACTGGCCGGGTGCG
 CTGGACGGGTGTGCGGAGCCGCACGTCCAGCGGGAGGCCTTTGCCTGGCATATCGATCTGGC
 CAAGCGGACCGGTAAACCGCTGATGATCCACAATCGTCAGGCCGACCGCGACGTGCTGGACGT
 30 GCTGCGGGCCGAGGGCGCGCCGGACACCGTGATCTTGCACTGCTTCTCGTCGGACGCGGCGA
 TGGCCCGCACGTGTGTGGACGCCGGGTGGCTGCTCAGCCTGTCCGGGACGGTGAGCTTCCGT
 ACCGCCCGTGAACACGGGAAGCCGTCCCGCTGATGCCGGTGGAGCAGCTTTTGGTGAAACC
 GATGCACCGTATTTGACCCCGCATCCCCACCGGGGCTTGGCGAACGAACCGTACTGCCTGCCC
 TATACCGTGCGGGCGCTGGTGAACGGTCAATCGGCGCCCCGAAGAGGTGGCGCTCATCACC
 35 ACAAGCAACGCTCGCCGAGCTTATGGGCTAGGGTGGATGCGCCAATGA

>Rv1009 - lipoprotein, similar to various other MTB proteins TB.seq 1128089:1129174 MW:38079

>emb|AL123456|MTBH37RV:1128089-1129177, Rv1009 SEQ ID NO:38

ATGTTGCGCCTGGTAGTCGGTGCGCTGCTGCTGGTGTGGCGTTCGCCGGTGGCTATGCGGTC
GCCGCATGCAAAACGGTGACGTTGACCGTCGACGGAACCGCGATGCGGGTGACCACGATGAAA
5 TCGCGGGTGATCGACATCGTCGAAGAGAACGGTTCTCAGTCGACGACCGCGACGACCTGTAT
CCCGCGGCCGGCGTGACAGTCCATGACGCCGACACCATCGTGCTGCGGCGTAGCCGTCCGCT
GCAGATCTCGCTGGATGGTCACGACGCTAAGCAGGTGTGGACGACCGCGTCGACGGTGGACG
AGGCGCTGGCCCAACTCGCGATGACCGACACGGCGCCGGCCGCGGCTTCTCGCGCCAGCCGC
GTCCCGCTGTCCGGGATGGCGCTACCGGTCGTCAGCGCCAAGACGGTGCAGCTCAACGACGG
10 CGGGTTGGTGCGCACGGTGCACTTGCCGGCCCCCAATGTCGCGGGGCTGCTGAGTGCGGGCCG
GCGTGCCGCTGTTGCAAAGCGACCACGTGGTGCCCGCCGCGACGGCCCCGATCGTCGAAGGC
ATGCAGATCCAGGTGACCCGCAATCGGATCAAGAAGGTCACCGAGCGGCTGCCGCTGCCGCCG
AACGCGCGTCGTGTCGAGGACCCGGAGATGAACATGAGCCGGGAGGTGCTCGAAGACCCGGG
GGTTCCGGGGACCCAGGATGTGACGTTTCGCGGTAGCTGAGGTCAACGGCGTCGAGACCCGGCC
15 GTTTGCCCGTCGCCAACGTCGTGGTGACCCCGGCCACGAAGCCGTGGTGCGGGTGGGCACC
AAGCCCGGTACCGAGGTGCCCCCGGTGATCGACGGAAGCATCTGGGACGCGATCGCCGGCTG
TGAGGCCGGTGGCAACTGGGCGATCAACACCGGCAACGGGTATTACGGTGGTGTGCAGTTTGA
CCAGGGCACCTGGGAGGCCAACGGCGGGCTGCGGTATGACCCCGCGCTGACCTCGCCACCC
GCCAAGAGCAGATCGCCGTTGCCGAGGTGACCCGACTGCGTCAAGGTTGGGGCGCCTGGCCG
20 GTATGTGCTGCACGAGCGGGTGCGCGCTGA

>Rv1010 ksgA 16S rRNA dimethyltransferase TB.seq 1129150:1130100 MW:34647

>emb|AL123456|MTBH37RV:1129150-1130103, ksgA SEQ ID NO:39

ATGTGCTGCACGAGCGGGTGCGCGCTGACCATCCGGCTGCTCGGGCGCACTGAGATCAGGCG
25 GCTGGCCAAAGAGCTCGACTTTCGGCCGCGCAAATCTCTCGGACAGAACTTCGTGCACGACGC
CAACACGGTGCGACGGGTGGTTGCCGCCTCCGGGGTCAGCCGTTCCGACCTGGTTTTGGAGGT
CGGGCCGGGCCTGGGATCGCTGACCTGGCACTGCTCGACCGCGGCGCGACCGTCACCGCGG
TCGAGATCGATCCACTACTGGCTTCTCGGCTGCAACAGACCGTGGCGGAGCACTCGCACAGCG
AGGTTACCGACTAACGGTGGTCAATCGCGACGTCCTGGCCCTGCGCCGGGAGGATCTAGCCG
30 CGGCGCCGACCGCGGTGGTTGCCAATCTGCCGTACAACGTAGCGGTACCGGCGTTGTTGCATC
TGCTTGTCGAGTTCCCGTCGATCCGTGTCGTGACGGTGATGGTGCAGGCCGAGGTGCCGAAC
GGCTCGCCGCCGAGCCGGGCAGCAAAGAGTACGGCGTGCCAGCGTTAAGCTGCGCTTCTTC
GGGCGGGTTCGCCGCTGCGGCATGGTGTGCGCGACCGTTTTCTGGCCATTCCGCGTGTCTAT
TCCGGGCTGGTACGCATCGATCGATATGAGACCTCGCCCTGGCCACCGACGACGCTTTTCGA
35 CGGCGGGTATTGAACTCGTGGACATCGCATTGCGCGAGCGGCGCAAGACTTCTCGCAACGCG
TTTGTGCAGTGGGCGGGCTCGGGAAGCGAGTCGGCGAATCGATTGTTGGCGGCCAGCATCGAC
CCCGCCCGTCGCGGTGAGACGCTGTCCATCGACGACTTCGTGCGGCTGCTGCGACGGTCCGG

CGGCTCCGACGAGGCCACCAGCACCGGCCGGGACGCCAGGGCGCCGGACATTTGCGGGGCAC
GCGTCGGCGAGCTGA

>Rv1011- Homology to E.coli protein YcbH TB.seq 1130189:1131106 MW:31350

>emb|AL123456|MTBH37RV:1130189-1131109, Rv1011 SEQ ID NO:40

GTGCCCACCGGGTCGGTCACCGTTCGGGTGCCCGAAAGGTCAACCTCTATCTGGCGGTCTGGC
GATCGCCGCGAGGACGGCTATCACGAGCTGACCACGGTATTTTCATGCCGTCTCGCTGGTCGAC
GAGGTAACCGTTTCGTAACGCTGATGTGCTCTCGCTCGAGTTGGTCGGCGAGGGGGCCGACCAG
CTGCCGACCGACGAACGCAATCTCGCCTGGCAGGCGGCCGAGCTGATGGCCGAACACGTGGG
CCGGGCGCCGGACGTCTCGATCATGATCGACAAATCCATTCCGGTCGCCGGCGGCATGGCCG
GTGGCAGCGCGGACGCTGCGGCGGTCTGGTTGCGATGAACTCGTTGTGGGAACTCAATGTGC
CCCGCCGCGACCTGCGCATGCTCGCCGCGCGGCTAGGCAGCGATGTGCCGTTTGCCCTGCAT
GGTGGTACCGCGCTGGGGACGGGTGCGGGCGAGGAGTTGGCCACCGTGTTATCCCGCAACAC
CTTCCACTGGGTCTGCGGTTTCGCCGACAGCGGGTTGCTCACCTCCGCGGTGTACAACGAGCT
CGACCGGCTCAGGGAGGTGGGGGATCCGCCCGGCTTGGTGAGCCCGGGCCGGTTCTGGCTG
CCTTAGCTGCGGGTGATCCGGATCAGCTGGCGCCGTTGCTGGGTAATGAAATGCAAGCGGCCG
CGGTGAGCCTGGACCCGGCGCTGGCTCGTGCGTTACGCGCCGGTGTGGAGGCCGGCGCGCTC
GCAGGCATCGTGTCCGGTTCGGGTCCCACGTGTGCCTTCCTGTGCACCTCGGCGAGCTCGGCG
ATCGATGTGCGCGCGCAGCTGTGCGGGGCGGGAGTTTGTGCGACCGTTCGAGTCGCCACCGG
GCCGGTACCCGGCGCCCGCGTGGTGTCTGCGCCGACCGAAGTGTGA

>Rv1106c - cholesterol dehydrogenase TB.seq 1232845:1233954 MW:40743

>emb|AL123456|MTBH37RV:c1233954-1232842, Rv1106c SEQ ID NO:41

ATGCTTCGCCGCATGGGTGATGCATCGCTGACAACCGAGCTCGGCCGCGTTCTGGTCACCGGC
GGCGCGGGCTTCGTGGGCGCCAACCTGGTGACCACCTTGCTGGACCGCGGGCACTGGGTGCG
TTCCTTCGACCGCGCGCCGTCGCTGTTGCCTGCGCATCCGCAACTGGAGGTGCTGCAAGGGGA
CATCACCGACGCGGACGTCTGCGCCGCGGCCGTGGACGGCATCGACACGATCTTCCACACCG
CAGCGATCATCGAGCTGATGGGCGGCGCGTCGGTCACCGACGAGTACCGCCAACGTAGCTTTG
CGGTCAACGTGCGCGGCACCGAGAACCTGCTGCACGCCGGCCAGCGGGCCGGGGTGCAGCG
GTTCTGTCTACACGTCATCCAACAGTGTGGTGATGGGCGGCCAGAACATCGCCGGCGGTGACGA
GACGCTGCCCTATACCGACCGGTTCAACGACCTCTACACCGAGACCAAGGTGGTTGCCGAGCG
ATTCGTGTTGGCCAGAACGGTGTGACGGCATGCTGACGTGCGCGATCCGGCCCGAGCGGCAT
CTGGGGAAACGGCGATCAGACGATGTTCCGCAAGCTGTTGAAAGTGTGCTCAAGGGCCACGT
CAAGGTGCTGGTGGGCGCAAGTCGGCCCGGCTGGATAACTCTTACGTGCACAACCTGATTCA
CGGTTTCATCTTGGCCGCTGCCATCTGGTGCCGGACGGCACAGCGCCCGGGCAGGCTTACTT
CATCAACGACGCAGAGCCGATCAATATGTTTCGAGTTCGCTCGGCCGGTGTCTGAGGCGTGCGG
GCAGCGCTGGCCGAAGATGCGGATTTCCGGCCCGCGGTCCGCTGGGTAATGACGGGGTGGC

AGCGGCTGCACTTCCGGTTCGGATTCCCCGCGCCGCTGCTCGAGCCGCTGGCCGTGGAACGAC
TGTACCTGGACAACACTACTTTTCGATCGCTAAGGCACGCCGCGACCTGGGCTATGAGCCGCTGTT
CACCACCCAGCAGGCGCTGACCGAATGCCTGCCGTACTACGTGAGTCTGTTTGAGCAGATGAA
GAACGAGGCCCGGGCGGAAAAACGGCCGCCACAGTCAAGCCGTAG

5

>Rv1110 lytB2 TB.seq 1236183:1237187 MW:36298

>emb|AL123456|MTBH37RV:1236183-1237190, lytB' SEQ ID NO:42

ATGGTTCGACGGTCGACATGGGGATTCCCCGGGGCTTCGGTATCGTCGCGATCGGTGGCCGAC
CGTCCCAACCGTAAGCGGGTGCTGCTGGCCGAGCCGCGTGGCTACTGCGCTGGCGTGGATCG
10 GGCCGTGGAACGGTCGAACGCGCGCTTCAAAAACACGGCCCGCCTGTCTACGTGCGTCACGA
GATCGTGCATAACCGCCACGTGGTTGACACCCTGGCTAAGGCCGGTGCGGTTTTTCGTGAAGA
GACCGAGCAGGTTCCCGAGGGAGCGATTGTGGTGTCTCCGCGCACGGGGTTCGCGCTACGG
TGCACGTCAGCGCCAGCGAGCGCAACCTGCAGGTCATTGACGCCACCTGCCCCGTGGTCACCA
AGGTGCACAACGAGGCCAGGCGGTTCCGCCGGGACGACTACGACATCTTGCTGATCGGTCATG
15 AGGGCCACGAGGAAGTCGTCGGTACTGCTGGGGAAGCTCCCGATCATGTGCAGCTGGTCGACG
GGGTGGACGCCGTGACCGAGGTGACCGTCCGTGACGAGGACAAAGTGGTTTGGCTGTGCGAG
ACCACCCTGTCCGTGATGAGACCATGGAGATTGTCGGGCGGTTGCGTCGGCGTTTCCCCAAG
CTGCAGGATCCGCCAGCGACGACATCTGCTATGCGACCCAGAATCGGCAGGTGCGCGTCAAG
GCGATGGCGCCCGAGTGCGAGCTGGTCATCGTGGTCGGCTCGCGCAATTGTCGAATTTCGGTT
20 CGGCTGGTCGAGGTGGCGCTGGGTGCCGGGGCGCGGGGCCCGCCACCTGGTGGACTGGGCCG
ACGATATCGACTCGGCCTGGCTGGACGGCGTTACCACGGTCGGCGTTACGTCGGGGGCATCGG
TCCCCGAGGTGCTGGTGCGCGGTGTGCTGGAGCGGCTGGCCGAATGCGGCTACGACATCGTG
CAACCGGTGACAACGGCCAACGAGACGTTGGTGTTCGCATTGCCCCGGGAGCTCCGCTCACCT
CGCTGA

25

>Rv1216c - TB.seq 1359473:1360144 MW:24863

>emb|AL123456|MTBH37RV:c1360144-1359470, Rv1216c SEQ ID NO:43

ATGCACATTGGGCTGAAGATATTCATATGGGGCGTGTTAGGACTCGTCGTTTTCGGCGCGCTCC
TATTCGGGCCAGCCGGCACGTTTCACTATTGGCAGGCGTGCGTGTTCCTCGCCGCATTTGTGA
30 GCACCACGATTGGCCCCACAATCTATCTGGCTCGCAACGATCCCGCGGCCCTTCAACGTGCGAT
GCGCAGCGGTCCGCTCGCGGAGGGCCGAACGATTGAGAAGTTCATCGTCATCGGCGCTTTTCT
GGGGTTCTTCGCGATGATGGTGCTGAGCGCGTGCGACCATCGTTATGGTTGGTCGTGAGTCC
AGCCGCGGTGTGCGTGATCGGCGACGTCCTAGTGATGACGGGCCTTGGCATCGCCATGCTGGT
GGTCATCCAGAACAGGTATGCCGCTCGACGGTCAGGGTGGAGGCGGGCCAGATATTGGCCTC
35 CGACGGTCTCTACAAAATTGTCCGACACCCGATGTACGCCGGGAACGTGGTCATGATGACAGG
CATACCGCTGGCACTGGGCTCTTACTGGGCGATGTTTCATCCTCGTCCCCGGCACACTGGTGTG

GTGTTCCGCATCCTCGACGAGGAAAACTACTGACGCAAGAACTCAGCGGGTACCGCGAATACC
GGCAACTGGTGCGCTACCGGTTGGTGCCCTACGTGTGGTAG

>Rv1223 htrA TB.seq 1365810:1367456 MW:56547

5 >emb|AL123456|MTBH37RV:1365810-1367459, htrA SEQ ID NO:44

GTGAGCCACTTGTGCGAGCGCATGGCGGGGTTGCTGCGAGTTCATGGCGAGTGGTCGCGATCC
GTGGATACTAGGGTGGACACGGACAACGCGATGCCTGCACGTTTTAGCGCCAGATTGAGAAT
GAGGATGAGGTGACCTCCGACCAAGGCAACAACGGCGGCCCGAACGGCGGAGGCCGCGCTGGC
GCCGCGCCCGGTTTTTCGGCCACCGGTGACCCGGCGTCGCGTCAAGCGTTCGGGCGTCCGT
10 CCGGGGTCCAAGGTCCTTTGTGGCCGAGCGTGTGCGCCCGCAGAAGTACCAGGACCAGTCT
GACTTCACACCGAACGATCAGCTTGCTGACCCGGTGCTTCAGGAGGCGTTCGGTCGTCCGTTC
GCGGGCGCCGAATCGCTGCAGCGCCATCCCATCGATGCCGGAGCGCTGGCAGCTGAGAAAGA
CGGTGCCGGCCCCGACGAGCCCGACGATCCGTGGCGCGACCCCGCGGCCGCGGCCGCGCTG
GGGACGCCAGCGCTAGCCGCGCCGGCACCCGCACGGTGCGCTGGCCGGCAGCGGCAAGCTGG
15 GTGTGCGCGACGTGCTGTTTGGCGGCAAGGTGTCCTACTTGGCGCTGGGCATCTTGGTCGCTA
TCGCACTGGTGATCGGCGGCATCGGCGGTGTCATCGGCCGCAAGACCGCGGAAGTAGTCGAT
GCGTTCACCACGTCGAAGGTGACCCTGTCGACCACTGGCAATGCCAGGAACCGGCCGGCCG
GTTACCAAGGTGGCGGCCGCGGTGGCCGATTCCGTGGTGACCATTGAGTCGGTCAGCGACCA
GGAGGGCATGCAAGGTTCCGGCGTCATCGTCGATGGCCGCGGCTACATCGTCACCAACAATCA
20 CGTGATCTCTGAGGCGGCCAACAATCCAGCCAGTTCAAGACGACCGTGTTCAACGACGG
CAAGGAGGTGCCCCGCCAATCTGGTGGGTGCTGACCCCAAGACCGACTTGGCCGTCTCAAGGT
CGACAACGTCGACAATCTGACCGTGCCCCGGCTCGGTGATTCCAGCAAGGTACGGGTCCGTGA
CGAAGTCCTCGCGGTGCGCGCGCCCTGGGGCTGCGCAGTACGGTGACCCAGGGCATTGTCA
GCGCGCTACACCGCCCCGTTCCGTTGTCGGGCGAGGGCTCTGACACCGACACCGTCATTGACG
25 CAATTGACACCGACGCCTCGATCAACCACGGTAACTCCGGCGGTCCGCTAATCGACATGGATGC
CCAGGTGATTGGCATCAACACCGCCGGTAAGTCACTGTCCGATAGCGCCAGCGGGCTGGGCTT
TGCGATCCCGGTCAACGAGATGAAATTGGTGGCAAATCTCTGATCAAAGACGGAAAGATCGTG
CATCCGACGTTGGGCATCAGCACCCGGTCAGTAAGCAACGCGATCGCGTCGGGCGCGCAGGT
GGCCAATGTAAGGCGGGAAGTCCCGCGCAGAAGGGCGGGATCTTGAGAACGATGTGATCGT
30 CAAGGTCGGTAACCGCGCGGTGCGCGACTCCGACGAGTTCGTCGTCGCCGTGCGCCAGTTGG
CTATCGGCCAGGACGCTCCGATAGAGGTGGTCCGCGAGGGTCGGCATGTGACGCTGACGGTG
AAACCGGACCCCGATAGCACCTAG

>Rv1224 - TB.seq 1367461:1367853 MW:14083

35 >emb|AL123456|MTBH37RV:1367461-1367856, Rv1224 SEQ ID NO:45

GTGTTCCGCAACATCGGTTGGTGGGAAATGCTCGTCCTCGTCATGGTCGGGCTGGTGGTGCTT
GGCCCGGAGCGGCTCCCGGGTGCCATCCGCTGGGCGGCAAGCGCTCTGCGGCAGGCGCGCG

ACTATCTCAGCGGTGTGACCAGCCAGCTACGTGAGGACATTGGACCCGAATTCGATGATCTGCG
GGGACATCTCGGTGAGCTGCAGAAGCTACGGGGAATGACTCCGCGGGCTGCGTTGACCAAGCA
CCTACTGGATGGCGATGATTCCCTGTTACCCGAGACTTCGACCGACCGACGCCGAAGAAACC
GGATGCGGGCGGGCTCGGGCGGGGCCGGACGCTACTGAGCAGATCGGTGCGGGGCCCATCCCCG
5 TTTGACAGCGATGCCACCTAG

>Rv1229c mrp similar to MRP/NBP35 ATP-binding proteins TB.seq 1371778:1372947 MW:41064
>emb|AL123456|MTBH37RV:c1372947-1371775, mrp SEQ ID NO:46

ATGCCAAGCCGCCTACACTCGGCGGTGATGTCCGGAACCTCGTGATGGCGACCTGAACGCGGGCG
10 ATACGCACCGCGCTGGGCAAGGTAATCGACCCCGAATTGCGGGCGCCCCATCACCGAACTGGGG
ATGGTCAAAAGCATCGACACCGGCCCGGATGGGAGCGTGCACGTGAGATCTACCTGACCATC
GCCGGCTGCCCCGAAGAAGTCCGAAATCACCGAGCGTGTACCCGGGCGGTGCGCCGACGTGCC
AGGCACTTCGGCGGTGCGGGTCAGCTTGGACGTGATGAGCGACGAGCAGCGCACCGAGCTGC
GTAAGCAGTTGCGTGGCGATACCCGCGAACCCGTCATCCCGTTGCGCGAACCCGATTCTTTGAC
15 CCGGGTGTATGCCGTGGCTTCCGGTAAGGGCGGAGTCGAAAGTCCACCGTCACGGTCAACCT
GGCCGCCGCGATGGCCGTCCGCGGCCCTGTCGATCGGGGTGCTGGACGCTGATATCCACGGCC
ACTCTATCCCCCGGATGATGGGCACCACCGACCGGCCTACCCAGGTTGAGTCGATGATCCTGC
CGCCGATCGCCACCAGGTGAAGGTCATCTCGATAGCCCAGTTACCCAGGGCAACACCCCGG
TGGTGTGGCGCGGGCCGATGCTGCACCGGGCGTTGCAGCAGTTTCTGGCCGACGTGTACTGG
20 GGGGATCTGGACGTGCTGCTGCTGGACTTGCCGCCCGGAACCGGCGACGTGCGCATCTCGGT
GGCTCAACTGATCCCCAACGCCGAACCTCCTGGTGGTCACCACCCCGCAGCTGGCCGCCGCGGA
GGTGGCCGAACGGGCGCGCAGCATCGCGCTGCAAACCCGCCAACGCATCGTCGGCGTCGTGG
AGAACATGTCGGGGCTCACGCTGCCGGACGGCACACGATGCAGGTGTTGGCGAGGGCGGT
GGCCGGCTGGTCGCCGAGCGGTTGTGCGGTGCGGTGCGCGCCGACGTGCCGCTGCTGGGTCA
25 GATCCCGCTGGACCCCGCACTGGTGGCCGCCGGCGATTGCGGCGTACCGCTCGTGTTGAGCT
CGCCGGAATCGGCGATCGGCAAGGAACTGCATAGCATCGCCGACGGCTTGTGACTCGACGAC
GCGGATTGGCGGGCATGTGCTGGGGTTGGACCCGACACGACGCTAG

>Rv1239c corA magnesium and cobalt transport protein TB.seq 1381943:1383040 MW:41470

30 >emb|AL123456|MTBH37RV:c1383040-1381940, corA SEQ ID NO:47

GTGTTCCCAGGGTTTGACGCATTGCCCGAAGTGCTGCGACCGGTGCGCGACCCAGCCGCCG
AACGCACACCCCGTTGCCAGCCACCGGCCCAAGCCTTGGTCGACTGCGGTGTCTACGTCTGC
GGCCAGCGACTGCCCGGCAAGTACACCTACGCCGCCGCGCTGCGCGAGGTGCGCGAGATCGA
ACTGACCGGGCAGGAGGCGTTGCTGATCGGGCTGCACGAGCCCGATGAAACCAGATGCA
35 GGACGTAGCAGACGTTTTTGGGTTGCACCCGTTAGCCGTTGAGGACGCCGTGCACGCGCACCA
GCGACCCAAGTTGGAGCGCTACGACGAGACGCTGTTCTCGTCCTCAAGACCGTCAACTACGT
CCCGCACGAATCGGTGGTACTGGCCCGCGAGATCGTCAAACCGGCGAGATCATGATCTTCGT

CGGCAAGGATTTTCGTGGTCACCGTCCGCCACGGCGAACACGGCGGGTTATCCGAGGTGCGTAA
GCGGATGGATGCCGACCCCGAACATTTGCGGTTGGGACCGTATGCGGTGATGCACGCGATCGC
CGACTACGTGGTGCACCACTACCTCGAGGTGACCAATCTCATGGAGACCGATATCGACAGCATC
GAGGAAGTAGCGTTCGCGCCGGGCCGCAAGCTCGACATCGAACCGATCTATCTGCTCAAGCGG
5 GAAGTGGTTCGAGTTGCGCCGGTGCGTGAATCCGCTATCGACCGCATTCCAGCGCATGCAGACC
GAGAGCAAAGACCTCATTTGAAAGAAGTGCGGCGCTACCTGCGCGACGTGCGCGACCACCAG
ACCGAGGCCGCGGACCAGATCGCCAGCTACGACGACATGCTCAACTCGCTGGTGCAGGCCGC
GCTCGCCCGGGTCGGCATGCAGCAAACATGGACATGCGCAAGATATCCGCGTGGGCAGGTAT
CATCGCGGTCCCCACCATGATCGCGGGCATCTATGGCATGAACTTTCATTTCATGCCCCGAGCTG
10 GACTCCAGGTGGGGTTACCCGACAGTGATCGGCGGGATGGTCCTTATCTGTCTGTTCTCTACC
ACGTCTTCCGCAACAGAACTGGCTCTAG

>Rv1279 - TB.seq 1430060:1431643 MW:57332

>emb|AL123456|MTBH37RV:1430060-1431646, Rv1279 SEQ ID NO:48

15 ATGGACACTCAGAGCGACTACGTTCGTGGTACCGGCTCAGCCGGGGCGGTTGTGGCCAG
CCGGCTTAGCACCGATCCGGCCACGACGGTGGTGGCCCTGGAGGCGGGGCCGCGTGACAAGA
ACAGATTCATCGGCGTCCCAGCGGCGTTTTCCAAGCTGTTCCGCAGCGAGATCGACTGGGATTA
CCTAACCGAACCGCAGCCGAGCTCGACGGCCGCGAAATCTATTGGCCTCGTGGCAAGGTGCT
CGGTGGCTCGTCGTCCATGAACGCAATGATGTGGGTGCGTGGATTGCGATCAGACTACGATGA
20 GTGGGCCGCGCGAGCCGGTCCGCGGTGGTCGTACGCCGACGTGCTCGGCTACTTTGCGCCGA
TCGAGAACGTACCGCTGCCTGGCACTTTGTGAGCGGTGACGACAGCGGAGTAACCGGTCCGT
TGCATATTTCCCGGCAACGCAGCCCAAGATCGGTGACCGCAGCGTGGCTGGCAGCCGCACGTG
AGTGCGGATTTGCGCTGCGCGGCCGAATTCCTCGACCGGAAGGCTTTTTCGAGACCGTTCG
TCACCCAGCGCCGCGGTGCTCGATTCACTACTGCCGACGCCTATCTGAAGCCCGCGATGCGCC
25 GTAAAAACCTCCGTGTGCTTACCGGCGCCACTGCTACCCGGGTGGTCATCGACGGCGACCGGG
CCGTGCGCGTGGAATACCAAAGCGACGGTCAAACCCGCATCGTCTACGCCCGCCGCGAGGTG
GTGCTCTGCGCTGGTGCCGTCAACAGCCCTCAGCTGCTGATGCTCTCCGGCATCGGCGACCGC
GACCACCTCGCCGAACACGACATCGACACCGTTTACCACGCGCCCGAGGTGCGGTGCAACCTG
CTCGATCATCTCGTCACGGTGCTGGGTTTCGACGTCGAAAAGGACAGCTTGTTTGCCGCCGAGA
30 AGCCCGGCCAGTTGATCAGCTACTTACTGCGACGCCGCGGCATGCTCACCTCCAACGTGCGCG
AGGCGTACGGATTTGTCCGCAGCCGACCCGAACTGAAGCTGCCCGATTTGGAGTTGATTTTTGC
CCCGGCGCCGTTTTACGACGAAGCGCTGGTTCACCGGCTGGTCACGGTGTGGTATTCGGCCC
GATTCTGGTCGCGCCGCAAAGCCGTGGCCAGATCACGCTGCGGTCCGCCGATCCGCATGCCAA
GCCTGTCATCGAACCGCGTTACCTGTCCGATCTCGGTGGCGTAGACCGGGCCGCCATGATGGC
35 GGGCCTGCGGATATGCGCGCGGATCGCGCAGGCCCGCCCGCTCAGAGATCTCCTTGGGTCCA
TCGCGCGACCGCGCAACAGCACCGAGCTGGACGAGGCCACTCTCGAGTTGGCGCTGGCCACT
TGTTGCGACACCCTGTACCACCCGATGGGCACCTGCCGCATGGGCAGCGACGAGGCCAGCGT

GGTGGATCCGCAGCTGCGGGTCCGCGGTGTCGACGGACTCCGCGTCGCCGACGCGTCGGTGA
TGCCCAGCACGGTTCGTGGGCATACGCATGCGCCGTCGGTGCTGATCGGGGAGAAGGCCGCC
GACTTAATCCGCAGCTGA

5 >Rv1294 thrA homoserine dehydrogenase TB.seq 1449373:1450695 MW:45522

>emb|AL123456|MTBH37RV:1449373-1450698, thrA SEQ ID NO:49

GTGCCCCGGTGACGAAAAGCCGGTCGGCGTAGCGGTACTCGGTTTGGGCAACGTCCGCAGCGA
GGTTGTCCGCATCATCGAGAACAGCGCCGAGGATCTCGCGGCTCGTGTCGGTGCCCCATTGGT
CCTGCGGGGCATCGGCGTGCGCCGCGTGACGACCGATCGCGGCGTGCCGATCGAATTGTTGA
10 CCGACGACATTGAAGAGCTCGTGCCCGCGAGGATGTCGATATCGTGGTGGAAAGTATGGGGC
CGGTGGAACCGTCGCGCAAGGCGATCCTGGGCGCCCTTGAGCGCGGCAAGTCCGTCGTTACG
GCGAACAAGGCTTTACTCGCCACCTCCACCGGCGAATTGGCACAGGCCGCCGAAAGCGCCCAT
GTTGATCTGTATTTGAGGCGGCCGTGGCGGGCGCCATTCCGGTCATCCGTCCGCTCACCCAG
TCGCTGGCCGGCGACACGGTGCTGCGAGTGGCCGGGATCGTCAACGGCACCACTACATC
15 CTCTCGGCGATGGACAGCACCGGCGCTGACTATGCCAGCGCCCTGGCCGACGCAAGTGCGCT
GGGCTATGCGGAGGCTGATCCACCGCAGACGTGCAAGGCTACGACGCCGCGGCCAAGGCAG
CGATCCTGGCATCCATTGCCTTCCACACCCGGGTGACCGCAGACGACGTGTATCGCGAAGGCA
TCACCAAGGTCACTCCGGCCGACTTCGGATCCGCGCACGCGCTGGGTTGCACCATCAAAGTGC
TGTCGATCTGTGAGCGCATAACCACCGACGAAGGTTGCGAGCGGGTATCGGCCCGCGTCTATC
20 CGGCCCTGGTACCTCTGTGCGATCCGCTTGCCGCGGTCAACGGCGCGTTCAATGCCGTGGTGG
TCGAGGCCGAGGCCGCGGGCCGGCTGATGTTCTACGGCCAGGGCGCGGGCGGCGCGCCGAC
CGCCTCTGCGGTGACCGGTGACCTAGTGATGGCCGCCCGCAACCGGGTACTCGGCAGCCGCG
GCCCCCGTGAGTCTAAATACGCTCAACTTCCGGTGGCACCAATGGGTTTCATTGAAACGCGCTA
TTACGTCAGCATGAACGTCGCCGACAAGCCGGGCGTCTTGTCGCGGTGGCGGCGGAATTGCG
25 CAAACGCGAGGTGAGCATCGCCGAGGTGCGCCAGGAGGGCGTGTGTGACGAAGGTGGTCGAC
GGGTGGGAGCCCGAATCGTGGTGGTCACGCACCTCGCCACTGACGCCGCACTCTCGGAAACC
GTTGATGCACTGGACGACTTGGATGTGCTGCAGGGTGTGTCCAGCGTGATACGACTGGAAGGA
ACCGGCTTATGA

30 >Rv1323 fadA4 acetyl-CoA C-acetyltransferase (aka thiL) TB.seq 1485860:1487026 MW:40049

>emb|AL123456|MTBH37RV:1485860-1487029, fadA4 SEQ ID NO:50

GTGATTGTTGCTGGCGCGCGTACACCCATCGGCAAGTTGATGGGCTCCCTGAAGGATTTAGCG
CCAGCGAGCTGGGTGCCATCGCCATTAAGGGCGCCCTGGAGAAGGCCAACGTGCCGGCGTCC
TTGGTCGAGTACGTGATCATGGGCCAGGTGTTGACCGCGGGTGCCGGGCAAATGCCCGCACG
35 GCAGGCGGCAGTGGCGGCCGGCATCGGTTGGGATGTCCCTGCGCTGACGATCAACAAGATGT
GCCTGTCCGGCATCGACGCAATCGCGCTGGCTGATCAACTCATTGCGGGCCAGAGAGTTGACG
TGGTGGTGGCCGGCGGTGAGGAGTCGATGACGAAGGCGCCCCACCTGTTGATGAATAGCCGGT

CGGGTTACAAGTACGGCGACGTTACGGTTTTGGACCACATGGCCTACGACGGTCTGCACGACG
 TGTTACCGATCAGCCGATGGGCGCGCTCACCGAGCAACGCAACGACGTCGACATGTTACCCC
 GCTCCGAACAGGACGAGTACGCGGCTGCGTCCCACCAAAAGGCGGCCGCGGCATGGAAGGAC
 GGCGTATTCGCCGACGAGGTGATCCCGGTGAACATCCCGCAGCGCACGGGCGATCCACTGCA
 5 GTTCACCGAGGACGAGGGGATCCGCGCCAACACCACCGCCGCGCTGGCCGGTCTGAAGC
 CGGCGTTCCGTGGCGACGGCACCATCACCGCCGGGTGCGCGTCACAGATCTCCGACGGTGCG
 GCCGCGGTGGTGGTCATGAACCAGGAAAAGGCCAGGAACTGGGGCTGACCTGGCTAGCCGA
 GATCGGCGCCACGGTGTGGTGGCCGGGCGGATTCCACACTGCAATCGCAGCCGGCCAACG
 CGATCAACAAGGCGCTGGATCGCGAGGGCATCTCGGTGGACCAGCTCGACGTGGTGGAGATCA
 10 ACGAGGCGTTGCTGCGGTGGCATTGGCCTCGATACGCGAACTCGGGCTGAACCCCCAGATCG
 TCAACGTCAACGGTGGTGGCATTGCCGTGCGGCATCCCCTCGGCATGTCAGGGACGCGAATCA
 CGCTACATGCGGCGCTGCAGTTGGCACGCCGGGGATCGGGCGTCGGGGTTGCCGCATTGTGC
 GGGGCTGGCGGGCAGGGCGACGCACTGATATTGCGGGCCGGATAG

>Rv1389 gmk putative guanylate kinase TB.seq 1564399:1565022 MW:22064

>emb|AL123456|MTBH37RV:1564399-1565025, gmk SEQ ID NO:51

GTGAGCGTCGGCGAGGGACCGGACACCAAGCCCACCGCGCGTGGCCAACCGGCGGCAGTGG
 GACGTGTGGTGGTGTCTGTCGGTCCCTTCCGCGGTGCGCAAATCCACGGTGGTTCGGTGTCTGC
 GCGAGCGGATCCCGAATCTGCATTTCAAGTGTCTCGGCCACGACGCGGGCGCCACGCCCGGGC
 20 GAGGTGACGGTGTGCGACTACCACTTCATCGACCCACCCGCTTTCAGCAGCTCATCGACCAG
 GGTGAGTTGCTGGAATGGGCAGAAATCCACGGCGGCCTGCACCGGTGCGGCACTTTGGCCCA
 GCCGGTGCGGGCGGCCGCGGCGACTGGTGTGCCGGTGTCTTATCGAGGTTGACCTGGCCGGGG
 CCAGGGCGATCAAGAAGACGATGCCCGAGGCTGTACCGTGTTTCTGGCGCCACCTAGCTGGC
 AGGATCTTCAGGCCAGACTGATTGGCCGCGGCACCGAAACAGCTGACGTTATCCAACGCCGCC
 25 TGGACACCGCGCGGATCGAATTGGCAGCGCAGGGCGACTTTGACAAGGTCGTGGTGAACAGGC
 GATTAGAGTCTGCGTGTGCGGAATTGGTATCCTTGCTGGTGGGAACGGCACCGGGCTCCCCGT
 GA

>Rv1407 fmu similar to Fmu protein TB.seq 1583099:1584469 MW:48494

>emb|AL123456|MTBH37RV:1583099-1584472, fmu SEQ ID NO:52

ATGACCCCTAGATCGCGTGGGCCGCGCCGCGCGCTGGACCCGGCGCGTCGTGCGGCCTT
 CGAGACGCTGCGGGCGGTTAGTGCGCGCGACGCCTACGCGAACCTGGTGTTGCCGCGCTGC
 TGGCCCAACGCGGTATCGGCGGTGCGGACGCGCGTTGCCACCGAGCTGACATACGGCACC
 TGCCGAGCCCGCGGCCTGCTCGACGCGGTGTCGGTGGCGCCGCGAGCGTTGCCGCGAGGC
 35 GATCGATCCGGTGCTGCTAGACCTGTTGCGGCTCGGCACCTACCAATTGCTGCGCACGCGGGT
 CGACGCACACGCCGCAAGTGTGACACCGTTCGAGCAGGCGGAATCGAATTGATTGCGCGC
 GAGCAGGTTTCGTCAACGGTGTACTACGAACGATCGCCGGCCGAGACGAGCGGTCTGGGTTG

GCGAACTCGCTCCTGATGCGCAGAACGATCCGATCGGGCATGCCGCGTTCGTGCATGCGCATC
 CCCGATGGATCGCCCAGGCCTTTGCTGACGCGTTGGGCGCGGCGGTGCGGGAGCTCGAGGCA
 GTTTTGGCCAGCGACGACGAACGGCCAGCGGTGCACCTGGCGGCACGCCCCGGGGTGCTGAC
 CGCCGGCGAACTGGCCCCGCGCGGTGCGCGGAACCGTCGGTTCGGTATTGCGCGTTTGCGGTGT
 5 ATCTGCCGCGCGGTGACCGGGGGCGACTGGCGCCGGTGCGCGACGGCCAAGCGCTGGTCCA
 GGACGAGGGCAGCCAGTTAGTCGCCCGAGCATTGACCCTGGCGCCAGTCGACGGCGATAACCG
 GACGGTGGCTGGACCTGTGTGCCGGACCGGGCGGCAAGACCGCGCTGTTGGCCGGGCTGGGT
 TTGCAGTGCGCAGCCCCGGGTGACCGCGGTGGAACCCTCGCCACACCGCGCGGACCTGGTAGC
 ACAGAACACCCGCGGGCTGCCGGTTGAGCTCTTGCGTGTGACGGGCGGCACACCGACCTCG
 10 ACCCGGGTTTCGACCGGGTGCTGGTGGATGCGCCCTGCACCGGGCTGGGCGCGTTACGCCGT
 CGGCCGAGGCCCCGTTGGCGTCGTACGCCGGCGGACGTAGCGGCACTGGCCAAGCTACAACG
 CGAGTTGTTGAGCGCCGCCATCGCGCTGACTCGGCCCGGCGGTGTCGTGCTCTATGCCACATG
 CTCGCCGCACCTGGCCGAGACTGTGGGTGCTGTGCCGACGCGCTACGCCGACATCCGGTTCA
 CGCGCTCGATAACCCGCCCACTGTTGAGCCGGTGATCGCGGGGCTGGGGGAGGGGCCCCACG
 15 TTCAGCTGTGGCCGCACCGGCACGGTACCGACGCCATGTTGCGCGCGGCGTTGCGCCGCCTG
 ACGTGA

>Rv1409 ribG riboflavin biosynthesis TB.seq 1585192:1586208 MW:35367

>emb|AL123456|MTBH37RV:1585192-1586211, ribG SEQ ID NO:53

20 ATGAACGTGGAGCAGGTCAAGAGCATCGACGAGGCTATGGGTCTCGCCATCGAGCACTCCTAC
 CAGGTCAAAGGCACGACTTATCCAAAACCCCCAGTGGGGGCCGTCATTGTGGATCCCAACGGT
 CGGATCGTCGGCGCCGGCGGCACCGAGCCGGCCGGTGGCGATCATGCCGAGGTGGTGGCGC
 TGCGCCGGGCCGGCGGATTGGCTGCCGGCGCCATCGTGGTGGTCACCATGGAACCCTGTAAC
 CACTACGGCAAGACTCCGCCATGCGTGAACGCTCTGATCGAAGCCAGGGTGGGGACGGTGGTC
 25 TACGCCGTGCGCCAGCCGAACGGGATCGCTGGGGGTGGCGCGGGCCGGCTGTCAGCAGCGG
 GCCTACAGGTGCGGTCCGGGGTGTGGCTGAACAGGTGGCGGCCGGACCGCTGCGGGAGTGG
 CTCCACAAGCAACGCACCGGTCTGCCGCATGTCACCTGGAAGTACGCCACCAGCATCGACGGC
 CGCAGCGCCGCCGCGGACGGCTCCAGCCAGTGATCTCCAGCGAGGCCGCACGCCTGGATCT
 GCATCGCCGCCGCGCCATCGCCGACGCGATCTTGGTCGGCACCGGCACCGTCCTCGCCGACG
 30 ACCCGGCCCTGACCGCGCGGCTGGCCGACGGCTCGCTGGCGCCGCAGCAGCCGCTGCGCGT
 GGTGGTGGGCAAGCGCGACATACCGCCGGAAGCACGGGTCTCAACGACGAGGCACGCACCA
 TGATGATCCGCACCCACGAACCTATGGAGGTGCTCAGGGCGTTGTGCGATCGCACCGACGTGC
 TGCTGGAAGGAGGTCCACCCCTCGCCGGCGCCTTCCTACGAGCGGGTGCGATCAACCGGATCC
 TGGCCTACGTCGCACCGATCCTGTTGGGCGGTCCGGTTACCGCGGTGATGACGTGCGGGTGT
 35 CCAACATACCAACGCGTTGCGTTGGCAGTTCGACAGCGTCGAAAAGGTGCGACCGGATCTGTT
 GCTGAGCTTGGTGGCTCGTTAG

>Rv1440 secG TB.seq 1617715:1618065 MW:12140

>emb|AL123456|MTBH37RV:1617715-1618068, secG SEQ ID NO:54

GTGGCAGGCGTGACAGCCGCGGTCAAGTGCACGCCTCAAAGCCGATGAGGCGCGACGGCCTGG
GTTCTACGCGGCAGGCAGCGGTCCGCTGCCGCAGGTTCCGGGGAGTACGCTACCCGTCATGG
5 AATTGGCCCTGCAGATCACGCTGATCGTCACGAGCGTGCTGGTGGTGTGTTAGTACTGCTGCA
CCGGGCCAAGGGTGGCGGGCTATCGACACTGTTCCGGCGGTGGTGTGCAGTCAAGCCTGTCCG
GCTCGACGGTGGTGGAGAAGAACCTGGACCGGTTGACGCTGTTCTGTTACCGGCATCTGGCTGG
TGTCCATCATCGGCGTGGCGTTGCTCATCAAATACCGCTAG

10 >Rv1484 inhA TB.seq 1674200:1675006 MW:28529

>emb|AL123456|MTBH37RV:1674200-1675009, inhA SEQ ID NO:55

ATGACAGGACTGCTGGACGGCAAACGGATTCTGGTTAGCGGAATCATCACCGACTCGTCGATCG
CGTTTCACATCGCACGGGTAGCCCAGGAGCAGGGCGCCCAGCTGGTGCTCACCGGGTTCGAC
CGGCTGCGGCTGATTACGCGCATCACCGACCGGCTGCCGGCAAAGGCCCGCTGCTCGAACT
15 CGACGTGCAAAACGAGGAGCACCTGGCCAGCTTGGCCGGCCGGGTGACCGAGGCGATCGGGG
CGGGCAACAAGCTCGACGGGGTGGTGCATTGATTGGGTTTCATGCCGCAGACCGGGATGGGC
ATCAACCCGTTCTTCGACGCGCCCTACGCGGATGTGTCCAAGGGCATCCACATCTCGGCGTATT
CGTATGCTTCGATGGCCAAGGCGCTGCTGCCGATCATGAACCCCGAGGTTCCATCGTCGGCA
TGGACTTCGACCCGAGCCGGGCGATGCCGGCCTACAACCTGGATGACGGTCGCCAAGAGCGCG
20 TTGGAGTCGGTCAACAGGTTCTGTGGCGCGCAGGCCGGCAAGTACGGTGTGCGTTCTGAATCTC
GTTGCCGCAGGGCCCTATCCGGACGCTGGCGATGAGTGCGATCGTCGGCGGTGCGCTCGGCGA
GGAGGCCGGCGCCCAGATCCAGCTGCTCGAGGAGGGCTGGGATCAGCGCGCTCCGATCGGCT
GGAACATGAAGGATGCGACGCCGGTGCCTAAGACGGTGTGCGCGCTGCTGTCTGACTGGCTG
CCGGCGACACGGGTGACATCATCTACGCCGACGGCGGCGCGCACACCCAATTGCTCTAG

25 >Rv1617 pykA pyruvate kinase TB.seq 1816187:1817602 MW:50668

>emb|AL123456|MTBH37RV:1816187-1817605, pykA SEQ ID NO:56

GTGACGAGACGCGGGAAAATCGTCTGCACTCTCGGGCCGGCCACCCAGCGGGACGACCTGGT
CAGAGCGCTGGTCGAGGCCGAATGGACGTGCCCCGAATGAACCTCAGCCACGGCGACTACGA
30 CGATCACAAGGTCGCTATGAGCGGGTCCGGGTAGCCTCCGACGCCACCGGGCGCGCGGTGCG
GCGTGCTCGCCGACCTGCAGGGCCCCGAAGATCAGGTTGGGACGCTTCGCTCCGGGGCCACC
CACTGGGGCCGAAGGCGAAACCGTCCGGATCACCGTGGGCGCCTGCGAGGGCAGCCACGATCG
GGTGTCCACCACCTACAAGCGGCTAGCCCAGGACGCGGTGGCCGGTGACCGGGTGCTGGTCG
ACGACGGCAAAGTGCATTGGTGGTGCACGCCGTGAGGGCGACGACGTGGTCTGCACCGTC
35 GTCGAAGGCGGCCCCGGTCAGCGACAACAAGGGCATCTCGTTGCCCGGAATGAACGTGACCGC
GCCGGCCCTGTGCGAGAAGGACATCGAGGATCTCACGTTGCGCGCTGAACCTCGGCGTCGACAT
GGTGGCGCTTTCCTTCGTCCGCTCCCCGGCCGATGTGCAACTGGTCCACGAGGTGATGGATCG

GATCGGGGCGACGGGTGCCGGTGATCGCCAAGCTGGAGAAGCCGGAAGCCATCGACAATCTCG
AAGCGATCGTGCTGGCGTTCGACGCCGTCATGGTCGCTCGGGGCGACCTAGGTGTTGAGCTGC
CGCTCGAAGAGGTCCCGCTGGTACAGAAGCGAGCCATCCAGATGGCCCGGAGAACGCCAAG
CCGGTCATTGTGGCGACCCAGATGCTCGACTCGATGATCGAGAAGTCCGCGCCGACCCGAGCT
5 GAGGCCTCCGACGTCGCCAACGCGGTGCTCGATGGCGCCGACGCGCTGATGCTGTCCGGGGA
AACCTCGGTAGGGAAGTACCCCTTGCTGCGGTCCGGACAATGTCGCGCATCATCTGCGCGGT
CGAGGAGAACTCCACGGCCGACCGCCGTTGACACACATTCCCGGACCAAGCGTGGGGTCAT
CTCGTATGCGGCCCGTGACATCGGCGAAGACTCGACGCCAAGGCCTTGGTGGCCTTCACTCA
GTCCGGTGATACCGTGCGGCGACTGGCCCGCCTGCATACCCCGCTGCCGCTGCTGGCCTTCAC
10 CGCGTGGCCCGAGGTGCGCAGCCAACTGGCGATGACCTGGGGCACCGAGACGTTTCATCGTGC
CGAAGATGCAGTCCACCGATGGCATGATCCGCCAGGTGACAAATCGCTGCTCGAACTCGCCC
GCTACAAGCGTGGTGACTTGGTGGTCATCGTCGCGGTGCGCCGCCAGGCACAGTGGGTTCGA
CCAACCTGATCCACGTGCACCGGATCGGGGAAGATGACGTCTAG

>Rv1630 rpsA 30S ribosomal protein S1 TB.seq 1833540:1834982 MW:53203

>emb|AL123456|MTBH37RV:1833540-1834985, rpsA SEQ ID NO:57

ATGCCGAGTCCCACCGTCACCTCGCCGCAAGTAGCCGTCAACGACATAGGCTCTAGCGAGGAC
TTTCTCGCCGCAATAGACAAAACGATCAAGTACTTCAACGATGGCGACATCGTCGAAGGCACCA
TCGTCAAAGTGGACCGGGACGAGGTGCTCCTCGACATCGGCTACAAGACCGAAGGCGTGATCC
20 CCGCCCGCGAACTGTCCATCAAGCACGACGTCGACCCCAACGAGGTGTTTTCCGTCCGTGACG
AGGTGGAAGCCCTGGTGCTACCAAGGAGGACAAAGAGGGGCCGCTCATCCTCTCCAAGAAAC
GCGCGCAGTACGAGCGTGCCTGGGGCACCATCGAGGCGCTCAAGGAGAAGGACGAGGCCGTC
AAGGGCACGGTCATCGAGGTGTCGAAGGGTGGCCTGATCCTCGACATCGGGCTGCGCGGTTTC
CTGCCCCGCTCGCTGGTGGAGATGCGCCGGGTGCGCGACCTGCAGCCCTACATCGGCAAGGA
25 GATCGAGGCCAAGATCATCGAGCTGGACAAGAACC GCAACAACGTGGTGCTGTCCCGTCGCGC
CTGGCTGGAGCAGACCCAGTCCGAGGTGCGCAGCGAGTTCCTGAATAACTTGCAAAAAGGCAC
CATCCGAAAGGGTGTGCTGTCTCGATCGTCAACTTCGGCGCGTTTCGTGATCTCGGCGGTGT
GGACGGTCTGGTGCATGTCTCCGAGCTATCGTGGAAGCACATCGACCACCGTCCGAGGTGGT
CCAGGTTGGTGACGAGGTACCGTCGAGGTGCTCGACGTGACATGGACCGTGAGCGGGTTTC
30 GTTGTCACTCAAGGCGACTCAGGAAGACCCGTGGCGGCACTTCGCCCGCACTCACGCGATCGG
GCAGATCGTGCCGGGCAAGGTCACCAAGTTGGTTCCGTTCCGTGCATTTCGTCCGCGTCGAGGA
GGGTATCGAGGGCCTGGTGACATCTCCGAGCTGGCCGAGCGTCACGTGAGGTGCCCGATC
AGGTGGTTGCCGTCGGCGACGACGCGATGGTCAAGGTCATCGACATCGACCTGGAGCGCCGTC
GGATCTCGTTGTGCTCAAGCAAGCCAATGAGGACTACACCGAGGAGTTCGACCCGGCGAAGT
35 ACGGCATGGCCGACAGTTACGACGAGCAGGGCAACTACATCTTCCCCGAGGGCTTCGATGCCG
AAACCAACGAATGGCTTGAGGGATTGAAAAGCAGCGCGCCGAATGGGAAGCTCGGTACGCCG
AGGCCGAGCGCCGGCACAAGATGCACACCGCGCAGATGGAGAAGTTCGCCGCCGCGAGGCG

GCTGGACGCGGCGCGGACGATCAGTCGTCGGCCAGTAGCGCACCGTCGGAAAAGACCGCGGG
TGGATCACTGGCCAGCGACGCCAGCTGGCGGCCCTGCGGGAAAACTCGCCGGCAGCGCTT
GA

5 >Rv1631 - TB.seq 1835011:1836231 MW:44669

>emb|AL123456|MTBH37RV:1835011-1836234, Rv1631 SEQ ID NO:58

ATGCTGCGCATCGGGCTGACCGGCGGCATTGGCGCCGGGAAGTCGTTGCTGTCCACGACGTTT
TCGCAATGCGGCGGAATCGTTGTCGACGGCGATGTGTTGGCGCGTGAAGTGGTCCAGCCGGGC
ACCGAGGGGCTGGCCTCGCTGGTCGACGCGTTTCGGTCGCGACATCCTGCTTGCAGACGGAGC
10 GCTGGACCGGCAGGCGTTGGCGGCCAAGGCGTTTCGAGATGACGAGTCGCGCGGTGTGCTCA
ACGGAATCGTGACCCCGCTGGTCGCCCCGGCGCCGATCCGAGATCATCGCGGCGGTTTCGGGG
GACGCGGTTGTGGTGAAGATATTCCACTGCTGGTGAATCCGGGATGGCGCCATTGTTTCGCG
TGGTGGTGGTGGTGCACGCGACGTCGAGCTACGGGTGCGACGGCTGGTCGAGCAACGCGGC
ATGGCCGAAGCCGACGCCCCGGGCTAGGATCGCTGCGCAGGCCAGCGACCGAGCGTCGTGC
15 CGTCGCCGACGTCTGGCTGGACAACTCGGGCAGCCCAGAGATTTGGTGCGGCGGGCCCCGCG
ACGTCTGGAACACGCGCGTCCAGCCCTTCGCGCACAACTGGCCCAACGTGAGATTGCGCGCG
CGCCGGCTAGGTTGGTGCCGGCGGATCCAAGCTGGCCGGATCAGGCGCGGCGCATCGTCAAC
CGGCTAAAGATCGCGTGCGGGCATAAGGCCCTTGCGAGTTGACCACATTGGGTCAACCGCCGTG
TCGGGCTTCCCCGATTTTCTAGCCAAGGATGTCATCGACATCCAGGTACCGTCAATCACTTG
20 ACGTGGCCGACGAGCTGGCCGAGCCCTTGCTGGCCGCCGGCTACCCACGCCTCGAGCACATC
ACCCAGGACACCGAAAAGACCGACGCTCGCAGCACCGTCGGCCGCTACGACCACACCGACAGT
GCCGCTCTGTGGCACAAGCGCGTGCACGCCTCGGCGGATCCCGGTGGCCGACCAACGTGCA
CCTGCGGGTGCACGGCTGGCCCAACCAACAGTTCGCCCTGCTGTTTCGTCGACTGGCTGGCGGC
CAATCCCGGCGCGAGAGAAGACTATTTGACGGTCAAGTGTGACGCCGACAGGCGCGCCGACG
25 GTGAGCTCGCGCGCTACGTACCGCCAAGGAGCCGTGGTTCTGGATGCCTACCAGCGGGCAT
GGGAGTGGGCGGATGCGGTGCACTGGCGTCCCTGA

>Rv1706c - TB.seq 1932695:1933876 MW:39779

>emb|AL123456|MTBH37RV:c1933876-1932692, PPE SEQ ID NO:59

ATGACCCTCGATGTCCCGGTCAACCAGGGGCATGTCCCCCGGGCAGCGTCGCTGCTGCCTT
30 GTTGGGGTCACCGCCGTTGCTGACGGCATCGCCGGGCATTCCCTGTCCAACTTGGGGCGTTA
CCTCCCGAGATCAATTCGGGTCGTATGTATAGCGGTCCGGGATCCGGGGCCACTGATGGCTGCC
GCGGCGGCCTGGGACGGGCTGGCCGCAGAGTTGTCGTCGGCAGCGACTGGCTACGGTGCGG
CGATCTCGGAGCTGACAAACATGCGGTGGTGGTTCGGGGCCGGCATCGGATTGATGGTGGCC
35 GCCGTCCTGCCCTTTGTCGGCTGGCTGAGTACCACCGCGACGCTAGCCGAACAGGCCGCGATG
CAGGCTAGGGCGGGCGCAGCGGCCTTTGAAGCCGCCTTCGCCATGACGGTGCCCCCGCCGGC
GATCGCGGCCAACCAGGACCTTGTTGATGACGCTCGTCGATACCAACTGGTTCGGGCAAAACAC

GCCGGCGATCGCCACCACCGAGTCCCAATACGCCGAGATGTGGGCCCAAGACGCCGCCGCGA
TGACGGCTATGCCAGCGCCGCGGCACCCGCCACGGTTTTGACTCCGTTGACACCACCGCCGC
AAACCACCAACCGGACCGGCTCGTCGGCCACGCAACAGCGGTGGCCGCGCTGCGGGGGCAG
CACAGCTGGGCCGCGGCGATTCCATGGAGCGACATACAGAAATACTGGATGATGTTCTGGGC
5 GCCCTCGCCACTGCCGAAGGGTTCATTTACGACAGCGGTGGGTAAACGCTGAATGCTCTGCAGT
TCGTGCGCGGGATGTTGTGGAGCACCGCATTGGCAGAAGCCGGTGCGGCCGAGGCAGCGGCC
GGCGCGGGTGGAGCCGCTGGATGGTCGGCGTGGTCGCAGCTGGGAGCTGGACCGGTGGCGG
CGAGCGCGACTCTGGCCGCCAAGATCGGACCGATGTCGGTGCCGCCGGGCTGGTCCGCACCG
CCCGCCACGCCCCAGGCGCAAACCGTCGCGCGATCGATTCCCGGTATTGCGAGCGCCGCCGA
10 GGCGGCTGAAACATCGGTCCTACTCCGGGGGGCACCGACTCCGGGCAGGAGTCGCGCCGCC
ATATGGGACGCCGATATGGAAGACGACTCACCGTGATGGCTGACCGGCCGAACGTCGGATAG

>Rv1745c - similar to Q46822 ORF_O182 TB.seq 1971381:1971989 MW:22490

>emb|AL123456|MTBH37RV:c1971989-1971378, Rv1745c SEQ ID NO:60

15 ATGACCCGCAGCTACCGGCCAGCTCCACCGATCGAGCGGGTGGTTTTGCTCAACGACCGCGGC
GACGCGACAGGTGTGGCCGACAAGGCCACCGTGACACCGGCGACACCCCTTTGCACCTCGC
GTTCTCCAGCTATGTGTTGATCTGCACGATCAGCTGTTGATCACGCGGCGGGCCGCCACCAAG
AGGACGTGGCCGGCGGTATGGACCAACAGTTGCTGCGGGCACCCCTGCCTGGCGAATCGCT
ACCGGGCGCCATACGCCGGCGGCTCGCTGCCGAACCTCGGACTGACCCAGATCGGGTCGATC
20 TGATCCTGCCGGGGTTCCGCTACCGGGCCGCTATGGCCGATGGCACCGTGGAACGAGATCT
GCCCCGTCTACCGAGTCCAGGTTGACCAACAGCCCCGGCCGAACCTCGGACGAGGTCGACGCG
ATCCGCTGGTTGTCTTGGGAACAATTCGTGCGCGATGTTACCGCCGGCGTAATCGCCCCGGTAT
CCCCTTGGTGCCGCTCACAACTGGGCTACCTGACCAAACTTGACCATGTCCGGCACAGTGGC
CCGTGGCCGACGACTGCCGGCTACCGAAAGCCGCACATGGTAATTAA

25 >Rv1800 - TB.seq 2039451:2041415 MW:67068

>emb|AL123456|MTBH37RV:2039451-2041418, PPE SEQ ID NO:61

30 ATGCTGCCGAATTTGCGGGTGCTGCCCCCGAGGTCAATTCGGCGAGGGTGTTGCGCGGTGCG
GGGTGCGCGCCGATGTTAGCGGCAGCGGCCCGCTGGGATGATCTAGCCTCCGAGCTGCATTGT
GCTGCAATGTCATTGCGGTGCGTTACGTCGGGATTGGTGGTTGGGTGGTGGCAGGGATCGGCG
TCGGCGGCGATGGTGGACGCAGCCGCGTCGTACATCGGGTGGCTGAGCACGTCGGCTGCCCA
CGCCGAGGGCGCGGCCCGGTCTGGCTCGGGCCGCGGTATCGGTGTTGAGGAGGCGCTGGCC
GCGACGGTGATCCGGCGATGGTTGCGGCAAATCGCGCCCAGGTGGCGTCGCTGGTAGCGTC
GAACTTGTGTTGGGCAGAACGCGCCTGCGATCGCCGCGCTCGAATCCTTGATGAGTGTATGTGG
35 GCCCAGGATGCAGCGGCCATGGCGGGTTATTACGTTGGGGCTTCGGCGGTGGCCACACAGTTG
GCATCGTGGCTGCAACGGCTACAGAGCATCCCCGGCGCCGCCAGTCTTGATGCCCGTCTGCCG
AGCTCGGCCGAGGCACCGATGGGAGTCGTCCGCGCGGTCAACAGCGCGATCGCCGCCAATGC

GGCTGCGGCACAAACCGTTGGCCTGGTCATGGGAGGCAGCGGCACGCCAATACCGTCGGCCA
GATATGTCGAGCTCGCGAACGCGCTGTACATGAGTGGCAGCGTCCCGGGTGTTATCGCGCAGG
CGCTCTTCACGCCCCAAGGGCTCTACCCGGTGGTCGTGATCAAGAACCTCACTTTTCGATTCTC
GGTGGCGCAGGGTGCCGTCATTCTCGAAAGTGCGATTTCGGCAGCAAATTGCCGCCGGCAACAA
5 CGTCACCGTCTTCGGCTACTCGCAGAGCGCCACGATCTCGTCACTAGTGATGGCCAATCTTGCG
GCTTCGGCCGACCCGCCGTCTCCAGACGAGCTTTCCTTCACGCTGATCGGCAATCCCAACAACC
CCAATGGCGGGGTTGCCACCAGGTTCCCGGGGATCTCCTTTCAGGCTTGGGCGTGACGGCCA
CCGGGGCCACTCCGCACAATCTGTACCCGACCAAGATCTACACCATCGAATACGACGGCGTCG
CCGACTTTCGCGGTACCCGCTCAACTTTGTGTGACCCCTCAACGCCATTGCCGGCACCTACTA
10 CGTGCACTCCAATACTTCATCCTGACGCCGGAACAAATTGACGCAGCGGTTCCGCTGACCAAT
ACGGTCGGTCCCACGATGACCCAGTACTACATCATTCGCACGGAGAACCTGCCGCTGCTAGAG
CCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAATTGAAG
GTGATTGTTAACCTGGGCTACGGCGACCCGGCCTATGGTTATTCGACCTCGCCGCCCAATGTTG
CGACTCCGTTTCGGGTTGTTCCAGAGGTCAGCCCGGTGTCATCGCCGACGCTCTCGTCGCCG
15 GGACCCAGCAGGGAATCGGCGATTTGCCTACGACGTCAGCCACCTCGAACTGCCGTTGCCGG
CAGACGGGTCGACGATGCCAAGCACCGCACCGGGCTCGGGTACGCCGTCCCCCGCTCTCG
ATCGACAGCCTGATAGACGACCTGCAGGTGGCTAACCGCAACCTCGCCAACACGATTTTGAAG
GTGGCCGCGACGAGCTACGCGACGGTGCTCCCAACCGCCGACATCGCCAATGCGGCGTTGAC
GATCGTGCCGTCGTACAACATCCACCTTTTTTTGGAGGGCATCCAGCAAGCGCTCAAGGGCGAC
20 CCGATGGGACTCGTCAACGCGGTCCGATAACCACTCGCGGCCGACGTGGCACTGTTACGGCC
GCAGGCGGTCTTCAGCTCTTGATCATCATCAGCGCGGGCCGAACGATTGCCAATGACATCTCGG
CCATTGTCCCCTGA

>Rv1844c gnd 6-phosphogluconate dehydrogenase (Gram -) TB.seq 2093732:2095186

MW:51548 >emb|AL123456|MTBH37RV:c2095186-2093729, gnd SEQ ID NO:62

ATGAGTTCGTCGGAATCGCCAGCCGGCATCGCGCAGATCGGCGTCACTGGCCTGGCCGTGATG
GGTTCCAACATCGCCCGAACTTCGCCCGGCACGGCTACACCGTGGCAGTGACAATCGGTGCG
GTCGCCAAGACCGACGCGCTGCTTAAGGAGCACAGCTCAGACGGCAAGTTCGTGCGCAGTGAA
ACGATCCCCGAATTTCTTGCCGCACTGGAAAAACCGCGTCGGGTGCTGATCATGGTCAAGGCC
30 GGAGAGGCCACTGACGCTGACGCTGTCATCAACGAACCTTGCTGACGCCATGGAACCCGGCGAC
ATCATCATCGACGGCGGCAATGCGTTGTACACCGACACCATGCGCCGCGAGAAAGCGATGCGT
GAGCGGGGCTTGCACTTCGTGCGGGCCGGGATCTCCGGCGGCGAAGAGGGCGCGTTGAACGG
GCCGTCGATCATGCCCGGCGGACCCGCCGAGTCATACCAATCGCTGGGTCCGCTGCTCGAGGA
GATCTCCGCGCATGTGACGGCGTGCCGTGCTGCACCCACATTGGCCCGGACGGCTCCGGGC
35 ACTTCGTCAAGATGGTCCACAACGGCATCGAGTACTCCGACATGCAGCTCATCGGTGAGGCCTA
CCAGCTGATGCGCGACGGGCTAGGTCTGACCGCGCCGGCGATCGCCGATGTGTTACCGAGT
GGAACAATGGCGATCTGGACAGCTACCTGGTTCGAGATCACCGCCGAGGTGCTGCGGCAGACCG

ATGCCAAGACCGGCAAACCGCTCGTCGACGTCATCGTGGACCGGGCCGAGCAGAAAGGCACC
GGCCGTTGGACCGTCAAGTCCGCGCTGGACCTGGGTGTGCCGGTGACCGGCATCGCCGAAGC
GGTGTTCGCCGCGCTCTCTCGGGATCCGTGGGGCAACGCTCGGCCGCCAGCGGTCTGGCTTC
GGGCAAGCTCGGCGAGCAGCCGCGGACCCCGCCACGTTACCGAAGACGTCCGCCAGGCGT
5 TGTACGCCTCCAAGATCGTGGCCTACGCTCAGGGCTTCAACCAGATCCAGGCCGGCAGCGCCG
AATTCGGCTGGGACATCACGCCGGGCGACCTGGCCACCATCTGGCGTGGCGGCTGCATCATCC
GGGCGAAGTTCTCAACCACATCAAGGAAGCCTTTGACGCCAGCCCGAACCTGGCCAGTCTGA
TTGTGGCCCCGTATTTCCGCGGCGCCGTGCAATCGGCGATCGACAGTTGGCGGCGTGTGGTGT
CGACGGCGGCCCAACTGGGTATCCCGACCCCGGGATTCTCGTCGGCCCTGTCGTATTACGACG
10 CGCTGCGCACCGCGCGGCTGCCCCTGCACTACCCAGGCCAGCGCGACTTCTTCGGCGCA
CACACCTACGGCCGGATCGACGAACCAGGCAAGTTCCACACACTATGGAGTTCAGACCGCACC
GAAGTACCGGTGTAG

>Rv1900c lipJ TB.seq 2146246:2147631 MW:49685

>emb|AL123456|MTBH37RV:c2147631-2146243, lipJ SEQ ID NO:63

GTGGCGCAGGCTCCCCACATTCACAGGACCCGCTACGCAAAATGCGGCGACATGGATATCGCC
TACCAGGTGCTGGGTGACGGTCCGACGGATCTGCTGGTGTGCCGGGGCCGTTCTGTCGGATC
GACTCGATCGACGACGAGCCATCGCTGTACCGTTTCCATCGCCGTCTTGCGTCATTACGAGGG
TGATCCGCCTCGACCATCGTGGGGTCGGCCTGTCGTACGGCTCGCCGCGATAACCACGCTGG
20 GGCCGAAGTTCTGGGCCCAGGACGCGATCGCGGTGATGGACGCGGTTCGGATGCGAGCAGGCG
ACAATTTTCGCGCCCAGTTTCCACGCCATGAACGGACTTGTCTCGCCGCCGACTACCCCGAGC
GGGTGCGCAGCCTGATCGTCGTCAACGGCTCGGCGCGCCCACTATGGGCGCCCGACTACCCG
GTAGGCGCCCAGGTTTCGTGAGCTGACCCGTTCTGACGGTGGCGCTGGAACCGGATGCCGTC
GAGCGGGGCTTCGACGTGCTGAGCATCGTGGCTCCTACCGTGGCCGGAGATGACGTGTTTCGA
25 GCCTGGTGGGATCTCGCCGGCAACCGTGCCGGACCGCCGAGCATTGCCCGTGCCGTTTCAAAG
GTCATAGCCGAGGCCGACGTACGAGATGTCTTGGACACATCGAGGCTCCAACACTGATCTTGC
ACCGTGTCCGATCGACGTACATCCCGGTGGGACATGGTCGCTACCTCGCCGAGCACATCGCTG
GATCCCGCTTGGTCGAATAACCGGCACCGATAACCTGTACTGGGTTGGCGACACCGGGCCGA
TGCTCGATGAAATCGAGGAATTCATCACCGGCGTGCGCGGCGGCGCTGACGCCGAGCGCATGC
30 TTGCCACCATCATGTTTACCGACATCGTCGGCTCGACCCAGCACGCCGCCGCGCTCGGCGACG
ACCGATGGCGCGACCTGTTGGACAACCACGACACCATCGTGTGCCACGAAATCCAGCGGTTCCG
GCGGTGCGGAAGTGAACACGGCCGGTGACGGTTTCGTGCGGACGTTACCAAGTCCGAGTGCC
GCGATCGCGTGCGCGGACGACATCGTCGACGCGGTGCGCGCGCTGGGTATTGAGGTCCGGAT
CGGTATTCATGCGGGCGAGGTGAGGTGCGCGATGCCTCGACGGTACCGACGTGCGCGGCG
35 TGCCCGTGATATCGGTGCGCGCGTCTGCGCGCTGGCCGGACCCAGTGAGGTGCTGGTGTCC
TCGACCGTGCGAGACATCGTCGCCGGATCACGGCACCGGTTCCGCCGAGCGTGGTGAGCAGGA

ACTCAAGGGCGTACCGGGCAGATGGCGGCTATGCGTGCTCATGCGCGACGACGCCACCCGCA
CGCGCTAA

>Rv1967 - TB.seq 2210599:2211624 MW:36516

>emb|AL123456|MTBH37RV:2210599-2211627, Rv1967 SEQ ID NO:64

ATGAGGGAGAACCTGGGGGGCGTCGTGGTGCGCCTCGGCGTCTTCCTGGCGGTATGCCTGCT
GACGGCGTTCTGCTGATTGCCGTCTTCGGGGAGGTGCGCTTCGGCGACGGCAAGACCTACTA
CGCCGAGTTCGCCAACGTGTCCAATCTGCGAACGGGCAAGCTGGTGCGCATCGCCGGCGTCGA
GGTCGGCAAGGTCACCAGGATCTCCATCAACCCCGACGCGACGGTGCGGGTGCAGTTACACGC
CGACAACCTCGGTACCCCTACGCGGGGGCACCCGGGCGGTGATCCGCTACGACAACCTGTTCCG
TGACCGCTATTTGGCGCTGGAGGAAGGGGCCGGCGGACTCGCCGTTCTTCGTCCCGGTACAC
GATTCCGTTGGCGCGCACCCAACCGGCGTTGGATCTGGATGCCCTGATCGGTGGATTCAAGCC
GCTGTTTCGTGCGCTGAACCCCGAGCAGGTCAACGCGCTGAGCGAACAGTTGCTGCACGCGTT
TGCCGGACAGGGGGCCACGATCGGGTCATTGCTGGCCAGTCCGCGGCCGTGACCAACACCC
TGCCCGACCGTGATCGGCTGATCGGGCAGGTGATCACCAACCTCAACGTGGTGCTGGGCTCGC
TGGGCGCTCACACCGATCGGTTGGACCAGGCGGTGACGTGCTATCAGCGTTGATTACCCGGC
TCGCGCAACGCAAGACCGACATCTCCAACGCCGTGGCCTACACCAACGCCGCCCGCGGCTCG
GTCGCCGATCTGCTGTGCGAGGCTCGCGCGCCGTTGGCGAAGGTGGTTCGCGAGACCGATCG
GGTGGCCGGCATCGCGGCCGCCGACCACGACTACCTCGACAATCTGCTCAACACGCTGCCGGA
CAAATACCAGGCGCTGGTCCGCCAGGGTATGTACGGCGACTTCTTCGCCTTCTACCTGTGCGAC
GTCGTGCTCAAGGTCAACGGCAAGGGCGGCCAGCCGGTGTACATCAAGCTGGCCGGTCAGGA
CAGCGGGCGGTGCGCGCCGAAATGA

>Rv1975 - TB.seq 2218050:2218712 MW:23650

>emb|AL123456|MTBH37RV:2218050-2218715, Rv1975 SEQ ID NO:65

ATGTCGCGTCGAGCATCGGCCACGTGTGCCTTGTCCGCGACCACCGCCGTCGCCATAATGGCT
GCTCCCGCCGCACGGGCCGACGACAAGCGGCTCAACGACGGCGTGGTCGCCAACGTCTACAC
CGTTCAACGTCAGGCCGGCTGCACCAACGACGTACGATCAACCCGCAACTACAATTGGCCGC
CCAATGGCACACCCTCGATCTGCTGAACAACGGGCACCTCAACGACGACACCGGTTCTGACGG
ATCCACACCGCAAGACCGCGCGCATGCCGCCGGCTTCGCGGGAAAGTCGCTGAAACCGTGG
CGATCAATCCCGCCGTAGCGATCAGCGGCATCGAGTTGATAAACCAAGTGGTACTACAACCCCGC
GTTTTTCGCGATCATGTCCGACTGCGCCAACACCCAGATCGGGGTGTGGTCAGAAAACAGCCC
GGATCGCACCGTCGTGGTGGCCGTTTACGGACAGCCCGATCGACCTTCGCGGATGCCGCCAG
GGGAGCGGTAACCGGACCGCCGTCCCCGGTGGCCGCGCAAGAGAACGTTCTATCGACCCCA
GCCCCGACTACGACGCCAGCGACGAGATCGAATACGGCATCAACTGGCTGCCATGGATCCTGC
GCGGCGTGTACCCGCGCCCCGCAATGCCGCCGCGAGTAG

>Rv1981c nrdF ribonucleotide reductase small subunit TB.seq 2224221:2225186 MW:36591

>emb|AL123456|MTBH37RV:c2225186-2224218, nrdF SEQ ID NO:66

ATGACCGGCAAGCTCGTTGAGCGGGTGCACGCAATCAATTGGAACCGGTTGCTCGATGCTAAA
 GATTTGCAGGTCTGGGAACGTTTGACCGGTAACTTTTGGTTGCCGAAAAGATTCCGCTCTCCA
 5 ACGACCTGGCATCTTGGAACGTTGAGTTCCACCGAGCAGCAGACGACGATCCGGGTGTTCA
 CCGGCTTGACCCTGCTCGACACCGCGCAGGCGACGGTGGGAGCAGTGGCCATGATCGACGAC
 GCGGTCAACCCCCACGAAGAGGCGGTCTGACCAACATGGCGTTCATGGAGTCAGTGCACGCC
 AAGAGCTACAGCTCGATCTTCTCGACCCTGTGCTCGACCAAGCAGATCGACGATGCCTTCGACT
 GGTCGGAACAGAACCCCTTACCTGCAGCGAAAAGCGCAGATCATCGTCGACTACTACCGCGGTG
 10 ACGACGCGCTCAAGCGCAAAGCATCGTCGGTAATGCTGGAGTCCTTCTGTTCTACTCCGGCTT
 CTACCTGCCCATGTACTGGTCGTCGCGGGGTAAGCTCACCAACACCGCCGATCTGATCCGGCT
 GATCATCCGAGATGAAGCCGTCCACGGCTACTACATCGGCTACAAATGTCAACGAGGTTTGGCC
 GACCTGACCGACGCCGAGCGGGCCGACCACCGCGAATACACCTGCGAGCTGCTGCACACGCT
 CTACGCGAACGAGATCGACTATGCGCACGACTTGTACGACGAGTTGGGCTGGACCGACGACGT
 15 TTTGCCCTACATGCGTTACAACGCCAACAAGGCGCTAGCCAACCTGGGATACCAGCCTGCATTC
 GATCGTGACACCTGCCAGGTGAACCCGGCCGTGCGCGCAGCTCTCGACCCCGGTGCAGGGGA
 GAACACGACTTTTTCTCCGGCTCCGGAAGCTCATACGTAATGGGCACCCACCAACCCACCACC
 GACACCGACTGGGACTTCTAA

>Rv2092c helY helicase, Ski2 subfamily TB.seq 2349335:2352052 MW:99576

>emb|AL123456|MTBH37RV:c2352052-2349332, helY SEQ ID NO:67

GTGACTGAGCTGGCCGAGCTGGACCGGTTACCGCGGAACTACCGTTCTCGCTCGACGACTTT
 CAGCAGCGGGCTTGACGCGCGCTGGAACGCGGCCACGGTGTGCTGGTGTGCGCGCCGACCG
 GCGCTGGCAAGACGGTGGTCGGCGAGTTGCGCGTGACCTGGCGCTGGCGGCCGGCAGTAAA
 25 TGTTTTCTACACCACGCCGCTGAAAGCCCTGAGCAACCAAAAGCACACCGATCTCACAGCACGCT
 ACGGCCGTGACCAGATCGGGCTGCTGACCGGTGACCTGTGCGTCAACGGCAACGCGCCGGTG
 GTGGTGATGACCACCGAAGTGCTGCGCAACATGCTCTACGCGGATTCGCTGCGCTGCAGGGG
 CTTTCCTATGTGGTGATGGATGAGGTGCATTTCTCGCCGACCGGATGCGGGGTCCGGTGTGG
 GAGGAGGTGATCCTGCAACTGCCCCACGACGTGCGGGTGGTACGCTGTGCGCGACGGTGAG
 30 CAACGCCGAGGAGTTCGGCGGTTGGATCCAGACGGTGCAGGGGCGACACCACGGTGGTGGTCG
 ACGAGCATCGGCCGGTGCCGTTGTGGCAACACGTCTTGGTGGGCAAGCGCATGTTGACCTGT
 TCGATTACCGGATCGGCGAAGCCGAAGGGCAGCCCCAAGTCAACCGCGAGTTGCTGCGCCACA
 TCGCGCATCGCCGTGAGGCCGACCGGATGGCCGATTGGCAGCCTCGGCGCCGAGGCTCGGGC
 CGGCCCGGCTTCTACCGGCCACCCGGCCGACCCGAGGTGATCGCCAACTCGACGCTGAAGG
 35 GCTGTTGCCGGCGATCACCTTCGTGTTCTCCCGGGCCGGTGTGACGCCGCGGTACCCAATG
 CCTGCGGTACCGCTGCGGTTGACCAGCGAAGAGGAGCGCGCACGGATCGCCGAGGTGATCG
 ACCACCGCTGCGGTGACCTGGCCGACTCCGACCTGGCGGTACTCGGCTACTACGAATGGCGG

GAAGGGTTACTGCGCGGTCTGGCCGCCCACCACGCGGGCATGTTGCCGGCCTTCCGGCACAC
 GGTGGAGGAGCTGTTACCGCCGGTTTGGTCAAGGCTGTATTCGCCACCGAGACTCTGGCGCT
 CGGTATCAACATGCCGGCCCGCACGGTGGTGCTGGAGCGGCTGGTGAAGTTCAACGGTGAGCA
 GCACATGCCGCTGACGCCGGGGGAGTACACCCAACTGACCGGTGCGGCCGGCCGGCGCGGTA
 5 TCGACGTCGAGGGTCACGCGGTGGTGATCTGGCACCCGGAATTGAACCGTCCGAGGTGGCG
 GGCCTGGCCTCCACCCGCACCTTTCCGCTGCGCAGCTCGTTTGCCCCGTGCTACAACATGACG
 ATCAACCTGGTGCACCGGATGGGTCCGCAACAGGCGCACCGACTGCTCGAGCAGTCGTTCCGCC
 CAATATCAGGCCGACCGATCCGTGGTCCGACTGGTCCGCGGAATTGAGCGGGGCAACAGGATA
 CTCGGCGAGATCGCAGCCGAACTGGGCGGATCTGATGCGCCCATCCTCGAATACGCTCGATTG
 10 CGCGCGCGGGTGTCCGAGCTGGAACGTGCGCAGGCCCGCGCGTCGCGGTTACAGCGACGGC
 AGGCGGCCACCGATGCGCTGGCCGCGCTGCGCCGCGGTGACATCATCACCATCACCCACGGC
 CGCCGCGGTGGTCTGGCCGTGCTCCTGGAATCAGCCCGCGACCGCGACGACCCGCGTCCGCT
 GGTGCTAACCGAACACCGATGGGCGGGACGGATCTCCTCGGCCGACTACTCGGGCACGACGC
 CGGTGGGGTCGATGACGCTGCCCAAGCGGGTGGAGCACCGCCAGCCGCGGGTCCGGCGTGTA
 15 CCTGGCCTCGGCGCTGCGATCGGCAGCCGCGGGTCTGGTTATTCCAGCCGCCCGGCGCGTCA
 GCGAGGCCCGCGGGTTTCACGATCCGGAGCTGGAGTCGTGCGCGAACAATTGCGCCGTCAT
 CCGGTGCATACCTCGCCCGGGCTCGAGGACCAGATCCGCCAGGCCGAGCGTTACTTACGCATC
 GAACGCGACAACGCGCAATTAGAGAGGAAGGTGCGCCGCCGCCACCAACTCGTTGGCCCGCAC
 GTTCGACCGATTTCGTGCGGGCTGCTCACCGAACGGGAGTTCATCGATGGCCCGGCCACTGATCC
 20 CGTGGTCACCGACGACGGCCGGCTGCTGGCGCGGATTTACAGCGAGAGCGACCTGTTGGTGG
 CCGAGTGCCTACGTACAGGTGCGTGGGAGGGTTTAAAGCCGGCCGAATTGGCGGGGGTGGTG
 TCGGCGGTGGTCTACGAGACGCGCGGTGGTGACGGCCAGGGCGCCCCGTTCCGAGCCGATGT
 GCCACACCGCGGTTACGGCAGGCTCTGACTCAGACATCAAGGCTGTCCACGACATTGCGCGC
 CGACGAGCAGGCACACCGCATCACCCCGAGTCGCGAACCCGACGATGGCTTTGTCAGAGTCAT
 25 CTACCGCTGGTCGCGAACCGGTGATCTAGCGGCGGCATTGGCCGCTGCCGACGTGAACGGCA
 GCGGATCACCGTTATTGGCAGGGGATTTGCTGCGTTGGTGCCGTCAGGTGCTCGATCTGCTGG
 ACCAAGTTCGTAACGCTGCGCCCAACCCCGAACTGCGGGCTACCGCAAAGCGCGCTATCGGTG
 ACATTCGGCGCGGCGTCTGCGCGTTGACGCCGGGTAG

30 >Rv2101 helZ helicase, Snf2/Rad54 family TB.seq 2360238:2363276 MW:111632

>emb|AL123456|MTBH37RV:2360238-2363279, helZ SEQ ID NO:68

ATGCTGGTTTTGCACGGCTTCTGGTCCAACCTCCGGCGGGATGCGGCTGTGGGCGGAGGACTCC
 GATCTGCTGGTGAAGAGCCCGAGTCAGGCGCTGCGCTCCGCGCGGCCACACCCGTTCCGCGGC
 GCCGCTGACCTGATCGCCGGCATAATCCGGGCAAACCCGCAACCGCCGTTTTGCTGTTGCC
 35 GTCGTTGCGATCGGCGCCGCTGGAATCGCCGGAGCTGATCCGGCTCGCCCCGCGCCCGGCCG
 CGCGAACCGATCCGATGCTGTTGGCGTGGACGGTACCGGTGGTGGACCTGGACCCACCGCG
 GCGTTGGCCGCCTTCGACCAGCCCGCCCCGACGTCCGCTACGGCGCGTCCGTCGACTACCT

GGCCGAGCTGGCCGTTTTTCGCGCGCGAGTTGGTCGAGCGTGGTCGCGTGCTGCCCCAGCTGC
 GCCGCGACACCCACGGCGCGGCCGCTGCTGGCGTCCGGTGTTCAGGGACGCGACGTGGTC
 GCGATGACCTCGCTGGTCTCGGCGATGCCGCCGGTCTGCCGCGCCGAAGTTGGTGGGCACGA
 CCCGCACGAACTGGCAACCTCGGCTCTGGACGCGATGGTCGACGCCGCCGTGCGCGCGGGCGC
 5 TGTACCGATGGACCTGCTGCCCCCGGACGGGGTCGCTCCAAACGGCATCGGGCCGTGGAG
 GCTTGGCTGACCGCGTTGACCTGCCCGGACGGCCGGTTCGACGCGGAGCCCGACGAACTCGA
 CGCGCTGGCCGAGGCGTTGCGGCCATGGGACGACGTCGGTATCGGCACCGTCGGCCCCGGCGC
 GGGCGACGTTTTCGGCTGTCCGAAGTCGAGACCGAAAACGAGGAGACGCCCGCGGGCTCGTTG
 TGGAGGCTGGAGTTCTTATTGCAGTCGACGCAGGACCCCAGCCTGCTGGTCCCCGCCGAGCAG
 10 GCATGGAACGACGACGGCAGCCTGCGCCGCTGGCTGGACCGGCCGACGAGCTGCTGCTGAC
 CGAACTGGGCCGGGCCCTCTCGGATTTTCCCCGAGCTCGTCCCGGCGCTGCGCACCGCGTGCC
 CGTCCGGGCTTGAGCTCGACGCCGACGGCGCCTACCGATTCTGTCGGGTACGGCCGCGGTG
 CTCGACGAGGCTGGGTTTGGCGTGCTGCTGCCGTCTGGTGGGACCGCCGCCGCAAGCTGGG
 CTTGGTCCTGTCCGCATATACCCCGGTGACGGCGTGGTGGGCAAGGCCAGCAAGTTCGGCCG
 15 CGAGCAGCTCGTCGAGTTCCGCTGGGAGCTGGCCGTGGGCGACGATCCGCTCAGCGAGGAGG
 AGATCGCGGCGCTGACCGAAACCAAGTCCCCGCTGATCCGGCTGCGTGGCCAGTGGGTGCGG
 CTCGATAACGAACAGATGCGCCGCGGGCTGGAGTTTTTGGAGCGTAAGCCAACCGGCCGCAAG
 ACCACCGCCGAGATCCTCGCGCTGGCCGCCAGCCACCCCGACGACGTGGACACCCCGCTCGA
 GGTACCGCCGTACGCGCCGACGGCTGGCTCGGGGACCTGCTCGCCGGGGCCGCCGCGGCG
 20 TCGCTGCAGCCGTTGGACCCGCCGACGGATTACCGCGACGCTGCGTCCCTACCAGCAGCGC
 GGTCTGGCGTGGCTGGCGTTTTTGTCTCGCTCGGTTTGGGACGCTGCCTGGCCGACGACATG
 GGCCTGGGCAAGACGGTGCAGCTATTGGCCCTGGAAACCTTGAATCCGTTACGCGCCACCAG
 GATCGCGGCGTCGGACCCACACTGCTACTGTGCCCGATGTCGTTGGTGGGCAACTGGCCGCAG
 GAAGCGGCCAGGTTTGCACCCAACCTGCGGGTGTACGCCACCACGGGGGCGCCCGGCTGCA
 25 CGGCGAGGCGTTGCGCGACCACCTCGAGCGCACCGACCTGGTCTGAGCACCTATACCACCG
 CCACCCGCGACATCGACGAGCTGGCGGAATACGAATGGAACCGGGTGGTGTGACGAGGCC
 CAGGCGGTGAAGAACAGCCTGTCCCGGGCGGCCAAGGCGGTGCGACGGCTACGCGCGGGCGC
 ACCGGGTGCGCTGACCGGGACACCGATGGAGAACCGGCTCGCCGAGCTGTGGTGCATCATG
 GACTTCCTCAACCCGGGCCTGCTCGGATCCTCCGAACGCTTCCGCACCCGCTACGCGATCCCG
 30 ATCGAGCGGCACGGGCACACCGAACCGGCCGAACGGCTGCGCGCATCGACGCGGCCCTACAT
 CCTGCGCCGGCTCAAGACCGACCCGGCGATCATCGACGATCTGCCGGAGAAGATCGAGATCAA
 GCAGTACTGCCAACTACCAACCGAGCAGGCGTCGCTGTATCAGGCCGTCGTCGCCGACATGAT
 GGAAAAGATCGAAAACACCGAAGGGATCGAGCGGCGCGGCAACGTGCTGGCCGCGATGGCCA
 AGCTCAAACAGGTGTGCAACCACCCGCCAGCTGCTGCACGATCGCTCCCCGGTGGTTCGGC
 35 GGTCCGGGAAGGTGATCCGGCTCGAGGAGATCCTGGAAGAGATCCTGGCCGAGGGCGACCGG
 GTGCTGTGTTTTACCCAGTTCACCGAGTTCGCCGAGCTGCTGGTGCCGCACCTGGCCGCACGC
 TTCGGCCGTGCCGCCGAGACATTGCCTACCTGCACGGTGGCACCCCGAGGAAGCGGCGTGA

CGAGATGGTGGCCCGGTTCCAGTCCGGTGACGGCCCGCCATTTTTCTGCTGTCGTTGAAGGC
GGGCGGTACCGGGCTGAACCTCACCGCCGCCAATCATGTTGTGCACCTGGACCGCTGGTGGAA
CCCGGCGGTGAGAACAGGCGACGGACCGGGCGTTTCGGATCGGGCAGCGGCGCACGGTG
CAGGTCCGCAAGTTCATCTGCACCGGCACCCTCGAGGAGAAGATCGACGAAATGATCGAGGAG
5 AAAAAGGCGCTGGCCGACTTGGTGGTCACCGACGGCGAAGGCTGGCTGACCGAACTGTCCACC
CGCGATCTGCGCGAGGTGTTGCGCTGTCCGAAGGCGCCGTCGGTGAGTAG

>Rv2110c prcB proteasome [beta]-type subunit 2 TB.seq 2369727:2370599 MW:30274

>emb|AL123456|MTBH37RV:c2370599-2369724, prcB SEQ ID NO:69

10 GTGACCTGGCCGTTGCCGATCGCTGTCCATTAATCACTCTCTGGAACACCCGCTGTAGACC
TATCTTCTTTCACTGACTTCCTGCGCCGCCAGGCGCCGGAGTTGCTGCCGGCAAGCATCAGCG
GCGGTGCGCCACTCGCAGGCGGCGATGCGCAACTGCCGCACGGCACCACTTGTGCGCTG
AAATACCCCGGCGGTGTTGTCATGGCGGGTGACCGGCGTTGACGCAGGGCAACATGATTTCT
GGGCGTGATGTGCGCAAGGTGTATATCACCGATGACTACACCGCTACCGGCATCGCTGGCAGC
15 GCTGCGGTGCGGTTGAGTTTGCCCGGCTGTATGCCGTGGAAGTTGAGCACTACGAGAAGCTC
GAGGGTGTGCCGCTGACGTTTGCCGGCAAAATCAACCGGCTGGCGATTATGGTGGTGGAAT
CTGGCGGCCGCGATGCAGGGTCTGCTGGCGTTGCCGTTGCTGGCGGGCTACGACATTCATGCG
TCTGACCCGCAGAGCGCGGGTCGTATCGTTTCGTCACGCCCGCGGGTGGAAACATCGAG
GAAGAGGGCTATCAGGCGGTGGGCTCGGGTTCGCTGTTGCGGAAGTCGTCGATGAAGAAGTTG
20 TATTCGCAGGTTACCGACGGTGATTCGGGGCTGCGGGTGGCGGTGAGGCGCTCTACGACGCC
GCCGACGACGACTCCGCCACCGGCGGTCCGGACCTGGTGCGGGGCATCTTTCCGACGGCGGT
GATCATCGACGCCGACGGGGCGGTTGACGTGCCGGAGAGCCGGATTGCCGAATTGGCCCGCG
CGATCATCGAAAGCCGTTCCGGTGCGGATACTTTCCGGCTCCGATGGCGGTGAGAAGTGA

25 >Rv2118c - = B2126_C1_165 (83.6%) TB.seq 2377471:2378310 MW:30091

>emb|AL123456|MTBH37RV:c2378310-2377468, Rv2118c SEQ ID NO:70

GTGTCAGCAACCGGCCCATTCAGCATCGGCGAACGTGTTACGCTCACCGACGCTAAGGGGCGC
CGCTACACCATGTCGCTGACTCCCGGTGCCGAATTCCACACTCATCGTGGCTCGATCGCCACG
ACGCGGTGATCGGGTTGAGCAAGGCAGCGTGGTCAAATCCAGCAACGGCGCCCTGTTCTCGG
30 TGCTGCGCCCGCTGCTGGTCGACTACGTCATGTCGATGCCGCGCGGCCCGCAGGTGATCTATC
CCAAAGATGCGGCCAGATCGTGCATGAGGGCGACATATTTCCCGGCGCGCGGGTGCTGGAG
GCAGGAGCCGATCCGGTGCTCTGACCTTGCTTTGCTGCGGGCGGTTGGGCCGGCCGGACA
GGTGATCTCCTACGAACAGCGCGCCGATCATGCCGAACACGCCCGGCGCAATGTGAGCGGCTG
CTACGGCCAGCCGCCGACAACCTGGCGACTGGTCGTACGCGACCTCGCCGACTCCGAAGTGC
35 CCGACGGATCCGTTGATCGGGCCGTGCTCGACATGCTGGCGCCGTGGGAGGTGCTCGACGCG
GTATCGCGGCTGCTGGTCGCCGGCGAGTGCTGATGGTCTACGTGGCCACCGTCACTCAGCTG
TCGAGGATCGTGGAGGCACTGCGGGCCAAGCAGTGCTGGACCGAACCGAGAGCCTGGGAGAC

GCTGCAGCGGGGCTGGAACGTCGTAGGGTTGGCGGTTTCGGCCGCAGCATTGATGCGCGGGC
ATACCGCGTTCCTGGTAGCAACGCGCCGGTTGGCGCCGGGGGCTGTGGCTCCGGCGCCGCTA
GGTCGTAAGCGCGAGGGACGCGACGGGTAG

5 >Rv2144c - TB.seq 2404166:2404519 MW:12028

>emb|AL123456|MTBH37RV:c2404519-2404163, Rv2144c SEQ ID NO:71

ATGCTGATCATTGCGCTGGTCTTGGCCCTGATTGGGCTCCTGGCCTTGGTGTTCGCGGTGGTCA
CCAGCAACCAGCTAGTGGCCTGGGTATGCATCGGGGCCAGCGTGCTGGGTGTGGCGTTGCTGA
TCGTCGATGCGTTGCGAGAACGCCAGCAAGGTGGCGCGGACGAAGCTGATGGGGCTGGGGAA
10 ACGGGTGTGCGGAGGAAGCCGACGTCGACTACCCGGAGGAAGCCCCGAGGAGAGCCAAGC
CGTCGACGCCGGTGTTCATCGGCAGTGAGGAGCCATCGGAGGAGGCCAGCGAAGCGACCGAGG
AGTCGGCGGTATCGGCGGACCGAAGCGACGACAGCGCCAAGTAG

>Rv2146c - TB.seq 2405667:2405954 MW:10805

15 >emb|AL123456|MTBH37RV:c2405954-2405664, Rv2146c SEQ ID NO:72

TTGGTGGTGTTTTTTTCAGATCCTTGGGTTCGCGCTGTTTCATCTTCTGGCTGCTGCTGATCGCTCG
GGTCGTCGTTGAGTTCATCCGCTCGTTCAGCCGTGACTGGCGTCCCACCGGTGTCACCGTGGT
GATCTTGGAGATCATCATGTGATCACTGATCCGCCGTGAAGGTGCTGCGCCGGCTGATCCC
GCAACTCACGATCGGCGCGGTCCGGTTTCGACCTGTCGATCATGGTGCTGCTGCTGGTTGCGTT
20 CATCGGTATGCAACTGGCGTTTGGTGCTGCGGCCTGA

>Rv2147c - TB.seq 2406119:2406841 MW:27630

>emb|AL123456|MTBH37RV:c2406841-2406116, Rv2147c SEQ ID NO:73

GTGAATAGTCACTGTAGTCACACCTTCATCACAGACAACAGATCTCCCAGGGCTAGAAGGGGTC
25 ACGCAATGAGCACACTGCACAAGGTCAAGGCCTACTTCGGTATGGCTCCCATGGAGGATTACGA
CGACGAGTACTACGACGACCGCGCTCCCTCGCGCGGGTATGCGCGGCCCCGATTTCGACGACG
ACTACGGCCGCTACGATGGGCGCGACTACGACGACGCGCGCAGCGATTACGCGGTGACCTG
CGCGGTGAGCCGGCCGACTATCCACCACCGGGATATCGCGGCGGGTACGCGGACGAACCACG
TTTCCGGCCCCGGGAGTTTCGACCGCGCGGAGATGACACGGCCGCGCTTCGGATCGTGGCTGC
30 GCAACTCCACCCGCGGCGCGCTAGCGATGGACCCCCGCGGATGGCGATGATGTTTCGAGGAT
GGCCATCCGCTCTCGAAGATCACCACGCTGCGGCCCAAGGACTACAGCGAGGCTCGCACCATC
GGTGAGCGGTTCCGCGACGGCAGCCCGGTTCATCATGGATCTGGTGTGATGGACAACGCCGAT
GCCAAGCGGCTGGTCGATTTTCGCGGCCGGCCTGGCCTTCGCGCTGCGCGGCTCGTTTCGACAA
GGTCGCGACCAAGGTGTTCTGCTCTCGCCTGCAGACGTGATGTGTCCCCGAGGAGCGCCG
35 CAGGATCGCCGAAACCGGGTTCTACGCCTACCAATAG

>Rv2148c - TB.seq 2406841:2407614 MW:27694

GCTGCAGCGGGGCTGGAACGTCGTAGGGTTGGCGGTTCCGGCCGACGATTCGATGCGCGGGC
ATACCGCGTTCCTGGTAGCAACGCGCCGGTTGGCGCCGGGGGCTGTGGCTCCGGCGCCGCTA
GGTCGTAAGCGCGAGGGACGCGACGGGTAG

5 >Rv2144c - TB.seq 2404166:2404519 MW:12028

>emb|AL123456|MTBH37RV:c2404519-2404163, Rv2144c SEQ ID NO:71

ATGCTGATCATTGCGCTGGTCTTGGCCCTGATTGGGCTCCTGGCCTTGGTGTTCGCGGTGGTCA
CCAGCAACCAGCTAGTGGCCTGGGTATGCATCGGGGCCAGCGTGCTGGGTGTGGCGTTGCTGA
TCGTGATGCGTTGCGAGAACGCCAGCAAGGTGGCGCGGACGAAGCTGATGGGGCTGGGGAA
10 ACGGGTGTGCGGAGGAAGCCGACGTCGACTACCCGGAGGAAGCCCCGAGGAGAGCCAAGC
CGTCGACGCCGGTGTTCATCGGCAGTGAGGAGCCATCGGAGGAGGCCAGCGAAGCGACCGAGG
AGTCGGCGGTATCGGCGGACCGAAGCGACGACAGCGCCAAGTAG

>Rv2146c - TB.seq 2405667:2405954 MW:10805

15 >emb|AL123456|MTBH37RV:c2405954-2405664, Rv2146c SEQ ID NO:72

TTGGTGGTGTTTTTTTCAGATCCTTGGGTTCGCGCTGTTTCATCTTCTGGCTGCTGCTGATCGCTCG
GGTCGTCGTTGAGTTCATCCGCTCGTTCAGCCGTGACTGGCGTCCCACCGGTGTCACCGTGGT
GATCTTGGAGATCATCATGTGATCACTGATCCGCCGGTGAAGGTGCTGCGCCGGCTGATCCC
GCAACTCACGATCGGCGCGGTCCGGTTTCGACCTGTCGATCATGGTGCTGCTGCTGGTTGCGTT
20 CATCGGTATGCAACTGGCGTTTGGTGCTGCGGCCTGA

>Rv2147c - TB.seq 2406119:2406841 MW:27630

>emb|AL123456|MTBH37RV:c2406841-2406116, Rv2147c SEQ ID NO:73

GTGAATAGTCACTGTAGTCACACCTTCATCACAGACAACAGATCTCCCAGGGCTAGAAGGGGTC
25 ACGCAATGAGCACACTGCACAAGGTCAAGGCCTACTTCGGTATGGCTCCCATGGAGGATTACGA
CGACGAGTACTACGACGACCGCGCTCCCTCGCGCGGGTATGCGCGGCCCGATTTCGACGACG
ACTACGGCCGCTACGATGGGCGCGACTACGACGACGCGCGCAGCGATTACGCGGTGACCTG
CGCGGTGAGCCGGCCGACTATCCACCACCGGGATATCGCGGCGGGTACGCGGACGAACCACG
TTTCCGGCCCCCGGAGTTTCGACCGCGCGGAGATGACACGGCCGCGCTTCGGATCGTGGCTGC
30 GCAACTCCACCCGCGGCGCGCTAGCGATGGACCCCCGCCGGATGGCGATGATGTTTCGAGGAT
GGCCATCCGCTCTCGAAGATCACCACGCTGCGGCCCAAGGACTACAGCGAGGCTCGCACCATC
GGTGAGCGGTTCCGCGACGGCAGCCCGGTATCATGGATCTGGTGTCGATGGACAACGCCGAT
GCCAAGCGGCTGGTCGATTTTCGCGGCCGGCCTGGCCTTCGCGCTGCGCGGCTCGTTCGACAA
GGTCGCGACCAAGGTGTTCTGCTCTCGCCTGCAGACGTGATGTGTCCCCCGAGGAGCGCCG
35 CAGGATCGCCGAAACCGGGTTCTACGCCTACCAATAG

>Rv2148c - TB.seq 2406841:2407614 MW:27694

>emb|AL123456|MTBH37RV:c2407614-2406838, Rv2148c SEQ ID NO:74

ATGGCGGCGGATCTTTCGGCGTATCCAGACCGCGAATCGGAATTGACGCATGCGTTGGCGGCA
ATGCGATCGCGACTTGCGGCGGCCGCGGAGGCGGCGGGTCGCAATGTCGGCGAAATTGAACT
TCTACCGATTACCAAATTCTTTCAGCAACCGATGTTGCGATTTTGTTCGATTGGGTTGTCGGTC
5 CGTTGGCGAATCGCGCGAACAGGAAGCTTCAGCCAAGATGGCCGAACCTTAATCGGTTGTTGGC
GGCTGCCGAGTTGGGTCACTCGGGGGGTGTGCACTGGCACATGGTGGGCCGATTCAACGCA
ACAAAGCCGGGTCGCTGGCTCGCTGGGCGCACACCGCTCACTCGGTGGACAGCTCGCGGTTG
GTGACCGCGCTGGATCGGGCGGTTGTTGCGGCGCTGGCCGAACACCGTCGTGGCGAGCGGCT
GCGGGTTTACGTCCAGGTCAGCCTCGACGGTGACGGATCCCGGGGCGGCGTCGACAGCACGA
10 CGCCCGGCGCCGTAGACCGGATTTGCGCGCAGGTGCAGGAGTCAGAGGGCCTCGAACTGGTC
GGGTTGATGGGCATTCCGCCGCTGGATTGGGACCCGGACGAGGCCTTTGACCGGCTGCAATCG
GAGCACAACCGGGTGCGTGCGATGTTCCCGCACGCGATCGGTCTGTCGGCGGGCATGTCCAAC
GACCTTGAAGTCGCCGTCAAACATGGTTCGACCTGTGTGCGTGTCGGTACCGCGCTATTGGGTC
CGCGGCGGTTACGGTCACCGTGA

>Rv2150c ftsZ TB.seq 2408386:2409522 MW:38757

>emb|AL123456|MTBH37RV:c2409522-2408383, ftsZ SEQ ID NO:75

ATGACCCCCCGCACAACTACCTGGCCGTCATCAAGGTCGTGGGTATCGGTGGTGGCGGTGTC
AACGCCGTCAACCGAATGATCGAGCAGGGCCTCAAAGGCGTGGAATTCATCGCGATCAACACC
20 GACGCCAGGCGTTGTTGATGAGCGATGCCGACGTCAAACCTCGACGTCGGCCGCGACTCCACC
CGCGGGCTGGGCGCCGGCGCCGATCCGGAGGTCGGCCGTAAGGCCGCGAGGACGCCAAGG
ACGAGATCGAAGAGCTGCTGCGCGGTGCCGACATGGTGTTCACCGCCGGCGAGGGGGGC
GGAACCGGCACCGGGGGGGCACCCGTCGTCGCCAGCATCGCCCGCAAGCTGGGCGCGTTGAC
CGTCGGTGTGGTCACCCGGCCGTTCTCGTTGAGGGCAAGCGACGCAGCAATCAGGCCGAAAA
25 TGGCATCGCGGCGCTGCGGGAGAGTTGCGACACCCTCATCGTGATTCCCAACGACCGGTTGCT
GCAGATGGGAGATGCCGCGGTATCGCTGATGGATGCTTCCGTAGCGCCGACGAGGTGCTGCT
CAACGGCGTGCGAGGGCATACCGACCTGATTACCACCCCGGGTCTAATCAACGTCGACTTCGC
CGACGTCAAGGGCATCATGTCCGGTGCCGGCACCGCACTGATGGGCATCGGCTCGGCCCGGG
GCGAAGGCCGGTCGCTCAAAGCGGCCGAGATCGCCATCAACTCGCCGTTGCTGGAAGCCTCGA
30 TGGAGGGCGCGCAAGGCGTGCTGATGTCGATCGCCGGCGGCAGCGACTTGGGCTTGTTGAG
ATCAACGAGGCGGCCTCGTTGGTACAAGACGCCGCTCACCCCGATGCCAACATCATCTTCGGC
ACCGTCATCGACGATTCGCTCGGTGACGAGGTGCGGGTGACCGTGATCGCGGCCGGCTTCGAC
GTCAGCGGTCCCGGCCGCAAGCCGGTGATGGGCGAGACCGGCGGCGCCACCGGATCGAGT
CAGCCAAGGCAGGCAAGCTCACCTCGACCTTGTTCGAGCCGGTCGACGCCGTGACGTCGCCGT
35 TGCACACCAACGGCGCAACCCTGAGCATCGGCGGTGATGACGACGATGTCGACGTGCCGCCCT
TCATGCGCCGCTGA

>Rv2152c murC TB.seq 2410639:2412120 MW:51146

>emb|AL123456|MTBH37RV:c2412120-2410636, murC SEQ ID NO:76

GTGAGCACCGAGCAGTTGCCGCCGATCTGCGGCGGGTGCACATGGTCGGCATCGGCGGAGC
TGGCATGTCGGGCATCGCCGAATCCTGCTGGACCGCGGCGGGCTGGTCTCCGGGTGAGACG
5 CCAAGGAGTCGCGCGGTGTGCATGCGCTGCGGGCGCGGGGCGCGTTGATCCGGATCGGACAC
GACGCGTCGTGCTGGACCTGTTGCCCGGTGGCGCCACGGCGGTCTGCTACTACCCATGCCGC
CATCCCCAAAACCAACCCCGAGCTCGTCGAAGCGAGGCGCCGCGGCATTCCCGTGGTGCTGCG
GCCGGCCGTGCTGGCCAAGTTGATGGCCGGGCGCACACATTGATGGTCACCGGCACGCACG
GCAAGACAACGACGACGTCCATGCTGATCGTCGCCCTGCAGCACTGCGGGCTTGACCCGTCTT
10 TTGCGGTGCGCGGTGAGCTGGGGGAGGCCGGTACCAACGCCCATCACGGCAGTGGCGACTGT
TTCGTGCGCGAAGCCGACGAAAGCGATGGCTCGCTGTTGCAGTACACACCCACGTGCGGGTG
ATCACCAACATCGAGTCCGATCACCTGGACTTCTACGGCAGCGTCGAGGCGTATGTTGCGGTGT
TCGACTCCTTCGTGGAGCGCATTGTCCCCGGGGGTGCGCTGGTGGTGTGCACTGACGACCCCG
GAGGGGGCCGCGCTGGCTCAGCGCGCGACTGAGCTGGGAATTCGAGTGCTGCGATACGGGTGCG
15 GTGCCGGGTGAGACCATGGCAGCCACGTTGGTCTCGTGGCAGCAACAGGGGGTCGGCGCGGT
CGCACATATCCGTTGGCCTCAGAACTAGCCACAGCACAGGGTCCCCGCGTGATGCGGCTGTC
GGTGCCCGGGCGACACATGGCGCTCAACGCGCTGGGAGCGCTGCTGGCCGCGGTGCAGATCG
GCGCCCCGCGCGACGAGGTGCTCGACGGGCTGGCCGGCTTCGAAGGAGTGCGGCGACGATTC
GAACTGGTTGGGACCTGCGGCGTCGGAAAGGCGTCGGTGCGCGTGTTGATGACTACGCCAC
20 CACCCGACGGAGATCAGCGCGACACTGGCGGCGGCGCGCATGGTGCTCGAACAGGGCGACGG
TGGCCGCTGCATGGTTGTGTTTCAACCCCATTTGTATTCGCGGACAAAGGCATTGCTGCTGAG
TTTGGGCGTGCGCTGAATGCCGCTGACGAGGTGTTCTGACTCGACGTCTACGGAGCTCGTGAA
CAACCGCTGGCCGGTGTGAGCGGAGCCAGCGTCGCTGAGCACGTCACTGTGCCGATGCGCTA
CGTCCCGGATTTTTTCGGCGGTGCGACAGCAAGTGGCCGCCGCCGCTAGTCCGGGCGACGTCAT
25 CGTCACGATGGGTGCCGGAGACGTGACCTTGCTGGGCCCGGAAATCCTGACCGCCCTTCGGGT
CCGGGCCAACCGAAGCGCCCCCGGCCGTCCGGGGGTGCTGGGATGA

>Rv2153c murG TB.seq 2412120:2413349 MW:41829

>emb|AL123456|MTBH37RV:c2413349-2412117, murG SEQ ID NO:77

30 GTGAAGGACACGGTCAGCCAGCCGGCGCGGGCGCGGGGCAACGGCGCCCCGGCCCGCG
ATGCCGCCTCGCCGTCTTGTTGTTCTCGCCGTCTGCTGATTCCGTGTGCGTCTTCTCGCCGG
CGGCGGGACCGCCGGGCACGTGAGCCCGCCATGGCCGTGCGCGACGCCTTGGTCGCGTTGG
ATCCGCGCGTCCGGATTACCGCGTTGGGCACCCTCCGTGGACTAGAGACCAGGCTGGTGCCCC
AGCGCGGCTACCACCTGGAGCTGATCACGGCGGTGCCGATGCCGCGCAAGCCCGGCGGCGAC
35 CTGGCCCGGCTGCCGTGCGGGGTGTGGCGCGCCGTCCGGGAGGCCCGGGACGTGCTCGACG
ATGTGACGCGCGACGTGCTGCTCGGTTTTCGGTGGGTACGTGCGGCTACCGGCTTACCTAGCCG
CTCGCGGCCTGCCTTTGCCGCCCGGCGCCGGCGCGCGGATCCCGGTGGTGATCCACGAAGCC

AACGCCAGGGCGGGACTGGCCAACCGGGTCGGCGCCCATACCGCGGACCGGGTGCTCTCCGC
GGTGCCGGATTCCGGGCTGCGGCGCGCCGAGGTGGTTGGGGTCCCGGTCCGTGCGTCGATCG
CCGCGCTGGACCGCGCGGTGCTGCGAGCCGAGGCGCGGGCACACTTCGGCTTCCCCGACGAC
GCGCGGGTGCTGCTGGTGTTCGGGGGTTTCGAGGGCGCGGTCTCGCTCAACCGGGCGGTGTC
5 CGGCGCCGCCGCGGACCTGGCCGCCGCGGTGTTTTCGTGCTGCATGCCCATGGACCCCAGA
ACGTGCTGGAGTTGCGCCGTGCGGCTCAAGGTGACCCACCGTACGTGGCGGTGCCCTATTTGG
ACCGGATGGAGCTGGCCTACGCCGCCGCGGATCTGGTGCATGCTGCCGGGCCGGGGCGATGACG
GTCGCCGAAGTATCCGCCGTGGTCTGCCGGCCATCTACGTGCCGCTGCCGATCGGCAACGGT
GAACAGCGGCTGAATGCGTTGCCGGTAGTCAATGCCGGCGGCGGCATGGTGGTCGCCGACGC
10 CGCCCTGACCCCCGAGTTGGTGGCCCGCCAGGTTGCCGGGCTGCTACCGACCCCCGCGCGGC
TGGCCGCGATGACCGCGGCCGCGAGCCAGGGTGGGACATCGCGATGCCGCGGGCCAGGTGGC
CCGGGCCGCGCTGGCCGTGCCACCGGGGCCGGTGCCAGGACAACGACGTGA

>Rv2154c ftsW TB.seq 2413349:2414920 MW:56306

>emb|AL123456|MTBH37RV:c2414920-2413346, ftsW SEQ ID NO:78

GTGCTAACCCGGTTGCTGCGTCGGGGCACACGACACCGACGGCTCCCAGACTCGAGGGGC
CGAGCCGGTCGAGGGGCAGCGGACGGGCCCGGAAGAAGCCTCTAACCCGGGTTGCGCGAGG
CCCCGCACCCGTTTCGGTGCCTGGCTGGGCCGTCCGATGACCTCGTTTACCTCATCATCGCC
GTTGCCGCATTGCTGACCACCCTTGGACTGATCATGGTGTCTGCGGCATCGGCGGTGCGGTCC
20 TACGACGACGACGGATCGGCTTGGGTGATCTTCGGCAAGCAGGTCTTGTGGACGCTTGTGGGT
CTTATCGGCGGCTATGTCTGTCTGCGGATGTCGGTGCGGTTTCATGCGGCGCATCGCCTTCTCCG
GTTTCGCGATCACCATCGTGATGCTGGTGCTGGTGCTGGTGCCGGGGATCGGCAAGGAGGCCA
ACGGCTCGCGCGGCTGGTTCGTGGTTCGCGGGCTTCTCGATGCAGCCCTCTGAGCTGGCTAAGA
TGCGGTTTCGCCATCTGGGGAGCGCATCTGCTGGCCGCCCGGCGCATGGAACGGGCTTCACTG
25 CGCGAGATGCTGATTCCACTGGTGCCGGGCCCGCGTCTTTCGCTGGCGCTGATCGTGGCCCAG
CCCGACCTCGGACAGACCGTGTCGATGGGCATCATCTTGTGGGCCTGCTGTGGTATGCGGGG
CTGCCGCTGCGCGTCTTCCTCAGCTCACTGGCGGCGGTCTGTCGTCTCGGCCGCCATCCTGGCG
GTGTCCGCGGGCTACCGATCGACCGGGTGCGGTCTGGCTCAACCCCGAAAACGATCCGCAA
GACTCCGGCTACCAGGCCCGACAGGCAAAGTTCGCGCTGGCTCAAGGTGGCATTTTCGGCGAC
30 GGTCTGGGCCAAGGCGTGGCCAAGTGGAATACTTGCCCAACGCCACAACGACTTCATTTTCG
CCATCATCGGCGAAGAGCTGGGTCTCGTCGGCGCGCTCGGACTGCTGGGGCTATTCGGATTGT
TCGCCTACACCGGCATGCGCATCGCTAGCCGGTCCGCCGACCCGTTCTGCGGCTGCTGACCG
CCACCACGACACTGTGGGTGCTGGGACAGGCGTTCATCAACATCGGCTATGTGATCGGGCTGC
TGCCCGTCAACCGCCTGCAGCTGCCGCTCATCTCCGCCGGTGGAACCTCCACGGCCGCAACAC
35 TTTCGCTGATAGGCATCATCGCCAACGCGGCTCGCCACGAACCGGAGGCGGTGGCCGCGCTG
CGGGCTGGGCGCGACGACAAGGTGAACCGGTTGCTGCGGCTGCCGCTGCCCGAGCCGTATCT
GCCCCCTCGTCTCGAGGCGTTTCGTGACCGCAAGCGCGCCAACCCGCAACCGGCCCAAACGCA

GCCCCGCGCGGAAGACCCCCCGCACGGCGCCCCGGACAGCCTGCCCGGCAGATGGGCCTGCCC
CCGCGACCCGGCTCGCCCCGCACGGCCGATCCGCCGGTTCTGTCGATCAGTGCATCATGGAGCT
GGCCAGCGGTACGCGGGGCCAGCGTCGCACACGGCGCGTTCCGGGCATTGGAAGGTCAGCGTTA
CGGGTGA

5

>Rv2155c murD TB.seq 2414935:2416392 MW:49314

>emb|AL123456|MTBH37RV:c2416392-2414932, murD SEQ ID NO:79

GTGCTTGACCCTCTGGGGCCGGGTGCGCCCGTGTGGTAGCCGGTGGCCGGGTGACCGGTCA
GGCGGTGGCCGCGGTGCTGACTCGGTTTGGTGCGACGCCGACGGTGTGCGACGACGATCCGG
10 TCATGCTGCGACCGCACGCCGAACGTGGGGCTGCCGACCGTTAGTTCCTCGGACGCGGTGCAGC
AGATAACCGGGTATGCGCTGGTGGTCGCCAGTCCCGGCTTCTCGCCCGCAACCCCGCTACTGG
CCGCGGGCCGCGGCGGCGGGGGTGCCGATCTGGGGTGACGTGGAGTTAGCCTGGCGGCTAGA
CGCAGCGGGCTGCTACGGACCGCCGCGCAGCTGGCTGGTGGTGACCGGCACCAACGGCAAGA
CCACCACGACGTGATGCTGCACGCCATGCTGATCGCCGGTGGCCGCCGCGCCGTGCTGTGC
15 GGCAATATCGGCAGTGCGGTGCTGGATGTGCTGGACGAGCCGGCCGAGCTGCTGGCCGTGGA
GTTGTCCAGTTTCCAGCTGCACTGGGCGCCGTGCTGCGGCCCGAGGCCGCGCGGTGCTCA
ACATTGCCGAAGACCACCTGGACTGGCATGCCACGATGGCCGAATACACCGCGGCCAAGGCC
GGGTGCTGACCGGCGGGGTAGCGGTGGCCGGGTGGATGACAGCCGAGCGGCCGCACTGCT
GGACGGCTCACCGGCGCAGGTGCGGGTCGGCTTCCGGCTCGGCGAGCCGGCCGCGCGGGAA
20 CTGGGCGTGCGCGACGCCACCTGGTCGATCGCGCCTTCTCCGACGACTTGACGCTGCTGCCG
GTCGCGTCGATAACCGGTGCCAGGTCCGGTCGGCGTGCTTGACGCCCTGGCCGCGGCGGCGCT
GGCCCGCTCGGTGCGGGTGCCCGCCGGTGCGATCGCCGACGCGGTACGTCGTTTCGAGTGG
GCCGACACCGCGCCGAGGTGGTGGCCGTTGCCGACGGCATCACCTACGTGGACGACTCCAAG
GCCACCAACCCGCACGCCGCGCGGGCTTCGGTGCTTGCATACCCGAGGGTGGTATGGATCGC
25 CGGTGGCCTGCTCAAGGGCGCGTCGCTTACGCCGAGGTTGCGGCGATGGCGTCGCGGCTGG
TCGGTGCGGTGCTGATCGGCCGGGATCGCGCAGCGGTTGCCGAGGCGTTATCACGACACGCG
CCCGATGTCCCAGTCGTTAGGTTGTGGCAGGCGAGGATACTGGTATGCCTGCGACTGTTGAG
GTTCTGTTGCTTGTGTTCTAGATGTGGCAAAAGATGACAAAGCCGGTGAGACCGTTGGCGCTG
CCGTGATGACCGCTGCGGTGGCCGCGGCCCGGCGGATGGCCCAACCCGGTGACACCGTGCTG
30 CTGGCACCGGCCGCGCCTCATTCGACCAAGTTCACCGGTTATGCCGACCGGGGCGAGGCATTC
GCGACCGCGGTCCGCGCGGTGATCCGGTAG

>Rv2156c murX TB.seq 2416397:2417473 MW:37714

>emb|AL123456|MTBH37RV:c2417473-2416394, murX SEQ ID NO:80

ATGAGGCAGATCCTTATCGCCGTTGCCGTAGCGGTGACGGTGTCCATCTTGCTGACCCCGGTG
CTGATCCGGTTGTTCACTAAGCAGGGCTTCGGCCACCAGATCCGTGAGGATGGCCCGCCAGC
CACCACACCAAGCGCGGTACGCCGTGATGGGCGGGGTGGCGATTCTGGCCGGCATCTGGGC

35

GGGCTACCTGGGCGCCACCTAGCGGGCCTGGCGTTTGACGGTGAAGGCATCGGCGCATCGG
GTCTGTTGGTGCTGGGCCTAGCCACCGCTTTGGGCGGCGTCGGGTTCATCGACGATCTGATCA
AGATCCGCGAGGTGCGCAATCTCGGGTTGAACAAGACGGCCAAGACCGTCGGGCAGATCACCT
CCGCCGTGCTGTTTGGCGTGCTGGTGCTGCAGTTCGGAATGCTGCCGGCCTGACACCGGGCA
5 GCGCGGATCTGTCTACGTGCGTGAGATCGCCACCGTCACATTGGCGCCGGTGCTGTTCTGT
TGTTCTGCGTGGTTCATCGTCAGCGCCTGGTCGAACGCGGTCAACTTCACCGATGGCCTGGACG
GGCTGGCCGCCGGCACCATGGCGATGGTCAACGCCGCCTACGTGCTGATCACCTTCTGGCAGT
ACCGCAACGCGTGCGTGACGGCGCCGGGCCTGGGCTGCTACAACGTGCGCGACCCGCTGGAC
CTGGCGCTCATCGCGGCCGCAACCGCTGGCGCCTGCATCGGTTTTTTGTGGTGGAACGCCGCG
10 CCCGCCAAGATCTTCATGGGTGACACTGGGTGCGTGGCGTTGGGCGGCGTCATCGCGGGGTTG
TCGGTGACCAGCCGCACCGAGATCCTTGCGGTGGTGCTGGGTGCGCTGTTCTGTCGCCGAGATC
ACCTCGGTGGTGTTGCAAATCCTGACCTTCGGGACCACCGGGCGCCGGATGTTTCGGATGGCG
CCCTTCCACCACCATTTGAGTTGGTCGGTTGGGCTGAAACCACGGTCATCATCCGGTTCTGGC
TGCTACCGCGATCACCTGCGGTCTGGGCGTGCCCTTGTTCTACGGTGAGTGGCTTGCCGCGG
15 TCGGTGCCTGA

>Rv2157c murF TB.seq 2417473:2419002 MW:51634

>emb|AL123456|MTBH37RV:c2419002-2417470, murF SEQ ID NO:81

ATGATCGAGCTGACCGTCGCGCAGATCGCCGAGATCGTCGGGGGCGCAGTGGCCGATATCTCC
20 CCGCAAGACGCCGCGCACCGCCGCGTCACCGGGACCGTCGAGTTCGACTCGCGCGCCATCGG
CCCGGGCGGGCTGTTCTCGCCCTGCCGGGGGCGCGCGCCGACGGCCACGACCATGCCGCG
TCGGCGGTAGCCGCGGGCGCCGCCGTCGTGCTGGCCGCCCGCCCGGTGGGGGTGCCGGCCA
TCGTGGTTCCGCCAGTGGCCGCGCCGAACGTATTGGCCGGCGTCCTCGAGCACGACAACGAC
GGGTGCGGGGCGGCGGTGCTGGCCGCGCTGGCCAAGCTGGCCACCGCGGTGGCCGCGCAGT
25 TGGTGGCCGGCGGGCTACCATCATCGGGATCACCGGCTCGTCGGGCAAGACGTGACCAAAG
GACCTGATGGCCGCCGTGCTGGCCCCGCTGGGGGAGGTGGTGGCCCCGCCCGGATCGTTCAA
CAACGAGCTGGGTACCCGTGGACGGTGCTGCGCGCGACGCGGCGCACCGACTACCTGATTTT
GGAGATGGCGGCACGCCATCACGGCAACATCGCCGCGCTCGCCGAGATCGCGCCCCCGTCGA
TCGGAGTCGTGCTCAACGTGCGCACCGCACATTTGGGTGAGTTCGGCTCCCGCGAGGTTCATCG
30 CACAGACCAAAGCCGAAGTCCCGCAGGCTGTTCCGCATTCCGGAGCGGTGTCCTCAACGCTG
ATGACCCCGCGGTGGCGGCGATGGCCAAGCTGACCGCGGCCCGGGTGGTGCGGGTCAGCCG
GGACAACACCGGTGACGTTTGGGCGGGGGCCGGTGTGCTGGACGAATTGGCCAGGCCGCGCT
TTACGCTGCATGCCACGATGCCAAGCCGAGGTCCGACTCGGGGTCTGCGGCGACCACCAG
GTCACTAACGCGCTGTGCGCCGCGGCGGTGCGCTGGAGTGTGGGGCCAGCGTTGAACAGGT
35 CGCGGCCGCGCTGACCGCGGCGCCGCGGTGTCGCGGCATCGGATGCAGGTGACCACCCGC
GGCGACGGGGTGACGGTGATCGACGACGCCTACAACGCCAACCCCGACTCCATGCGGGCCGG
GCTGCAGGCGCTGGCCTGGATCGCGCACCAACCCGAGGCCACCCGCCGAGCTGGGCGGTGC

TGGGTGAGATGGCCGAGCTGGGTGAGGACGCGATAGCCGAGCACGATCGCATCGGCCGGCTC
GCGGTGCGCTTAGATGTGTCTCGACTCGTTGTCGTGGGAACCGGGAGGTGATCAGCGCCATG
CACCACGGAGCGGTCTCTGGAGGGGGCGTGGGGCTCGGGGGAAGCCACTGCTGATCACGGTGC
GGATCGCACGGCCGTCAATGTGGCCGACGGTGACGCCGCCCTGGCACTACTGCGCGCCGAGC
5 TGCACCCGGGGATGTGGTCTTGGTCAAGGCCTCGAACGCGGCCGGGCTGGGTGCGGTGGCC
GATGCATTGGTCGCAGACGACACATGCGGGAGTGTGCGCCCATGA

>Rv2158c murE TB.seq 2419002:2420606 MW:55310

>emb|AL123456|MTBH37RV:c2420606-2418999, murE SEQ ID NO:82

10 GTGTCATCGCTGGCCCCGAGGGATCTCGCGGCGGCGAACGGAGGTGGCGACACAGGTGGAGGC
TGCGCCCACTGGCTTGCGCCCCAACGCCGTCGTGGGCGTTGCGTTGGCCGCACTGGCCGATCA
GGTCGGCGCGGCCCTGGCCGAGGGTCCAGCTCAGCGTGCCGTCACCGAGGACCGGACGGTCA
CCGGGGTCACTGCTGCGCGCCCAGGACGTGTACCCGGTGACCTGTTGCGCGCCCTGACCGGC
TCGACCACCCACGGGGGCCCGCCACGTGCGCGACGCGATCGCACGCGGCGCCGTGCGGGTGCT
15 CACCGACCCCGCCGGGGTCCCGAGATCGCCGACGAGCGGCCGTGCCGTGTTGGTGCACC
CCGCACCCCGCGGCGTGCTCGGCGGCTTGGCCGCCACCGTGTACGGGCATCCGTCCGAGCGG
TTGACGGTTATCGGGATCACCGGAACGTCCGGCAAGACCACCACCTATCTGGTCGAGGCC
GGGTTACGGGCTGCCGGACGCGTCGCCGGGCTGATCGGCACCATCGGCATCCGCGTCGGCGG
CGCCGACCTTCCCAGCGCGCTGACCACCCCGAGGGCCCCACGCTGCAGGCGATGCTGGCGG
20 CGATGGTCGAACGCGGGGTGGACACCGTGGTCATGGAGGTGTCCAGCCACGCGCTGGCGCTG
GGCCGGGTGGACGGCACCCGTTCCCGCTCGGCGCCTTACCAATCTCTCCCGTGACCACCTG
GATTTCCACCCAGCATGGCCGACTACTTCGAGGCCAAGGCGTCATTGTTGATCCGGAATCGG
CACTGCGCGCCCGCACCGCCGTGGTGTGCATCGACGACGACGCCGGGCGCGCGATGGCGGC
GCGGGCCCGCGACGCGATCACCGTCAGCGCCCGGACCGGCCCGCACACTGGCGCGCCACG
25 GATGTGGCGCCACGGACGCGGGCGGGCAACAATCACCGCCATCGACCCCGCCGGCGTAGG
GCATCACATCGGAATCCGGCTACCGGGCCGCTACAACGTGCGCAATTGCCTGGTCGCCCTGGC
GATTCTGGACACCGTCGGGGTCTCCCCGGAACAGGCGGTGCCGGGCCTGCGTGAGATCCGGG
TCCCGGGGCGGCTCGAGCAGATCGACCGCGGCCAGGGCTTTCTCGCGCTGGTGGACTACGCG
CACAAACCGGAAGCGCTGCGGTGCGTGCTGACCACCTTGGCGCACCCGGACCGCCGGCTGGC
30 GGTGGTGTTCGGCGCCGGCGGCGATCGTGACCCGGGCAAGCGGGCCCCGATGGGCGGATA
GCCGCGCAGCTGGCCGACTTGGTGGTCGTACCGACGACAACCCGCGTGACGAAGATCCAC
GGCGATCCGCCGCGAAATCCTGGCTGGGGCGGCCGAAGTCGGCGGTGATGCCAGGTGCTCG
AGATCGCAGACCGGCGGGACGCGATCCGGCACGCGTTGCCTGGGCGCGCCCCGGCGACGT
GGTGCTCATCGCCGGCAAAGGCCACGAGACCGGGCAACGCGGCGGCGGGTCCGCCCG
35 TTCGACGACCGGGTGGAGCTGGCTGCCGCGCTAGAGGCCCTCGAGCGGCGCGCATGA

>Rv2159c - TB.seq 2420632:2421663 MW:36377

>emb|AL123456|MTBH37RV:c2421663-2420629, Rv2159c SEQ ID NO:83

ATGAAATTTGTCAACCATATTGAGCCCGTCGCGCCCCGCCGAGCCGGCGGGCGCGGTGCGCCGAG
GTCTATGCCGAGGCCCGCCGCGAGTTTCGGCCGGCTGCCCCGAGCCGCTCGCCATGCTGTCCCC
GGACGAGGGACTGCTCACCGCCGGCTGGGCGACGTTGCGCGAGACACTGCTGGTGGGCCAGG
5 TGCCGCGTGGCCGCAAGGAAGCCGTCGCGCCCGCCGTCGCGGCCAGCCTGCGCTGCCCTGG
TGCGTCGACGCACACACCACCATGCTGTACGCGGCAGGCCAAACCGACACCGCCGCGGCGAT
CTTGCCCGGCACAGCACCTGCCGCCGGTGACCCGAACGCGCCGTATGTGGCGTGGGCGGCAG
GAACCGGGACACCGGCGGGACCGCCGGCACCGTTTCGGCCCGGATGTCGCCGCCGAATACCTG
GGCACCGCGGTGCAATTCACCTTCATCGCACGCCTGGTCCTGGTGCTGCTGGACGAAACCTTC
10 CTGCCGGGGGGGCCCGCGCGCCCAACAGCTCATGCGCCGCGCCGGTGGACTGGTGTTCGCCCG
CAAGGTGCGCGCGGAGCATCGGCCGGGCCGCTCCACCCGCCGGCTCGAGCCGCGAACGCTG
CCCGACGATCTGGCATGGGCAACACCGTCCGAGCCCATAGCAACCGCGTTTCGCCGCGCTCAGC
CACCACCTGGACACCGCGCCGCACCTGCCGCCACCGACTCGTCAGGTGGTCAGGCGGGTCGT
GGGGTCGTGGCACGGCGAGCCAATGCCGATGAGCAGTCGCTGGACGAACGAGCACACCGCCG
15 AGCTGCCCCCGACCTGCACGCGCCACCCGTCTTGCCCTGCTGACCGGCCTGGCCCCGCAT
CAGGTGACCGACGACGACGTGCGCGCGGCCGATCCCTGCTCGACACCGATGCGGCGCTGGT
TGGCGCCCTGGCCTGGGCCGCCTTCACCGCCGCGCGGCGCATCGGCACCTGGATCGGCGCCG
CCGCCGAGGGCCAGGTGTGCGGGCAAACCCGACTGGGTGA

>Rv2163c pbpB TB.seq 2425049:2427085 MW:72506

>emb|AL123456|MTBH37RV:c2427085-2425046, pbpB SEQ ID NO:84

GTGAGCCGCGCCGCCCCCAGGCGGGCCAGTCAGTCGAGTCGACGCGACCGGCGCGCGGTTT
GCGCCGGCCACCGGGAGCCAGGAGTTGGGCAACGCAAACGGCCCGGCAAACGCAAGAAAG
CCCGGCAAGCCCAGGAAGCCACGAAATCCCGCCCTGCGACACGGTCAGACGTCGCACCCGCG
25 GGTGCTCGACTCGTGCGAGGCGCACCCGGCAGGTGGTGGACGTCGGGACGCGCGGTGCGTC
GTTCTGCTTTTCGGCATCGGACCGGAAACGCGGTTCATCTTGGTGTGATGTTGGTCGCGGCAACA
CAATTGTTCTTTCTGCAGGTATCACATGCCGCGGGCCTGCGTGCGCAGGCGGCGGCCAACTC
AAGGTCACCGACGTCCAGCCAGCGGCTCGCGGCAGCATCGTCGACCGCAACAATGACCGGCTC
GCGTTACCATCGAGGCGCGTGCCCTGACGTTCCAGCCGAAGCGGATTGGCGGGCAATTGGAA
30 GAGGCCAGGAAGAAGACGTCGGCTGCACCCGACCCGACGAGCGCCTGCGCGATATCGCCCA
GGAGGTCGCCGGCAAGCTGAACAACAAGCCAGATGCCGCGGCCGTGCTGAAGAAGCTGCAAA
GCGACGAGACCTTCGTCTACTTGCGCGGTGCGGTGACCCGGCTGTGCGCAGCGCGATCTGCG
CGAAGTATCCCGAGGTCGGTGCGGAAAGACAGGATCTGCGTCAGTACCCGGGTGGGTGCTG
GCGGCAAACGTCGTGCGGTGGCATCGACTGGGATGGTCATGGGCTGCTGGGTCTGGAGGACTCC
35 CTGGATGCGGTGCTGGCCGGAACCGACGGATCGGTACCTACGACCGTGGGTGAGACGGCGT
CGTCATCCCCGGCAGCTACCGGAATCGGCACAAGGCGGTCCACGGTTCACCGTCGTGCTCAC
CCTCGACAACGACATCCAGTTCTACGTGCAGCAGCAGGTGCAGCAGGCCAAGAACCTATCGGG

GGCTCACAACGTCTCGGCCGTCGTCCTGGACGCCAAGACCGGCGAGGTGCTCGCGATGGCCA
 ACGACAACACCTTCGACCCGTCGCAAGACATCGGGCGCCAGGGCGACAAGCAGTTGGGCAACC
 CGGCGGTGTCGTCGCCCTTCGAGCCGGGCTCGGTGAACAAGATCGTCGCCGCGTCCGCGGTC
 ATCGAGCACGGGTTGAGCAGCCCCGACGAGGTGCTACAGGTGCCTGGCTCGATCCAGATGGG
 5 CGGTGTTACCGTGCATGACGCTTGGGAGCACGGCGTGATGCCCTATACCACCACGGGGGTGTT
 CGGAAAGTCCTCCAACGTCGGCACGCTGATGCTTTCCCAACGTGTCGGACCGGAACGCTATTAC
 GATATGCTCCGCAAGTTCGGGTTGGGACAGCGCACCGGCGTGGGCCTGCCCGGTGAGAGCGC
 CGGACTGGTGCCGCCAATCGACCAAGTGGTCGGGCAGTACGTTGCTAATCTTCCTATTGGCCAA
 GGTCTTTCGATGACTTTGCTGCAGATGACCGGCATGTACCAGGCCATCGCCAACGATGGAGTGC
 10 GGTACCCCCACGCATTATCAAGGCCACCGTCGCACCCGACGGCAGCCGAACCGAAGAACCGC
 GCCCCGACGACATTCGCGTGGTGTGCGCGCAGACCGCCCAGACCGTGCGCCAGATGCTGCGT
 GCCGTGGTGCAACGCGATCCGATGGGCTACCAGCAGGGTACCAGGCGCGACGGCCGGGGTGCC
 CGGCTATCAGATGGCCGGCAAGACCGGTACCGCGCAGCAGATCAACCCTGGCTGCGGCTGCTA
 CTTGACGACGTGTATTGGATCACCTTCGCCGAATCGCCACTGCCGACAATCCCCGCTACGTG
 15 ATCGGCATCATGTTGGACAACCCGGCGCGCAACTCCGACGGCGCGCCTGGGCACTCGGCCGC
 CCCGCTGTTCCACAACATCGCGGGCTGGCTGATGCAGCGCGAAAACGTCCCGCTGTCACCCGA
 TCCCGGGCCTCCTTTGGTCTTGCAGGCCACCTAG

>Rv2165c - TB.seq 2428236:2429423 MW:42498

>emb|AL123456|MTBH37RV:c2429423-2428233, Rv2165c SEQ ID NO:85

GTGCAAACCCGTGCACCGTGGTCTCTGCCCGAAGCGACCCCTGGCGTACTTCCCCAACGCCAGG
 TTCGTGTCTTCGGACAGGGACCTCGGTGCAGGGGCGGGCGCCTGGAATAGCCGCGTCCCGAAGT
 ACGGCTTGCCAGACCTGGGGAGGTATCACGGTGGCTGATCCAGGTTCCGGGGCCAACCGGTTTC
 GGTGATGTGCCGGTATTGGCGCAACGTTGCTTCGAACTGCTTACCCCCGCACTAACCCGCTACT
 25 ATCCAGACGGCTCGCAGGCGGTCTTCTCGACGCGACCATCGGCGCGGGCGGGCATGCGGAG
 CGGTTTTTGGAGGGATTGCCGGGTCTGCGCCTGATCGGGCTCGACCGTGACCCAACCGCTCTG
 GACGTGCGCGGTCTCGGCTGGTGCATTGCTGACCGACTTACCCTGGTGACACCCGCTAT
 GACTGTCTGGGCGCAGCGCTGGCTGAATCCGTTATGCCGCAGTGGGATCAGTCGACGGAATC
 CTGTTGATCTCGGCGTCTCATCCATGCAGCTCGACCGCGCCGAGCGGGGCTTCGCCTACGCC
 30 ACGGACGCGCCATTGGACATGCGGATGGACCCGACGACGCCGTTGACCGCAGCTGACATTGTC
 AACACTTACGACGAGGCGGCACTAGCCGACATCCTGCGTCGCTACGGAGAGGAGCGGTTTGCT
 CGGCGCATCGTGCCGGTATCGTCCGCCGACGCGCAAAAACCCCGTTACCTCGACCGCCGAA
 CTGGTTGCCCTGCTGTACCAGGCGATTCCAGCTCCGGCCCCGGCGTGTGCGCGGGCATCCAGCC
 AAGCGAACATTCCAGGCGCTGCGCATCGCGGTCAACGATGAGCTGGAATCGCTGCGCACGGCC
 35 GTTCCTGCCGCGCTGGATGCCCTCGCTATCGGTGGGCGCATCGCGGTGCTGGCCTACCACTCG
 CTAGAGGACAGGATCGTCAAACGGGTGTTCCCGGAGGCAGTCGCGTCCGGCCACCCCTGCGGG
 ACTTCCGGTCGAACTTCCCGGCCATGAGCCGCGATTCCGTTGTTAACGCACGGCGCCGAACG

AGCGAGTGTGGCTGAGATCGAACGCAATCCCCGCAGTACTCCAGTGCGGTTGCGGGCCCTGCA
ACGAGTCGAGCACCGGGCGCAATCGCAGCAATGGGCAACCGAGAAGGGTGATTCATGA

>Rv2166c - TB.seq 2429428:2429856 MW:15912

5 >emb|AL123456|MTBH37RV:c2429856-2429425, Rv2166c SEQ ID NO:86
ATGTTTCTCGGCACCTACACGCCCAAACCTCGACGACAAGGGGCGGCTGACGCTGCCGGCCAAG
TTTCGCGACGCGTTGGCAGGGGGGTTGATGGTCACCAAGAGCCAAGATCACAGCCTGGCCGTT
TACCCGCGGGCGGCGTTTCGAGCAGCTGGCGCGCCGGGCCAGCAAGGCGCCACGAAGCAACC
CCGAGGCGAGAGCGTTCCTACGTAATCTCGCCGCCGGTACCGACGAACAGCATCCCGACAGTC
10 AAGGCCGGATCACCTTGTGCGCCGACCACCGCCGCTACGCAAGCCTTTCCAAGGACTGTGTGG
TGATCGGCGCGGTGCGACTATCTCGAGATCTGGGATGCGCAAGCCTGGCAGAACTACCAACAAAT
CCATGAAGAGAACTTCTCCGCGGCCAGCGATGAAGCACTCGGTGACATCTTCTGA

>Rv2197c - TB.seq 2461505:2462146 MW:22481

15 >emb|AL123456|MTBH37RV:c2462146-2461502, Rv2197c SEQ ID NO:87
ATGGTGAGCAGATATTCCGCATACCGGCGTGGGCCGGATGTAATCTCGCCGGACGTCATCGAT
CGCATCCTGGTTGGGGCATGTGCCGCGGTGTGGCTGGTGTTCACCGGCGTGTGGTGGCCGC
CGCTGTGCGCCCTGATGGACCTGGGTAGGGGCTTCCACGAGATGGCCGGAACCCGCACACCAC
GTGGGTGCTGTACGCCGTAATTGTGGTCTCCGCACTGGTCATCGTGGGCGCGATAACCGGTGCT
20 GTTGCGAGCTCGCCGCATGGCTGAGGCCGAGCCCGCGACGAGGCCGACGGGTGCATCCGTGC
GGGGCGGGCGATCGATCGGATCCGGGCATCCGGCGAAACGCGCTGTGGCCGAGTCGGCACCC
GTACAGCACGCGGATGCATTGAGGTGGCCGCCGAGTGGTCCAGTGAGGCGGTGGACCGGAT
CTGGTTGCGCGGGACAGTCGTGTTGACCAGTGCGATTGGCATTGCGTTGATTGCCGTGGCGGC
GGCGACCTACCTCATGGCGGTGCGTACGACGGGCCATCTTGATCAGCTACGGGTGGCCGG
25 GGTGGTCACCGCGGGCATGCCGGTGTGAGTGGCTATACGCTCGGCAGCTGCGCCGGGTGG
TGGCGCCCCAGTCCAGTTAG

>Rv2198c - TB.seq 2462149:2463045 MW:30955

>emb|AL123456|MTBH37RV:c2463045-2462146, mmpS3 SEQ ID NO:88
30 ATGAGCGGGCCGAATCCCCCGGGACGGGAACCTGACGAACCCGAATCGGAACCCGTCAGCGA
CACGGGCGACGAACGGGCTTCCGGCAACCACTTGCCGCCCCTCGCCGGGGGCGGCGACAAAC
TGCCCAGTGACCAGACGGGCGAGACCGACGCATATTCTCGGGCATACTCTGCCCCGGAATCCG
AGCACGTCACCGGCGGCCCCGTATGTGCCAGCCGATCTCAGGCTCTATGACTACGACGACTATG
AGGAGTCGTCCGACCTGGACGACGAACTGGCCGCTCCGCGCTGGCCGTGGGTGGTGGTGTGTC
35 GCCGCCATAATTGCCGCCGTTGCGCTCGTGGTTTCGGTGTGCTGCTCACGCGACCAACATA
CCAGCAAACCTCGCCACCGGCGACACTACGTCTCTGCACCGCCCGTGCAGGACGAAATCACGA
CCACCAAGCCGGCGCCGCCACCGCCGCCACCAGCCCCACCGCCACCACCGAGATCCCGACA

AGCGAGTGTGGCTGAGATCGAACGCAATCCCCGCAGTACTCCAGTGCGGTTGCGGGCCCTGCA
ACGAGTCGAGCACCGGGGCGCAATCGCAGCAATGGGCAACCGAGAAGGGTGATTCATGA

>Rv2166c - TB.seq 2429428:2429856 MW:15912

>emb|AL123456|MTBH37RV:c2429856-2429425, Rv2166c SEQ ID NO:86

ATGTTTCTCGGCACCTACACGCCAACTCGACGACAAGGGGCGGCTGACGCTGCCGGCCAAG
TTTCGCGACGCGTTGGCAGGGGGGTTGATGGTCACCAAGAGCCAAGATCACAGCCTGGCCGTT
TACCCGCGGGCGGCGTTCGAGCAGCTGGCGCGCCGGGCCAGCAAGGCGCCACGAAGCAACC
CCGAGGCGAGAGCGTTCCTACGTAATCTCGCCGCCGGTACCGACGAACAGCATCCCGACAGTC
AAGGCCGGATCACCTTGTCGGCCGACCACCGCCGCTACGCAAGCCTTTCCAAGGACTGTGTGG
TGATCGGCGCGGTGCGACTATCTCGAGATCTGGGATGCGCAAGCCTGGCAGAACTACCAACAAAT
CCATGAAGAGAACTTCTCCGCGGCCAGCGATGAAGCACTCGGTGACATCTTCTGA

>Rv2197c - TB.seq 2461505:2462146 MW:22481

>emb|AL123456|MTBH37RV:c2462146-2461502, Rv2197c SEQ ID NO:87

ATGGTGAGCAGATATTCCGCATACCGGCGTGGGCCGGATGTAATCTCGCCGGACGTCATCGAT
CGCATCCTGGTTGGGGCATGTGCCGCGGTGTGGCTGGTGTTCACCGGCGTGTGGTGGCCGC
CGCTGTGCCCTGATGGACCTGGGTAGGGGCTTCCACGAGATGGCCGGAAACCCGCACACCAC
GTGGGTGCTGTACGCCGTAATTGTGGTCTCCGCACTGGTCATCGTGGGCGCGATACCGGTGCT
GTTGCGAGCTCGCCGCATGGCTGAGGCCGAGCCCGCGACGAGGCCGACGGGTGCATCCGTGC
GGGGCGGGCGATCGATCGGATCCGGGCATCCGGCGAAACGCGCTGTGGCCGAGTCGGCACCC
GTACAGCACGCGGATGCATTGAGGTGGCCGCCGAGTGGTCCAGTGAGGCGGTGGACCGGAT
CTGGTTGCGCGGGACAGTCGTGTTGACCACTGCGATTGGCATTGCGTTGATTGCCGTGGCGGC
GGCGACCTACCTCATGGCGGTGGTTCACGACGGGCCATCTTGATCAGCTACGGGTTGGCCGG
GGTGGTCACCGCGGGCATGCCGGTGTGAGTGGCTATACGCTCGGCAGCTGCGCCGGGTGG
TGGCGCCCCAGTCCAGTTAG

>Rv2198c - TB.seq 2462149:2463045 MW:30955

>emb|AL123456|MTBH37RV:c2463045-2462146, mmpS3 SEQ ID NO:88

ATGAGCGGGCCGAATCCCCGGGACGGGAACCTGACGAACCCGAATCGGAACCCGTCAGCGA
CACGGGCGACGAACGGGCTTCCGGCAACCACTTGCCGCCCGTCCCGGGGGCGGCGACAAAC
TGCCCAGTGACCAGACGGGCGAGACCGACGCATATTCTCGGGCATACTCTGCCCCGGAATCCG
AGCACGTCACCGCGGGCCCGTATGTGCCAGCCGATCTCAGGCTCTATGACTACGACGACTATG
AGGAGTCGTCCGACCTGGACGACGAACCTGGCCGCTCCGCGCTGGCCGTGGGTGGTGGTGTG
GCCGCCATAATTGCCGCCGTTGCGCTCGTGGTTTCGGTGTGCTTGTGCTCAGCGACACACATA
CCAGCAAACCTCGCCACCGGCGGACACTACGTCCTCTGCACCGCCCGTGCAGGACGAAATCACGA
CCACCAAGCCGGCGCCGCCACCGCCGCCACCAGCCCCACCGCCACCACCGAGATCCCGACA

GCGACGGAGACACAGACGGTCACTGTGACGCCGCCACCACCGCCCCACCGGCGACAACCAC
GGCGCCGCCGCCGGCGACCACCACAACGGCGGCGGCACCGCCGCCACGACCACCACGCCG
ACCGGTCCGCGGCAAGTCACCTATTCGGTGACCGGTACCAAGGCGCCGGGTGACATTATCTCG
GTGACTTACGTCGATGCCGCCGGGCGCCGACGGACACAGCACAAATGTGTACATCCCGTGGTCC
5 ATGACGGTCACCCCGATCTCGCAATCCGACGTTGGCTCGGTGGAGGCCTCCAGCCTTTTCCGG
GTCAGCAAACCTCAACTGCTCGATCACCACGAGCGACGGAACGGTGCTCTCATCGAACTCCAACG
ATGGACCGCAAACGAGCTGCTGA

>Rv2199c - TB.seq 2463234:2463650 MW:14866

>emb|AL123456|MTBH37RV:c2463650-2463231, Rv2199c SEQ ID NO:89

10 ATGCATATCGAAGCCCCGACTGTTTGAGTTTGTGCGCCGCGTTCTTCGTGGTGACGGCGGTGCTGT
ACGGCGTGTTGACCTCGATGTTCCGCCACCGGTGGTGTGAGTGGGCTGGCACCCTGCGCTGG
CGCTTACCGGCGGCATGGCGTTGATCGTCGCCACCTTCTTCCGGTTTGTGGCCCGCCGGTTAG
ATTCCCGGCCCGAGGACTACGAAGGCGCTGAAATCAGCGACGGCGCAGGAGAACTTGGATTCT
TCAGTCCGCATAGCTGGTGGCCGATCATGGTCGCGTTGTCCGGCTCGGTGGCAGCGGTGCGCA
15 TCGCGTTGTGGCTCCCGTGGCTGATCGCCGCCGGTGTGGCATTATCCTCGCCTCGGCGGCCG
GATTGGTCTTGAATATTACGTCGGTCCTGAGAAGCACTGA

>Rv2200c ctaC TB.seq 2463661:2464749 MW:40449

>emb|AL123456|MTBH37RV:c2464749-2463658, ctaC SEQ ID NO:90

20 GTGACACCTCGCGGGCCAGGTCGTTTGCAACGCTTGTGCGAGTGCAGGCCTCAGCGCGGCTCC
GGAGGGCCTGCCCGTGGTCTTCGACAGCTGGCGCTCGCAGCAATGCTGGGGGCATTGGCCGT
CACCGTCAGTGGATGCAGCTGGTCGGAAGCCCTGGGCATCGGTTGGCCGGAGGGCATTACCC
CGGAGGCACACCTCAATCGAGAACTGTGGATCGGGGCGGTGATCGCCTCCCTGGCGGTTGGG
GTAATCGTGTGGGTCTCATCTTCTGGTCCGCGGTATTTACCGGAAGAAGAACACCGACACTG
25 AGTTGCCCCGCCAGTTCGGCTACAACATGCCGCTAGAGCTGGTTCTCACCGTCATACCGTTCCT
CATCATCTCGGTGCTGTTTTATTTACCGTCGTGGTGCAGGAGAAGATGCTGCAGATAGCCAAG
GATCCCGAGGTGCTGATTGATATCACGTCTTCCAGTGGAATTGGAAGTTTGGCTATCAAAGGGT
GAACTTCAAAGACGGCACACTGACCTATGATGGTGCCGATCCGGAGCGCAAGCGCGCCATGGT
TTCCAAGCCAGAGGGCAAGGACAAGTACGGCGAAGAGCTGGTCGGGCCGGTGCAGCGGGCTCA
30 ACACCGAGGACCGGACCTACCTGAATTCGACAAGGTGAGACGTTGGGCACCAGCACCGAAA
TTCCGGTGCTGGTGCTGCCGTCCGGCAAGCGTATCGAATTCAAATGGCCTCAGCCGATGTGAT
ACACGCATTCTGGGTGCCGGAGTTCTTGTTCAAGCGTGACGTGATGCCTAACCCGGTGGCAAAC
AACTCGGTCAACGTCTTCCAGATCGAAGAAATCACCAAGACCGGAGCATTGTTGGGCCACTGCG
CCGAGATGTGTGGCACGTATCACTCGATGATGAACTTCGAGGTCCGCGTCGTGACCCCCAACG
35 ATTTCAAGGCCTACCTGCAGCAACGCATCGACGGGAAGACAAACGCCGAGGCCCTGCGGGCGA
TCAACCAGCCGCCCTTGGCGTGACCACCCACCCGTTTGATACTCGCCGCGGTGAATTGGCCC
CGCAGCCCGTAGGTTAG

>Rv2427c proA g-glutamyl phosphate reductase TB.seq 2724231:2725475 MW:43746

>emb|AL123456|MTBH37RV:c2725475-2724228, proA SEQ ID NO:91

ATGACCGTGCCAGCACCGTCGCAGCTCGACTTGCGTCAAGAGGTGCACGACGCCGCACGCCG
5 CGCCCGGGTGGCCGCCCGCCGGCTGGCATCGCTGCCGACGACTGTCAAAGACCGCGCGCTGC
ACGCGGCTGCCGACGAGCTACTGGCTCACCGCGACCAGATCCTGGCGGCCAACGCCGAAGAC
CTGAACCGGGCGCGCGAGGCGGACACCCCGCCGCCATGCTGGACCGGTTGTCTTGAACCC
GCAACGAGTCGACGGTATCGCCGCCGGGTTGCGGCAAGTCGCGGGACTGCGCGATCCGGTCG
GTGAAGTGCTGCGTGGCTATACCCTGCCCAACGGGCTGCAGCTGCGCCAGCAGCGCGTCCCCC
10 TGGGCGTGGTCGGCATGATCTACGAGGGCCGCCCAATGTCACCGTGGATGCCCTCGGGCTGA
CACTCAAGTCGGGTAACGCTGCATTGCTGCGCGGCAGCTCGTCGGCCGCAAAGTCCAACGAGG
CCCTGGTGGCGGTGTTACGCACCGCGCTGGTCGGCCTGGAGCTGCCGGCCGACGCGGTCCAG
CTGCTGTCGGCTGCCGACCGCGCCACCGTCACTCACCTGATTCAGGCCCGCGGCCTGGTCGAT
GTGGTGATTCCACGCGGGGGAGCGGGCCTGATCGAGGCGGTCTGACGCGATGCCAGGTGCC
15 CACCATCGAGACCGGCGTCGGGAAGTCCATGTCTACGTGCACCAAGCGGCCGACCTGGACGT
GGCCGAGCGTATCTTGCTGAACTCCAAGACGCGGGCGGCCAGCGTCTGCAACGCCGCCGAGA
CGCTGCTGGTCGACGCAGCGATCGCCGAAACGGCGTTGCCTCGATTGCTGGCCGCCCTGCAGC
ACGCCGGTGTACCGTACATCTCGACCCGACGAGGCCGACCTGCGCCGCGAATACCTGTGCG
TGGACATCGCGGTGGCGGTGGTCGACGGTGTGACGCTGCCATCGCCATATCAACGAATACG
20 GCACCGGGCACACAGAAGCGATTGTGACCACCAATCTTGATGCGGCCCAACGCTTTACCGAACA
GATCGATGCGGCCGCGGTGATGGTGAACGCATCAACGGCGTTACCGACGGCGAGCAATTCCG
CTTCGGCGCCGAGATCGGCATCTCCACCCAGAACTGCATGCCCGCGGACCGATGGGACTACC
GGAATTGACGTGCACCAAGTGGATCGCATGGGGAGCCGGCCACACCCGTCCGGCCTGA

25 >Rv2438c - similar to YHN4_YEAST P38795 TB.seq 2734793:2737006 MW:80492

>emb|AL123456|MTBH37RV:c2737006-2734790, Rv2438c SEQ ID NO:92

ATGGGACTGCTCGGCGGCCAATCAGGGCCCAGGGTCGGCAGCGGCCAGTCGGTAGCATCCC
CACGCCGGTCAATGCCGCCATCTGCCAGCAGCGCGGGGATTCCACGGTGTGAGCGTGGAT
ACTCGGCGGGTGATTCGGGCGTTCTGACGTGCTGGGCGACAATGAAAGGACGATGAACTTTT
30 ACTCCGCCTACCAGCACGGGTTCGTGCGGTTGCCGCCTGCACTCACCACACCACCATCGGTG
ACCCGGCGGCCAACGCCGCGTCCGTATTGGACATGGCCCGTGCGTGCCACGACGATGGCGCA
GCGTTGGCGGTCTTTCCTGAGCTGACGCTGTGCGGCTACTCCATCGAGGACGTACTACTGCAG
GACTCTCTGCTCGATGCCGTGAGGACGCGCTGCTCGACCTGGTGACCGAATCCGCCGACCTG
TTACCTGTACTGGTGGTCGGGGCTCCGCTGCGGCATCGACACCGCATCTACAACACCGCGGTC
35 GTCATTCACCGCGGCGCCGTGCTCGGCGTGGTGCCCAAGTCGTATCTACCCACCTATCGCGAG
TTCTACGAGCGGCGCCAGATGGCGCCCGGAGACGGGGAGCGGGGCACGATCCGCATCGGTGG
CGCCGACGTGGCCTTCGGCACGGACCTGTTGTTCCGCCGCTCAGATCTACCCGGCTTTGTGTT

GCATGTGGAGATCTGCGAGGACATGTTTGTGCCGATGCCGCCAGCGCCGAGGCGGCCCTGG
 CGGGCGCGACGGTGCTGGCGAATCTGTCCGGCAGCCCGATCACCATCGGCCGTGCCGAGGAC
 CGCCGGCTGCTTGCGCGCTCGGCGTGGCGCGGTGTCTGGCTGCCTATGTCTATGCCGCCGC
 GGGGGAGGGGGAGTCAACGACGGACCTGGCCTGGGACGGTCAGACGATGATCTGGGAGAATG
 5 GCGCACTGCTCGCGGAGTCCGAACGTTTCCCCAAAGGAGTGCGCCGCAGTGTGCCGACGTTG
 ACACCGAGTTGCTTCGGTCGGAGCGGCTGCGGATGGGCACGTTGACGACAACCGGCGTCAC
 CACCGGGAGTTAACGGAATCGTTCGGCGCATCGACTTCGCACTCGACCCACCGGCAGGCGAC
 ATCGGACTGCTGCGCGAGGTGAGCGGTTCCCGTTCGTTCCGGCCGATCCGCAACGATTGCAA
 CAGGATTGCTACGAGGCCTACAACATCCAGGTGTCTGGACTCGAGCAACGGTTGCGGGCGCTG
 10 GACTATCCGAAGTTCGTTATCGGTGTGTCCGGGGGATTGGACTCGACGCACGCGCTGATCGTC
 GCGACCCATGCCATGGACCGCGAGGGCCGGCCGCGCAGCGACATTCTGGCGTTTGCGTTGCC
 CGGATTCGCCACCGGGGAGCACACTAAGAACAACGCGATCAAGCTGGCACGTGCGCTGGGGG
 TTACCTTCTCCGAAATCGATATCGGCGACACCGCTCGGTTGATGCTGCACACAATCGGCCATCC
 GTATTCGGTTGGCGAAAAAGTGACGACGTCACCTTCGAGAACGTCCAGGCCGGGTTGCGCAC
 15 CGACTATCTTTTCCGTATCGCCAACCAGCGCGGGGAATCGTACTGGGCACCGGGGACCTGTC
 GGAGCTGGCACTGGGTTGGTCGACATACGGTGTCCGGCACCAGATGTGCACTACAACGTCAA
 CGCCGGTGTGCCAAGACGCTGATCCAGCACCTGATCCGGTGGGTGATTCGGCGGGTGAGTT
 CGGTGAGAAGGTGGGTGAGGTATTGCAGTCGGTGCTCGACACCGAGATCACCCCGAACTCAT
 TCCGACCGGCGAGGAGGAGCTGCAGAGCAGCGAGGCCAAGGTGCGACCTTTCGCCCTACAGG
 20 ACTTTTCGCTTTTTCAGGTAAGTACGCTACGGATTCGCCCCGTGCAAGATTGCGTTTTTGGCCTGG
 CATGCGTGGAACGATGCGGAGCGGGGCAACTGGCCGCCCGGCTTCCCAAAGAGCGAACGCC
 GTCCTATTCAATTGGCCGAAATCCGGCATTGGCTGCAGATTTTCGTCCAGCGGTTTTATTGTTTA
 GCCAGTTCAAGCGTTTCGGCATTGCCAACGGCCCCAAGGTGTCCACGGGGGCGCGTTGTGCG
 CGCGTGGGGATTGGCGGGCCCCGTGCGATATGTCAGCGCGAATCTGGCTCGATCAGATCGACC
 25 GTGAGGTGCCCAAGGGCTAG

>Rv2439c proB glutamate 5-kinase TB.seq 2737118:2738245 MW:38789

>emb|AL123456|MTBH37RV:c2738245-2737115, proB SEQ ID NO:93

ATGAGAAGTCCGCATCGGGACGCAATCCGGACCGCGCGCGGCCTTGTCGTGAAGGTCGGGAC
 30 CACGGCGCTTACCACACCGTCCGGGATGTTGATGCCGGCCGGCTGGCCGACTGGCCGAGG
 CGGTGAGCGGCGGATGAAGGCGGGTTCCGACGTCGTCATCGTGTCTTCGGGCGCCATCGCC
 GCCGGCATCGAGCCGCTCGGGCTGTCCCGTCGTCCCAAAGATCTGGCGACCAAGCAGGCGGC
 GGCCAGCGTCGGGCAGGTGCGGCTGGTGAACCTGTGGAGCGCGGCGTTGCCCCGCTACGGCC
 GCACGGTGGGCCAGGTGCTGCTGACCGCGCACGACATTTGATGCGGGTGACGACACCAAC
 35 GCCAACGCACGCTGGATCGGCTGCGCGCGTTGCACGCGGTGGCGATTGTCAACGAGAACGA
 CACCGTGGCCACCAACGAGATCCGGTTCGGTGACAACGATCGGCTGTCTGCACTGGTGGCGCA
 CCTGGTCGGCGCCGACGCTTGGTGCTGCTGTCGGACATCGACGGCCTCTACGACTGCGACCC

GCGCAAAACCGCGGACGCGACGTTTATTCCGGAGGTGTCCGGGCCGGCGGATCTGGACGGTG
 TGGTCGCCGGCCGCGAGTAGCCACCTGGGTACTGGCGGCATGGCGTCCAAGGTGGCGGCGGCCG
 CTGTTGGCCGCCGACGCCGGGGTGCCGGTACTGCTGGCCCCCGCGGCCGACGCCGCGACCG
 CGCTCGCCGACGCGTCGGTGGGCACGGTGTTTTCGGGCCCGGCCGCGCGTCTGTGGGCCGG
 5 CGGTTCTGGGTGCGTTATGCCGCCGAAGCAACCGGCGCACTGACTCTCGACGCCGGTGCGGTG
 CGCGCTGTGGTGCGACAACGCCGGTCACTGCTGGCGGCGGGTATCACCGCGGTGTCCGGCCC
 GTTTTGCGGCGGCGATGTGGTGAAGTGCCTGCACCCGACGCGGCCATGGTAGCCCCGCGGGG
 TGGTTGCCTACGACGCGTCCGAGCTGGCCACCATGGTGGGCCGGTCCACCTCTGAGTACCCG
 GCGAGCTGCGCCGCCCGGTGGTGCACGCCGACGATCTGGTTCGCGGTGTCGGCGAAGCAAGCT
 10 AAGCAAGTTTAG

>Rv2440c obg Obg GTP-binding protein TB.seq 2738248:2739684 MW:50430

>emb|AL123456|MTBH37RV:c2739684-2738245, obg SEQ ID NO:94

GTGCCTCGGTTTGTGATCGGGTCGTATCCACACCAGAGCGGGTTCGGGCGGTAACGGCTGC
 15 GCTTCGGTCCATCGCGAGAAATCAAGCCGCTGGGCGGCCCGATGGCGGAAATGGCGGCCG
 GGGCGGCAGCATCGTCTTCGTCTGATCCGCAAGTGCACACCCTGCTCGACTTCCATTTCCGC
 CCGCATCTCACCGCGGCTTCGGGCAAGCACGGGATGGGCAATAACCGCGACGGGGCCGCCGG
 CGCGGATTTGGAAGTGAAAGTTCCCGAAGGCACCGTGGTATTGGACGAGAACGGCCGGCTACT
 GGCCGACCTGGTTCGGCGCGGGCACCCGCTTTGAAGCCGCCCGGAGGCCGTGGCGGTTTGG
 20 GCAACGCCGCGCTGGCTTCCCGCGTGCCTAAGGCCCGCGGTTTCGCACTCCTCGGCGAAAAG
 GACAGTCCCAGACCTCACCTTGGAACTCAAGACCGTCGCCGACGTCGGCCTGGTGGGTTTC
 CGTCGGCCGAAAATCCTCGCTGGTGTGGCGATTTGGCGGCCAAGCCGAAGATCGCCGACT
 ACCCGTTCACCAACCTGGTGCCCAACCTCGGTGTGGTCTCGGCTGGCGAGCACGCGTTACCG
 TCGCCGACGTGCCGGGGTTGATCCCGGGCGCATCCCGGGGCCGTGGTCTGGGGCTGGACTTT
 25 CTGCGGCACATCGAGCGCTGCGTGTACTGGTGCATGTGGTGGATTGCGCTACCGCCGAGCCG
 GGCCGCGACCCCATCTCGGACATCGACGCGCTGGAAACGGAACCTCGCGTGCTACACGCCAC
 GCTGCAAGGGGACGCGGCTCTGGGCGATCTCGCCGCACGGCCGCGTGGGTGGTCTCAACA
 AAATCGATGTGCCGGAGGCCCGCGAGCTCGCGGAGTTCGTCCGTGACGACATCGCCCAGCGC
 GGCTGGCCGGTGTCTGCGTGTGACCGCAACCCGGGAAAACCTGCAGCCGTTGATCTTTGGG
 30 CTGTCGCAGATGATCTCGGACTACAACGCTGCGCGGCCGGTGGCGGTGCCACGGCGGCCGGT
 GATTCTGTCGATTCCGGTGGACGACAGCGGTTTTACCGTCAACCCGACGGGCATGGTGGCTT
 TGTCGTGACGGTGCCCGGCCCGAGCGTTGGATTGACAGACCAACTTCGACAACGACGAGGC
 CGTCGGCTATCTCGCCGACCGGCTGGCGCGCCTGGGTGTGAGGAGGAATTGCTGAGGCTGG
 GTGCGCGGTGAGGATGCGCGGTGACCATCGCGGAGATGACGTTGATTGGGAGCCGCAACG
 35 CCTGCGGGTGAGCCGGTTCGCGATGTCCGGCCGGGGCACCGATCCGCGGCTGGACAGCAACAA
 GCGGGTGGGCGCGGCCGAGCGAAAGGCCGCTCGGAGTTCGGCGTCGCGAACACGGGGATGGC
 TGA

>Rv2441c rpmA 50S ribosomal protein L27 TB.seq 2739773:2740030 MW:8969

>emb|AL123456|MTBH37RV:c2740030-2739770, rpmA SEQ ID NO:95

ATGGCACACAAGAAGGGGGCTTCCAGCTCGCGCAACGGTCGCGATTCCGCCGCCAGCGGCT
5 GGGGGTTAAGCGGTACGGCGGCCAGGTCGTCAAGGCCGGCGAGATCCTGGTCCGCCAGCGCG
GTACCAAATTCCATCCCGGCGTCAACGTGGGCGTGGCGGCGATGACACCTTGTTCCGAAGA
CGGCCGGGGCGGTCTGAGTTCGGCATCAAACGCGGACGTAAGACGGTGAGCATCGTCGGTTCG
ACCACTGCCTGA

10 >Rv2442c rplU 50S ribosomal protein L21 TB.seq 2740048:2740359 MW:11152

>emb|AL123456|MTBH37RV:c2740359-2740045, rplU SEQ ID NO:96

ATGATGGCGACCTACGCAATCGTCAAGACCGGCGGCAAGCAGTACAAAGTCGCTGTCGGAGAT
GTGGTCAAGGTGCAAAAGCTGGAATCCGAGCAGGGGGAGAAGGTGTCCCTGCCGGTGGCTCT
GGTTGTGACGGCGCCACCGTCACCACCGATGCGAAGGCACTGGCCAAGGTCGCGGTGACCG
15 GTGAGGTGCTCGGGCACACCAAGGGCCCCAAGATCCGTATCCACAAGTTCAAGAACAAGACTG
GCTACCACAAACGGCAGGGACACCGTCAGCAGCTGACGGTCCTGAAGGTACCCGGCATCGCAT
AA

>Rv2448c valS valyl-tRNA synthase TB.seq 2747596:2750223 MW:97822

20 >emb|AL123456|MTBH37RV:c2750223-2747593, valS SEQ ID NO:97

ATGCTGCCCCAAGTCGTGGGATCCGGCCGCGATGGAGAGCGCCATCTATCAGAAAGTGGCTGGAC
GCTGGCTACTTCACCGCGGACCCGACCAGCACCAAGCCGGCCTATTCGATCGTGCTGCCGCCG
CCGAACGTGACCGGCAGCCTGCACATGGGCCACGCGCTGGAACACACCATGATGGACGCCTTG
ACGCGGCGCAAGCGGATGCAGGGCTATGAGGTGCTCTGGCAGCCGGGCACCGACCATGCCGG
25 GATCGCCACCCAGAGCGTGGTCGAGCAGCAGCTGGCGGTGACGCGCAAGACTAAAGAAGACCT
CGGCCGCGAGCTGTTCTGGACAAGGTGTGGGATTGGAAGCGAGAGTCTGGCGGTGCCATCG
GCGGCCAGATGCGCCGACTCGGTGACGGGGTGGACTGGAGCCGCGACCGGTTACCATGGAC
GAAGGTCTGTGCGGGGCGGTGCGCACGATCTTCAAGCGGCTTTATGACGCGGGGCTGATCTAT
CGGGCCGAGCGGCTGGTCAACTGGTCGCCGGTGCTGCAGACCGCGATCTCCGACCTCGAGGT
30 CAACTACCGCGACGTGGAAGGCGAGCTGGTGTGTTTTAGGTACGGCTCGCTTGACGACTCGCA
ACCCACATCGTGGTCGCCACCAACCCGGTTCGAGACGATGCTGGGCGATACCGCGATCGCGGT
CCATCCCGATGACGAGCGCTACCGTCACCTGGTCGGCACCAAGCCTGGCGCACCCATTTCGTGCA
CCGGGAGCTGGCCATTGTCGCCGACGAGCACGTGGACCCTGAATTCGGCACCGGGCGCGGTCA
AAGTCACACCCGCCACGACCCCAACGACTTCGAAATCGGGGTGCGCCACCAGCTGCCGATGC
35 CCTCGATCCTGGACACCAAGGGCCGGATCGTCGACACCGGAACGCGATTGACGGCATGGACC
GCTTCGAGGCACGGGTGCGGGTGCGCCAAGCGCTCGCGGCCAGGGCCGCGTGGTCAAGAA
AAGCGACCCTACCTGCACAGCGTCGGACACTCCGAACGCGAGCGCGAGCCGATCGAGCCGCG

GCTATCCCTGCAGTGGTGGGTCCGGGTGGAATCGCTGGCCAAAGCGGCCGGGGATGCGGTGC
 GCAACGGGGACACCGTGATTCACCCGGCCAGCATGGAACCCCGCTGGTTCTCCTGGGTGACG
 ACATGCACGACTGGTGCATCTCGCGACAGCTCTGGTGGGGGCATCGGATCCCGATCTGGTACG
 GACCCGACGGCGAACAGGTGTGCGTCGGCCCGACGAAACACCCCGCAGGGCTGGGAACAG
 5 GATCCTGACGTGCTGGATACCTGGTTTTCTGTCGGCGCTGTGGCCGTTTTCCACGCTGGGTGGC
 CGGACAAGACGGCGGAGCTGGAAAAGTTCTATCCGACAAGCGTTCTGGTTACCGGCTATGACAT
 CTTGTTCTTTTGGGTGGCCAGAATGATGATGTTTCGGCACCTTCGTCGGCGACGACGCCGCCATC
 ACCCTCGACGGCCGCCGGGGCCCGCAGGTGCCGTTACCGACGTGTTTCTGCATGGGCTGATC
 CGCGACGAGTCTGGCCGCAAGATGAGCAAGTCCAAGGGCAACGTCATCGACCCGCTGGATTGG
 10 GTGGAATGTTTCGGGGCCGATGCGCTGCGGTTACGCTGGCCCGCGGGGCCAGTCCCGGTGG
 TGAATTGGCGGTGAGCGAGGATGCCGTGCGGGCGTCGCGCAATTCGGGACCAAGCTGTTCAA
 CGCCACTCGGTACGCACTGCTCAATGGCGCCGCGCCAGCACCCCTGCCATCGCCGAACGAGCT
 GACCGACGCCGACCGCTGGATTCTCGGAAGGTTGGAAGAGGTTGGGGCCGAAGTTGATTCGGC
 CTTTCGACGGATACGAGTTCAGCCGCGCTTGTGAGTCCCTGTATCACTTCGCCTGGGACGAATTC
 15 TGCGACTGGTACCTCGAACTGGCCAAAACGCAGCTTGCCAGGGACTCACACACACCACCGCC
 GTGCTGGCCGCCGGGCTGGACACGCTGCTGCGCCTGCTGCACCCGGTGATTCCCTTCCTCACC
 GAGGCGCTATGGCTGGCGCTGACCGGCAGGGAATCGCTGGTCAGCGCCGACTGGCCGGAGCC
 TTCCGGGATTAGCGTGGACCTTGTTGCCGCGCAACGGATTAACGATATGCAGAAGTTGGTGACC
 GAAGTGCGGCGGTTCCGCAGCGATCAAGGTCTGGCCGACCGGCAGAAGTTCCGGCCCGAAT
 20 GCACGGTGTGCGGGACTCGGATCTGAGCAACCAGGTGGCCGCCGTGACCTCGCTGGCGTGGC
 TCACCGAGCCGGGCCCGGATTTTGAGCCGTCGGTCTCGTTGGAGGTTGGCTCGGCCCCGAGA
 TGAACCGCACCGTCTGTCGTCGAGCTCGACACCTCGGGCACCATCGACGTGGCCGCCGAGCGT
 CGCCGCTTGAAAAGGAGTTGGCCGGCGCCCAAAGGAGCTGGCGTCGACCGCCGCCAAGTT
 GGCCAACGCGGACTTTCTGGCCAAAGCGCCCGACGCCGTCATTGCCAAGATCCGGGACCGCCA
 25 GCGCGTGGCGCAGCAGGAAACCGAGCGCATCACCACCCGTTGGCTGCGCTGCAATGA

>Rv2482c plsB2 TB.seq 2786915:2789281 MW:88284 >emb|AL123456|MTBH37RV:c2789281-
 2786912, plsB2 SEQ ID NO:98

GTGACCAAACCGGCGGCCGATGCCAGCGCGGTGCTTACTGCCGAGGACACACTGGTGCTGGC
 30 TTCCACGGCGACGCCGGTCGAGATGGAGCTGATCATGGGCTGGCTGGGCCAGCAGCGTGAC
 GCCATCCGGA CTGGAAGTTGACATATTGAAGCTGCCACCGCGCAACGCTCCGCCGGCGGCGC
 TGACGGCACTGGTCGAGCAGCTCGAGCCCGGCTTCGCATCCAGCCCGCAATCTGGCGAGGAC
 CGTTCTATCGTGCCGGTTCGGGTGATCTGGCTGCCTCCCGCCGATCGCAGCCGGGCGGGCAAG
 GTGGCCGCACTGCTCCCGGTTCGGGATCCCTACCATCCAGCCAGCGTCAGCAGCGTCGCATC
 35 CTGCGTACCGATCCAGGCGCGCGGGTGGTGGCCGGCGAGTCGGCCAAGGTGTCCGAAC
 GCGCCAGCAGTGGCGGATACACGGTGGCAGAGCACAAGCGCGATTTCGCCAGTTCTGTCAG
 CCGCCGAGCGCTGTTGGCGCTGGCGCGCGCCGAATATCGGATCCTTGACCGCAATACAAATC

TCCCCGGCTGGTGAAGCCGGAGATGTTGGCGTCCGCACGATTTCTGTGCCGGCCTGGACCGGAT
 TCCGGGCGCCACGGTCGAAGATGCCGGGAAGATGCTCGACGAACCTCCACCGGATGGAGCC
 AGGTGTCCGTAGACCTGGTTTCCGTCTCGGCAGGCTGGCTAGCCGCGGCTTCGATCCGGAAT
 TCGACTACGACGAGTATCAGGTCGCGGCGATGCGCGCCGCACTGGAGGCTCATCCGGCGGTC
 5 CTGCTGTTCTCGCACCGGTCCTACATCGACGGCGTGGTGGTACCGGTGGCCATGCAGGACAAC
 CGGTTACCGCCGGTGACATGTTCCGGCGCATCAACCTGTGTTCCGTCTCATGGGACCCCTC
 ATGCGGCGCTCGGGGATGATCTTCATCCGGCGCAATATCGGCAACGACCCACTGTATAAGTACG
 TGCTCAAGGAGTACGTGGGCTACGTGGTTCGAGAAGCGGTTCAACCTGAGCTGGTCCATCGAAG
 GCACCCGGTCGCGCACCGGAAAGATGTTGCCGCCAAGCTCGGTTTGATGAGCTACGTGGCCG
 10 ATGCTTACCTGGACGGCCGAGTGACGACATCCTGCTGCAGGGGGTTTCGATTTGCTTCGATCA
 GCTGCACGAGATCACCGAATACGCCGCCTACGCGCGTGGCGCGGAGAAGACGCCCCGAAGGTT
 TGCCTGGCTCTACAACCTTCATCAAGGCGCAGGGGGAACGCAACTTCGGCAAGATCTACGTTCC
 CTTCCCCGAAGCGGTCTCGATGCGCCAGTACCTCGGCGCACCGCACGGCGAGCTGACCCAGG
 ATCCGGCCGCGAAACGGCTTGCGTTGCAGAAGATGTGTTTCGAGGTGGCCTGGAGGATTTTGC
 15 AGGCGACGCCGGTGACCGCGACGGGTTTGGTGTCCGCACTGCTGCTCACCACCCGCGGCACC
 GCGTTGACGCTCGACCAGCTGCACCACACGTTGCAGGACTCACTGGACTATCTGGAACGCAAA
 CAATCGCCGGTTTCGACAAGCGCATTGCGACTGCGCTCGCGCGAAGGCGTCCGTGCGGCGGC
 GGACGCGTTGTCCAACGGCCACCCGGTCACTCGGGTCGACAGTGGCCGGGAGCCGGTATGGT
 ACATAGCGCCTGACGACGAGCACGCCGCGGCGTTCTACCGGAACTCGGTGATCCATGCGTTTTT
 20 GGAGACCTCGATCGTCGAGCTCGCGCTGGCCCATGCCAAGCACGCCGAAGGTGACCGCGTCG
 CCGCGTTCTGGGCCCAGGCGATGCGGTTGCGGGATCTGCTGAAGTTTCGACTTCTATTTTCGCGG
 ATTCCACGGCGTTTCGGGCCAACATCGCCCAAGAGATGGCCTGGCACCAAGACTGGGAGGATC
 ATCTTGGCGTCGGGGGCAATGAGATCGACGCGATGCTGTATGCCAAACGGCCGCTGATGTCGG
 ACGCGATGTTGCGGGTCTTCTTCGAAGCCTATGAGATCGTTGCCGACGTGTTGCGCGATGCTCC
 25 GCCTGACATCGGTCCTGAGGAGTTGACGGAGCTGGCGCTCGGCCTCGGCCGTGAGTTTGTGGC
 ACAGGGCCGGGTCCGCAGCAGCGAACC GGATCGACGCTGCTGTTCCGCACTGCACGCCAGG
 TCGCCGTCGATCAGGAGCTGATAGCGCCGGCGGCCGACCTCGCCGAACGTAGGGTCGCCTTC
 CGGCGGGAGTTACGAAACATTCTGCGGGATTTCGACTATGTCGAGCAGATCGCGCGCAACCAG
 TTCGTGCGCTGCGAGTTCAAAGCGCGTCAAGGACGCGACCGAATCTAA

>Rv2509 - putative oxidoreductase TB.seq 2824676:2825479 MW:28014

>emb|AL123456|MTBH37RV:2824676-2825482, Rv2509 SEQ ID NO:99

ATGCCGATACCCGCGCCAGCCCCGACGCACGTGCCGTTGTCACCGGGGCTTCGAGAACATC
 GGCGCGGCGCTGGCCACCGAACTGGCCGCACGCGGGCACCCACCTGATCGTCACCGCACGACG
 35 CGAGGACGTGTTGACCGAGTTGGCTGCCCGGCTGGCCGACAAGTACCGCGTCACGGTCGACG
 TGCGACCGGCCGATCTGGCCGATCCGCAAGAACGATCGAACTGGCCGACGAGCTGGCTGCC
 CGGCCCATCTCGATCCTGTGCGCCAACGCGGGTACCGCGACATTGGGCCGATCGCATCGCTC

GATCTTGCCGGCGAAAAGACGCAGGTGCAGTTGAATGCCGTGGCGGTGCACGACCTTACGTTG
GCGGTGTTGCCGGGCATGATCGAGCGCAAGGCCGGCGGCATCTTGATTTCTGGTTGGCGGCC
GGCAATTCACCGATTCCCTACAACGCCACCTATGCCGCGACCAAGGCCTTCGTGAACACCTTCA
GCGAATCTCTGCGCGGTGAGCTACGCGGCTCCGGCGTGCACGTACGGTGCTGGCCCCGGGC
5 CCGGTTTCGCACCGAGCTACCGGATGCCTCCGAAGCGTCACTGGTCGAGAAGCTGGTGCCGGAC
TTCCTGTGGATCTCGACGGAGCACACCGCCCCGGGTATCGCTGAATGCCTTGGAGCGCAACAAG
ATGCGCGTCGTTCCGGGTCTGACGTCAAAGGCGATGTCGGTGGCCAGCCAATACGCTCCGCGC
GCCATCGTGGCGCCAATCGTGGGTGCCTTTTACAAGAGGCTTGGGGGCAGCTAG

>Rv2524c fas fatty acid synthase TB.seq 2840124:2849330 MW:326226

>emb|AL123456|MTBH37RV:c2849330-2840121, fas SEQ ID NO:100

GTGACGATCCACGAGCACGACCGGGTGTCCGCTGATCGCGGCGGGGACAGCCCGCATACAC
CCACGCTCTGGTCGATCGCCTCATGGCTGGTGAGCCCTACGCTGTTCGATTTCGGTGGCCAGGG
CAGCGCCTGGCTGAAACCCTCGAAGAGCTGGTGTGCGCCACCGGGATAGAAACCGAGTTGGC
15 GACGTTGGTCGGTGAGGCAGAGCTGTTGCTCGATCCGGTCACCGACGAGCTGATTGTGGTGCG
CCCGATCGGTTTCGAGCCGCTGCAATGGGTACGCGCACTGGCGGCCGAGGACCCGGTTCCGT
CCGACAAGCACCTGACGTGCGCCGCCGTGTGGTGCCCGGCGTGTGCTTACCCAGATCGCGG
CGACCCGGGCGCTGGCCCGTCAAGGCATGGACCTCGTGGCCACCCCGCCGGTCGCCATGGCG
GGGCATTTCGAAGGTGTGCTGGCGGTGGAAGCCCTCAAGGCTGGTGGGGCACGCGACGTCTGA
20 GCTGTTTGCCCTGGCCCAGTTGATCGGTGCCGCCGAACGCTGGTGGCCCGCCGGCGCGGAA
TTTCCGTCTGGGCGATCGCCCGCCGATGGTATCGGTACCAACGCCGACCCCGAGCGCATCG
GCCGGTTGCTCGACGAGTTCGCCCAGGACGTGCGCACGGTGCTGCCACCGGTGTTGTCCATCC
GCAACGGCCGCGCTGCCGTGTCATACCGGCACCCCCGAGCAGCTGTCGCGTTTCGAGCTTT
ATTGCCGCCAGATCTCCGAGAAGGAAGAAGCCGACCGCAAGAACAAGGTCCGCGGCGGCGAC
25 GTCTTCTCGCCGGTCTTCGAGCCGGTGACGGTGGAGGTGGGCTTTCACACCCCGCGGCTATCC
GACGGGATCGACATCGTCGCGGGCTGGGCCGAGAAGGCGGGCCTCGATGTCGCCTTGGCTCG
GGAGCTGGCCGATGCCATCTTGATCAGAAAGGTCGACTGGGTGACGAGATCACCCGTGTCCA
CGCGGCCGCGCCCCGCTGGATCCTCGACCTGGGGCCGGGCGACATCCTGACCCGACTGACCG
CACCGGTGATCCGCGGCCTGGGCATCGGCATCGTGCCGGCGGCTACCCGCGGTGGCCAGCGC
30 AACCTGTTACCGTCGGCGCCACCCCCGAGGTTGCCCGGGCCTGGTCGAGCTACGCACCGACC
GTGGTTCGCCTCCCCGACGGCAGGGTCAAGCTCTCGACGAAGTTCACCCGGCTGACCGGCCGC
TCGCCGATCCTGCTCGCGGGCATGACCCCGACACCGTGGACGCCAAGATCGTCGCCGCGGC
GGCCAACGCCGGGCACTGGGCCGAGCTGGCCGGCGGCGGGCAGGTACCGAAGAGATCTTC
GGTAACCGCATCGAACAATGGCCGGCCTGCTCGAGCCGGGCGGCACCTATCAGTTCAACGCG
35 CTGTTCTCGATCCCTACCTGTGGAAGCTTCAGGTGGGCGGCAAGCGGTTGGTGCAGAAGGCC
CGCCAGTCCGGCGCCGCGATCGACGGCGTGGTATCAGCGCCGGCATCCCAGACCTCGACGA
GGCCGTCGAGCTGATCGACGAACCTGGGCGACATCGGCATCAGCCACGTGTTCAAACCCGG

GACCATCGAGCAGATCCGCTCGGTGATTGCGATCGCCACCGAGGTGCCCACCAAGCCGGTGAT
 CATGCACGTCGAGGGCGGGCGCGCCGGCGGGCACCATTCTGGGAGGATCTCGACGACCTGC
 TGCTGGCTACCTACTCGGAGTTGCGCTCACGCGCCAACATCACGGTGTGCGTCGGCGGCGGCA
 TTGGCACCCCGAGAAGGGCTGCGGAATATTTGTCCGGGCGCTGGGCGCAGGCCTACGGCTTCC
 5 CATTGATGCCGATCGACGGCATCCTGGTCGGCACCGCGGGCGATGGCCACCAAGGAATCCACCA
 CGTCGCCATCGGTCAAGCGGATGCTCGTCGACACTCAGGGCACCGACCAATGGATCAGCGCCG
 GAAAAGCGCAGGGCGGCATGGCCTCCAGCCGCAGTCAGCTCGGTGCCGATATCCACGAGATC
 GACAACAGCGCATCCCGGTGCGGGCGGCTGCTCGACGAGGTGGCCGGTGACGCGGAGGCGG
 TCGCGGAGCGTCGCGACGAGATCATCGCGGCGATGGCCAAGACCGCCAAGCCCTACTTCGGC
 10 GACGTGCGCGACATGACCTACCTGCAGTGGCTGCGGCGCTACGTGGAAGTGGCCATCGGGGAA
 GGCAACTCGACCGCCGACACCGCCTCGGTGGGCAGCCCGTGGCTGGCCGACACCTGGCGGGA
 CCGCTTCGAGCAGATGCTGCAGCGTGCCGAAGCCCGGTTGCACCCACAGGATTTTCGGCCCGAT
 CCAGACGCTATTCACCGATGCTGGCCTGCTGGACAATCCGCAGCAGGCGATCGCCGCCCTGCT
 GGGCGGCTACCCCGACGCCGAGACCGTGCAAGTTGCATCCCGCGGATGTGCCCTTTTTCTGTGAC
 15 GTTGTGCAAGACGCTGGGCAAGCCGGTCAACTTCGTGCCGGTGATCGACCAGGACGTGCGGC
 GCTGGTGGCGCAGCGACTCGCTGTGGCAGGCCACGACGCCCGCTACGACGCCGATGCGGTG
 TGCATCATTCCGGGCACCGCGTCGGTAGCCGGCATCACCCGGATGGATGAACCCGTGCGTGAG
 TTGCTGGACCGTTTTGAGCAAGCCGCAATCGATGAAGTGCTCGGCGCCGGTGTCGAGCCGAAG
 GATGTCGCGTCGCGCCGGCTGGGCCGCGCCGACGTGGCCGGACCGTTGGCTGTGTCCTCGA
 20 CGCACCCGATGTGCGCTGGGCCGGTGCACCGTGACCAACCCGGTGCATCGGATCGCCGACC
 CGGCCGAATGGCAGGTGCACGATGGACCCGAAAACCCGCGCGCCACACACTCATCCACGGGC
 GCCCGGCTGCAGACGCACGGCGACGACGTGCGCTTGAGCGTGCCCGTCTCGGGCACCTGGGT
 CGACATCCGATTACGTTGCCGGCCAACACCGTCGATGGCGGCACCCCGGTGATCGCCACCGA
 GGACGCCACCAGCGCCATGCGCACGGTGCTGGCGATCGCCGCCGGTGTCGACAGCCCGGAGT
 25 TCTTGCTGCGGTGGCCAACGGGACGGCCACTTTGACGGTGGACTGGCACCCCGAGCGTGTTG
 CCGACCACACCGGCGTCACCGCCACGTTGGTGAGCCGCTGGCACCCAGCCTCACCAACGTG
 CCCGACGCGCTCGTCGGCCCTTGTGGCCAGCGGTTTTTCGCGGCCATCGGATCGGCGGTACCC
 GACACCGGTGAGCCGGTGGTGGAAGGCCTGCTGAGCCTGGTGCATCTGGACCACGCCGCCCG
 CGTGGTGGTCAGCTGCCACGTCGCCGGCCCAATTGACCGTCACCGCAACGGCTGCCAACGC
 30 AACCGATACGGACATGGGCCGCGTCGTGCCGGTCTCGGTGTCGTTACCGGCGCCGATGGCG
 CCGTGATCGCCACTCTCGAGGAGCGATTGCGGATCCTGGGTGCGACCGGTTCCGCCGAGCTCG
 CCGACCCGGCGCGAGCCGGTGGCGCGGTGTGCGCGAACGCCACCGACACCCCGCGCCGTGCG
 CCGCCGCGACGTCACGATACCGCGCCGGTCGACATGCGCCCGTTGCGGGTGGTGTCCGGCG
 ACCACAACCCCATTCACACCGACCGGGCCGCGCGCTGCTTGCCGGCCTGGAGTCGCCGATC
 35 GTGCACGGCATGTGGCTGTGCGCCGCGGCGCAACACGCGGTGACCGCCACCGACGGGCAGG
 CCCGGCCACCGGCCCGGCTGGTCGGCTGGACCGCGCGGTTTTTTGGGCATGGTGCGCCCCGGC
 GACGAGGTGGACTTCCGCGTCGAGCGCGTCGGAATCGACCAGGGCGCAGAGATTGTGGACGT

GGCCGCGCGCGTCGGGTGCGATCTAGTGATGTCGGCCTCCGCGCGACTGGCCGCACCCAAGA
 CGGTCTACGCATTCCCCGGCCAGGGCATCCAACACAAGGGCATGGGCATGGAGGTGCGCGCC
 CGCTCCAAGGCGGCCCGCAAGGTGTGGGACACCGCGGACAAGTTCACCCGCGACACCCTGGG
 CTTCTCGGTACTGCACGTGGTCCGCGACAACCCGACCAGCATCATCGCCAGCGGTGTGCACTA
 5 CCACCACCCCGACGGGGTGCTCTACCTGACGCAGTTCACCCAGGTGCGGATGGCGACGGTGG
 CGGCCGCGCAGGTGCGCGAGATGCGTGAACAGGGAGCCTTCGTGGAAGGCGCCATCGCGTGC
 GGCCACTCGGTGCGCGAGTACACCGCGCTGGCCTGCGTGACCGGCATCTACCAACTGGAAGC
 CTTGCTGGAGATGGTGTTCACCGCGGGTGAAGATGCACGACATCGTTCCGCGCGACGAGCT
 CGGCCGCTCCAACATATCGGCTGGCGGCCATCCGGCCGTCCCAGATCGACCTCGACGACGCCG
 10 ACGTGCCCGCGTTCGTGCGCCGGGATCGCGGAGAGCACCGGTGAATTCCTGGAGATCGTGAATT
 TCAACCTGCGTGGCTCGCAATACGCGATCGCGGGCACGGTACGCGGCCTCGAGGCGCTCGAG
 GCCGAGGTGGAGCGGCGCCGCGAGCTCACC GGCGGCCGACGGTCGTTCAATTTGGTGCCCGG
 CATCGATGTTCCGTTCCACTCGCGAGTGCTGCGGGTGGGGTGGCCGAATTCGGGCGCTCGCT
 GGACCGGGTCATGCCGCGCGACGCGGACCCCGACCTGATCATCGGGCGCTACATTCCTAACCT
 15 GGTGCCGCGGTTGTTACCCCTGGACCGCGACTTCATCCAGGAAATCCGGGATTTGGTGCCCGC
 CGAGCCGCTCGACGAGATCCTCGCCGACTACGACACCTGGCTTCGCGAGCGTCCGCGCGAGAT
 GCGCGGCACGGTGTTTCATCGAGCTGCTGGCATGGCAATTCGCCAGCCCGGTGCGCTGGATCGA
 GACGCAGGATCTGCTGTTTCATCGAGGAGGCCGCCGGCGGGCTGGGTGTGGAGCGATTGTCG
 AGATCGGTGTGAAGAGCTCACCAGCGGTGGCGGGTCTTGCCACCAACACCCTCAAACCTGCCCG
 20 AATACGCCACAGCACAGTGGAAGTGCTCAACGCCGAGCGTGATGCCGCGGTGCTGTTGCGCA
 CCGACACCGACCCGGAGCCGGAGCCGGAGGAAGACGAGCCGGTCGCGGAATCGCCCGCGCC
 GGACGTGCTCTCGGAAGCCGCCCGCGTCCGCGCCGGCGCTTCGTGCGCGGGCCCGCGTCCCG
 ACGATCTGGTTTTCGACGCCCGCGATGCCACGCTGGCGCTGATCGCGCTCTCGGCCAAGATGC
 GCATCGACCAGATCGAAGAACTCGACTCCATCGAGTCCATCACCGACGGTGCGTCGTGCGGGC
 25 GCAACCAGCTGCTGGTGGACCTGGGCTCCGAGCTGAACCTCGGTGCCATTGACGGCGCCGCC
 GAATCGGACCTGGCCGGTCTGCGCTCACAGGTGACCAAACCTGGCGCGCACCTACAAGCCTTAC
 GGCCAGTGCTTTCCGACGCCATCAACGACCAGCTTCGCACCGTCTCGGACCGTCGGGCAAG
 CGGCCCGGCGCCATCGCCGAGCGGGTGAAGAAGACCTGGGAGCTCGGTGAGGGCTGGGCCA
 AGCATGTACCGTCGAGGTGCGCTGGGCACCCGCGAGGGCAGCAGCGTTGCGGGCGGGCGCC
 30 ATGGGCCACCTGCACGAGGGCGCGCTGGCCGATGCCGCTCCGTGACAAAGTCATCGACGC
 GGCGGTGCGATCGGTGGCCGCGCGCCAGGGCGTTTCGGTAGCGCTGCCGTGCGCCGGTAGTG
 GTGGCGGCGCCACCATCGACGCGGCCGCGCTCAGCGAGTTCACCGACCAAATCACCGGCCGT
 GAGGGCGTGCTGGCCTCCGCGGCCCGCCTGGTGCTGGGGCAGCTGGGACTGGACGACCCCGT
 CAACGCCCTTGCCGGCCGCCCGGATTCCGAGCTGATCGACTTGGTACCGCCGAACCTGGGAGC
 35 GGAAGTGGCCGCGGTTGGTGGCACCGGTGTTGACCCCAAGAAGGCCGTGCTATTCGACGACC
 GCTGGGCCAGCGCCCGCGAGGACCTGGTGAAGCTGTGGCTGACCGACGAGGGCGACATCGAC
 GCCGACTGGCCGCGCCTGGCGGAGCGCTTCGAGGGTGCCGGCCACGTCGTGGCGACCCAGG

CTACCTGGTGGCAAGGTAAGTCGCTGGCCGCGGGCCGGCAGATCCATGCATCGCTGTACGGCC
 GCATCGCCGCGCGCGCGAGAACCCCGAACCCGGCCGCTACGGCGGCGAAGTTGCCGTGGTG
 ACCGGCGCTTCAAGGGTTGATCGCCGCGTGGTGGTGGCTCGGCTGCTCGACGGCGGAGC
 CACCGTCATCGCGACCACCTCCAAGCTCGACGAGGAGCGGCTGGCGTTCTACCGCACGCTGTA
 5 TCGCGACCACGCCCCTTACGGCGCGGCGCTGTGGCTGGTTCGCGGCGAACATGGCGTCCTACT
 CCGACGTCGACGCCCTGGTCGAATGGATCGGCACCGAACAGACCGAAAGCCTTGGGCGCGAGT
 CGATTACATCAAAGACGCGCAGACCCCGACGCTGCTGTTCCCGTTCGCGGCGCCACGCGTGG
 TCGGGGACCTGTGCGAGGCCCGGTTGCGCGCGCCGAGATGGAGATGAAAGTGCTGCTGTGGGCC
 GTGCAACGGCTGATCGGCGGCCTGTGACGATCGGCGCCGAACGCGACATCGCGTCGCGGCT
 10 GCACGTGGTGTGCCCCGGCTCGCCCAACCGTGGCATGTTGCGCGGCGACGGCGCCTACGGCG
 AAGCCAAGTCCGCGCTGGATGCCGTGGTGAGCCGCTGGCACGCCGAGTCGTCCTGGGCGGCA
 CGGGTCAGCCTGGCGCACGCGCTCATCGGCTGGACCCGCGGCACCGGGCTGATGGGCCACAA
 CGATGCCATCGTGGCCGCCGTGGAAGAGGCCGGGGTCAACACCTACTCGACCGACGAGATGG
 CGGCGCTGCTGCTCGACCTGTGTGATGCGGAATCCAAGGTGGCTGCGGCGCGTTGCGCCGATCA
 15 AGGCCGACCTGACCGGGGGCCTGGCCGAGGCCAACCTCGACATGGCCGAGCTGGCGGCCAAG
 GCGCGCGAGCAGATGTGCGCAGCGGCGGCCGTGACGAGGACGCCGAGGCCCTGGCGCCA
 TCGCCGCGCTGCCGTGCCGCCCGGGGTTTACCCCCGCACCGCCGCCGCAATGGGACGAC
 CTCGATGTGACCCGGCCGACCTGGTGGTGATCGTCGGCGGCGCCGAAATCGGCCCGTACGG
 CTCGTACGCACCCGGTTGAGATGGAGGTGAAAACGAGCTGTGCGGCGGCCGGCGTGTGG
 20 AGCTGGCCTGGACCACTGGGTTGATCCGCTGGGAGGACGACCCGCAACCCGGTTGGTACGACA
 CCGAATCCGGCGAAATGGTCGACGAATCCGAGTTGGTGACGCGCTACCACGACGCCGTGGTGC
 AGCGCGTCGGCATTGCGGAATTCGTTGATGACGGCGCGATCGACCCCGACCACGCCTCGCCGC
 TGCTGGTGTGCGGTGTTCTGGAGAAGGACTTCGCGTTGCGTGGTGTCTCTGGAGGCCGATGCGC
 GCGCCTTCGTGAGTTCGATCCCGAGCACACGGTCATCCGGCCGGTGCCCGACTCCACCGACT
 25 GGCAGGTCATCCGCAAGGCCGGCACCGAGATCCGGGTGCCGCGAAAGACCAAGCTGTCCCGC
 GTCGTGCGCGGCCAGATCCCGACCGGGTTGACCCGACGGTGTGGGGCATCAGCGCAGACAT
 GGCCGGTTCCATCGACCGGTTGGCGGTATGGAACATGGTGGCGACCGTCGACGCGTTCCTGTC
 GTCCGGTTTTAGCCCGGCCGAGGTGATGCGTTACGTGCACCCGAGTTTGGTGGCCAACACCCA
 GGGCACCGGCATGGGCGGCGGCACGTGATGCAGACGATGTACCACGGCAATCTGTTGGGCC
 30 GCAACAAGCCGAACGACATCTTCCAGGAAGTCTTGCCGAATATCATTGCCGCGCACGTGGTTCA
 GTCCTACGTCGGTAGCTACGGTGCGATGATCCACCCGGTAGCCGCGTGCGCCACCGCCGCGGT
 GTCGGTTCGAGGAAGGTGTCGACAAGATCCGGTTGGGCAAGGCTCAACTGGTGGTGGCCGGCG
 GCCTGGATGACCTGACGCTGGAGGGCATCATCGGATTCCGTGACATGGCCGCCACCGCCGACA
 CGTCCATGATGTGCGGCCGCGGCATCCACGACTCGAAGTTTTCCCGGCCCAACGACCGCCGCC
 35 GTCTGGGCTTCGTGGAAGCCCAAGGCGGCGGGACGATCCTGTTGGCCCGCGGGGACCTGGCG
 CTGCGGATGGGGCTGCCGGTGTGGCGGTGGTGGCGTTGCGCGAGTCGTTGGCGACGGCGT
 GCACACCTCGATCCCGGCCCGGGCCTGGGCGCGCTGGGGGCGGGCCGCGGCGGCAAGGAT

TCACCGCTGGCGCGGGCGCTGGCCAAGCTGGGCGTGGCCGCCGACGACGTGGCGGTCATCTC
 CAAGCACGACACCTCGACGCTGGCCAACGATCCCAACGAGACCGAGTTGCATGAACGGCTCGC
 CGACGCCCTGGGCCGTTCCGAGGGCGCCCCGCTGTTTCGTGGTGTGCGAGAAGAGCCTGACCG
 GCCACGCCAAGGGCGGCGCGGGCGGTCTTCCAGATGATGGGGCTCTGCCAGATATTGCGGGAT
 5 GGGGTGATCCCACCCAACCGCAGCCTCGACTGCGTCGACGACGAGCTGGCCGGCTCCGCGCA
 TTTTCGTGTGGGTGCGTGACACGTTGCGGCTCGGCGGCAAGTTCCCACTCAAGGCCGGCATGCT
 GACCAGCCTCGGGTTCGGCCATGTGTGCGGGCCTGGTTCGCGTTGGTGCATCCGCAGGCGTTCAT
 CGCCTCGCTGGATCCCGCACAGCGCGCGGACTACCAGCGGCGTGCCGACGCCCGCCTGCTGG
 CCGGTCAGCGCCGGCTGGCCTCGGCGATTGCCGGTGGTGCGCCGATGTACCAGCGGCCCGGT
 10 GACCGTCGCTTCGACCACCACGCGCCCGAGCGGCCGCGAGGAGGCGTCGATGCTGCTGAATCC
 GGCGGCCCGGCTGGGTGACGGCGAGGCGTATATCGGCTGA

>Rv2555c alaS alanyl-tRNA synthase TB.seq 2873772:2876483 MW:97326

>emb|AL123456|MTBH37RV:c2876483-2873769, alaS SEQ ID NO:101

15 GTGCAGACACACGAGATCAGGAAGCGTTCTCGATCATTTTCGTGAAGGCGGGCCACACCGAG
 GTGCCCAGCGCCTCGGTGATCCTCGACGACCCCAACCTGTTGTTTCGTCAACGCCGGGATGGTC
 CAGTTTCGTGCCTTTCTTCTTGGGACAGCGCACGCCGCGTACCCGACGGCCACCAGCATCCAG
 AAGTGCATCCGTACCCCCGATATCGACGAGGTGGGCATAACCACCCGGCACAACACGTTTTTTC
 AGATGGCCGGCAATTTTCAGCTTCGGCGACTATTTCAAACGCGGGGGCCATTGAACTGGCCTGGG
 20 CACTGCTGACCAACAGCCTCGCCGCCGGCGGCTACGGCCTGGACCCGGAAGAATCTGGACG
 ACAGTCTATTTTCGACGACGACGAAGCTGTCCGGCTATGGCAGGAGGTTGCCGGGCTGCCGGCG
 GAGCGAATCCAGCGCCGCGGCATGGCCGACAACACTGGTTCGATGGGCATTCCCGGACCGTG
 CGGGCCGTCATCGGAGATCTATTACGACCGCGGACCCGAATTCGGTCCCGCAGGCGGTCCCAT
 CGTCAGCGAAGACCGCTACCTCGAGGTCTGGAACCTGGTGTTCATGCAGAACGAGCGCGGAGA
 25 GGGAACCACCAAGGAGGACTACCAGATCCTCGGGCCGCTGCCCCGCAAGAACATCGACACCG
 GCATGGGCGTCGAGCGGATCGCGCTGGTGCTGCAAGACGTGCACAACGTCTACGAGACCGAC
 CTGCTCAGGCCGGTCATCGATAACCGTGGCCAGGGTCGCCGCGCGTGCCTACGACGTCGGCAA
 CCACGAAGACGACGTGCGGTACCGCATCATCGCAGACCACAGCCGCACCGCCGCGATCCTGAT
 CGGTGACGGCGTCAGCCCCGGCAACGACGGTTCGCGGTTATGTGCTGCGCCGGCTGCTGCGTC
 30 GGGTGATCCGCTCCGCCAAGCTGCTGGGCATCGACGCTGCGATCGTTGGCGACCTGATGGCCA
 CCGTGCGCAACGCGATGGGCCCCGTCATATCCCGAACTCGTCGCCGACTTCGAGCGGATCAGCC
 GGATCGCGGTGCGCGAGGAGACGGCGTTCAACCGCACGCTGGCGTCGGGTTCCAGGCTGTTTC
 GAGGAGGTGGCTAGCTCCACCAAGAAATCCGGAGCCACCGTGCTGTCCGGATCGGACGCTTTC
 ACGTTGCATGACACCTACGGGTTCGGATCGAGCTCACGCTGGAGATGGCGGCCGAAACCGGT
 35 CTGCAGGTAGACGAAATCGGGTTCGGTGAGCTGATGGCCGAGCAGCGCCGCGTGCCAAGGC
 CGACGCCCGCGCGCGCAACACGCGCATGCTGACCTGAGCGCCTACCGCGAGCTGGTTGACG
 CCGGCGCCACCGAGTTCACCGGATTCGACGAGTTGCGTTCCAGGCGCGGATTCTGGGCATCT

TCGTCGACGGTAAGCGGGTTCGGTGGTGGCGCACGGTGTAGCCGGCGGAGCCGGGGAAGG
 GCAGCGTGTGAACTTGTCTTAGATCGCACCCCGCTCTACGCCGAATCGGGTGGGCAGATCGC
 CGATGAGGGCACCATCAGCGGAACCGGTTCCAGCGAAGCTGCCCCGGCGCGGTTACCGACG
 TGCAGAAGATCGCCAAAACGCTTTGGGTGCACCGAGTCAACGTGGAATCCGGGGAATTCTGTCG
 5 AGGGTGACACCGTAATCGCGGCGGTGGATCCCGGGTGGCGCCGGGGTGCCACGCAGGGCCA
 CTCGGGCACCCACATGGTGCATGCCGCGCTGCGACAAGTGCTGGGGCCCAACGCGGTTCAGG
 CGGGATCGCTGAACCGGCCGGGATATTTGCGCTTCGACTTTAACTGGCAGGGTCCGTTGACCG
 ACGACCAGCGCACCCAGGTCTGAAGAGGTCACCAACGAGGCCGTGCAAGCGGACTTCGAGGTG
 CGCACGTTACCCGAACAGCTCGACAAGGCCAAGGCGATGGGTGCCATCGCGCTGTTCCGGCGAG
 10 AGCTACCCCGACGAAGTGCGGGTGGTGGAGATGGGTGGACCGTTCTCGCTGGAGCTATGTGGC
 GGCACCCATGTGAGCAACACGGCGCAGATCGGTCCCGTGACGATCCTGGGCGAGTCGTCGATC
 GGCTCCGGGGTGCGCCGGGTGGAGGCCTACGTGGGGTTGGATTCTTTCTGTCACCTGGCCAA
 GGAGCGTGCGTTGATGGCCGGGTTGGCCTCGTCACTGAAGGTGCCGTCCGAAGAGGTACCGG
 CCCGGGTGGCCAATCTAGTGGAGCGCCTGCGGGCCGCCGAGAAGGAACTCGAACGTGTCCGG
 15 ATGGCCAGCGCCCCGGGCAGCCGCCACCAATGCCGCCGCCGGGGCTCAGCGGATCGGTAACGT
 CCGTTTGGTGGCGCAGCGAATGTCCGGCGGGATGACCGCGGCAGACCTGCGGTGCTTGATCG
 GCGACATCCGCGGCAAGCTGGGTAGCGAGCCGGCGGTGGTGGCGCTGATTGCCGAGGGCGAA
 AGCCAACTGTGCCGTATGCGGTGCGGGCCAATCCCGCTGCCCAGGACCTCGGAATCCGTGCC
 AACGACCTGGTCAAACAACCTTGCGGTGGCGGTCTGAAGGCCGCGGTGGCGGTAAGGCGGACCT
 20 GGCGCAGGGCTCGGGAAAGAATCCGACCGGTATCGACGCCGCGCTCGACGCGGTCCGCTCCG
 AGATCGCCGTGATAGCGCGGGTCGGTTGA

>Rv2580c hisS histidyl-tRNA synthase TB.seq 2904822:2906090 MW:45118

>emb|AL123456|MTBH37RV:c2906090-2904819, hisS SEQ ID NO:102

25 GTGACGGAATTCTCGTCATTTTCGGCCCCAAGGGGGTACCGGACTACGTCCCGCCCGACTCG
 GCGCAGTTCGTCGCGGTGCGCGACGGGCTGCTCGCGGCGGCCCCGTCAGCCGGCTATAGCCA
 CATCGAGCTGCCATCTTCGAGGACACCGCCCTGTTGCCCCGGGGCGTGGGTGAATCCACCGA
 CGTGGTGTCCAAGGAGATGTATACGTTCCCGACCGTGCGGACCGCTCGGTGACGCTGCGGCC
 CGAGGGCACCGCCGGGGTGGTGCGTGCGGTGATCGAACACGGGCTGGATCGCGGCGCGCTG
 30 CCGGTGAAGTTGTGTTATGCGGGCCCGTTTTTCCGCTACGAGCGTCCGACGGCCGCGGTAT
 CGCCAGTTACAGCAAGTCGGGGTGGAGGCGATCGGCGTCGACGACCCGGCGTTGGACGCCGA
 GGTGATCGCCATTGCCGACGCCGGGTTCCGCTCGTTGGGTCTCGACGGGTTCCGGCTGGAAAT
 CACCTCCCTGGGAGACGAGAGTTGCCGTCCGCAGTACCGGGAAGTGTGACGAGTTCTTGTTT
 GGACTCGATCTCGACGAGGACACCCGCAGGCGCGCAGGGATCAATCCGCTGCGGGTGCTCGA
 35 CGACAAGCGACCCGAATTGCGTGCGATGACGGCGTCCGGCGCCGGTGTTGCTGGATCATCTGTC
 TGATGTGCCAAGCAGCATTTCGACACCGTGCTCGCCCATCTGGACGCGCTTGGAGTGCCCTAT
 GTCATCAACCCGCGCATGGTGCGCGGCCTGGACTACTACACCAAGACCGCCTTCGAGTTCGTC

CATGACGGGCTTGGTGCGAATCGGGGATCGGCGGCGGGGGGCGCTACGACGGCCTGATGCA
 CCAGCTTGGCGGGCAGGACTTGTCTGGGCATCGGGTTCTGGGCTGGGCGTGGACCGGACCGTG
 TGGCGCTGCGGGCCGAGGGCAAGACGGCGGGGGACAGCGCCCGGTGCGACGTGTTCTGGCGT
 GCCGCTTGGCGAGGCGGCCAAGCTCAGGCTGGCGGTGCTGGCTGGACGACTGCGCGCGGCC
 5 GGGGTGCGGGTTGACCTTGCCTATGGTGATCGCGGGCTCAAAGGCGCGATGCGCGCGGGCCG
 TCGTTCCGGCGCCCGTGTTGCGTTGGTAGCGGGCGACCGCGACATCGAGGCCGGGACGGTCG
 CAGTGAAGGACTTGACGACGGGTGAGCAAGTTTCGGTCTCGATGGATTCTGGTTGTGGCCGAAG
 TAATTTCTCGGGCTGGCTGGGTAG

10 >Rv2614c thrS threonyl-tRNA synthase TB.seq 2941190:2943265 MW:77123

>emb|AL123456|MTBH37RV:c2943265-2941187, thrS SEQ ID NO:103

ATGAGCGCCCCCGCACAAACCGCCCCGGGAGTTCGATGGCGGCGACCCGTGCGAAGCCCGAAT
 TCGGGTTCTGCGGGACCAACCGCGGCCACCGCCGTCGGCGAAGCGGGTTTACCGCGGCGCG
 GTACGCCCGATGCGATCGTCGTGCGCGACGCCGACGGCAACCTGCGCGACCTGAGCTGG
 15 GTGCCCCGACGTGACACCGATATCACGCCGGTGGCCGCCAACACCGACGACGGTCGCAGCGT
 GATCCGCCATTGACCGCGCACGTGTTGGCCCAAGCCGTCCAAGAGCTGTTTCCGCAGGCCAA
 GCTCGGCATCGGACCACCCATCACCGACGGCTTCTACTACGACTTCGACGTGCCCGAGCCGTT
 CACGCCCCGAGGACTTGGCGGGCGCTGGAAGCGGATGCGCCAGATCGTCAAGGAAGGCCAGC
 TGTTGACCGGCGGGTCTACGAATCCACCGAACAGGCCCGCGCCGAGCTGGCCAACGAGCCC
 20 TACAAGCTGGAACCTGTCGACGACAAATCGGGTGACGCCGAGATCATGGAGGTGCGCGGTGAC
 GAGCTCACCGCCTACGACAACCTCAACCCCCGACCCGCGAGCGCGTCTGGGGCGACCTGTG
 CCGCGGACCGCACATCCCGACCACCAAACACATCCCGGCGTTCAAGCTCACCCGCAGCTCGGC
 CGCCTACTGGCGGGGCGATCAGAAAAACGCCAGCCTGCAACGGATCTACGGCACCGCGTGCG
 AATCCCAGGAGGCGCTCGACAGGCACCTGGAGTTCATCGAAGAGGCGCAGCGCCGCGACCAC
 25 CGCAAGCTGGGTGTCGAGCTGGACCTGTTTCAGCTTCCCCGACGAAATCGGTTCCGGCCTAGCG
 GTTTTCCACCCCAAGGGCGGCATCGTGCGTCGCGAACTGGAGGACTACTCGCGGCGCAAGCAC
 ACCGAGGCGGGCTACCAGTTCGTCAACAGCCCCGCACATCACCAAGGCCAGTTGTTCCACACC
 TCGGGACATCTGGACTGGTACGCCGACGGCATGTTCCCCCGATGCACATCGACGCGGAGTAC
 AACGCCGACGGCTCGCTGCGCAAACCCGGCCAGGACTACTACCTCAAGCCGATGAACTGCCCG
 30 ATGCACTGCCTGATCTTCCGCGCGCGCGGGCGATCCTATCGGGAACCTGCCGTTGCGGCTCTTC
 GAGTTCGGCACGGTGTATCGCTACGAGAAGTCCGGTGTGGTGACGGGTTGACCCGGGTGCGT
 GGGCTGACCATGGACGACGCGCACATCTTCTGACCCGCGACCAGATGCGCGACGAGCTGCG
 GTCGCTGCTGCGGTTTGTGCTCGACCTGCTCGCCGACTACGGCCTCACCGACTTCTACCTCGAA
 CTGTCCACCAAGGACCCGGAGAAGTTCGTGCGCGCCGAGGAGGTCTGGGAGGAAGCCACCAC
 35 CGTGCTGGCCGAGGTGGGCGCCGAATCCGGGCTGGAGCTGGTGCCCGATCCAGGCGGCGCG
 GCGTTCTACGGGCCCAAGATTTTCAGTGACAGGTCAAAGACGCGCTGGGCCGACCTGGCAGATG
 TCGACCATCCAGCTGGACTTCAACTTTCCGGAACGTTTCGGCCTGGAGTACACCGCCGCGGACG

GAACCCGCCACCGCCCGGTGATGATCCACCGCGCGCTATTTGGGTGATCGAGCGGTTCTTCG
GCATTCTCACCAGCACTACGCGGGGGCGTTCCCGGCCTGGTTGGCGCCCGTGACAGGTGGTC
GGCATCCCGGTGCGCGATGAGCACGTGCGCTATCTGGAAGAGGTTGCCACGCAACTGAAGTCG
CACGGGGTGCGGGCCGAGGTGGACGCCAGCGACGATCGGATGGCCAAGAAGATCGTGACCA
5 CACCAACCACAAGGTGCCGTTTCATGGTGTGGCGGGTGATCGTGACGTGCGCCGCCGGCGCGGT
GAGTTTCCGGTTCGGTGACCGCACCCAAATCAACGGTGTGGCCCGTGACGATGCGGTGGCGGC
CATTGTCGCTGGATCGCTGACCGCGAAAATGCGGTTCTACAGCGGAAGTGGTGAAAGTGGC
CGGTCGTGAGTGA

>Rv2697c dut deoxyuridine triphosphatase TB.seq 3013683:3014144 MW:15772

>emb|AL123456|MTBH37RV:c3014144-3013680, dut SEQ ID NO:104

GTGTCGACCACTCTGGCGATCGTCCGCCTCGACCCCGGGCTCCCGCTGCCAGCCGCGCTCAC
GACGGCGACGCCGGCGTTGATCTCTACAGCGCCGAAGACGTGAGCTGGCACCTGGGCGCCG
CGCCCTGGTACGGACGGGTGTTGCGGTGCGCGTCCCGTTCCGGCATGGTCGGGCTGGTCCATC
15 CGCGCTCCGGGTGGCCACGCGGGTGGGGCTTTGATCGTCAACAGTCCGGGCACCATCGAC
GCGGGTTATCGTGGGAGATCAAGGTGGCCCTGATCAACTTGACCCAGCCGCGCCCATCGTG
GTACATCGCGGTGACCGAATCGCCAGTTGCTAGTGCAACGGGTTGAGTTGGTCGAGCTGGTC
GAGGTCTCGTCTTCGACGAGGCGGGCTGGCCTCGACATCCCGCGGCGACGGTGGCCACGG
TTCCTCCGGCGGACATGCGAGTTTGTGA

>Rv2782c pepR protease/peptidase, M16 family (insulinase) TB.seq 3089045:3090358 MW:47074

>emb|AL123456|MTBH37RV:c3090358-3089042, pepR SEQ ID NO:105

ATGCCGCGACGGTCACCAGCTGACCCCGCGGCGGCGCTGGCGCCGCGGCGCACCAACCTGC
CGGGCGGGCTGCGAGTGGTCACCGAATTCCTGCCGCGGTGCACTCCGCGTCGGTCGGGGTG
25 TGGGTCGGCGTCGGATCGCGCGACGAAGGCGCCACGGTGGCCGGGGCGGCGCACTTCCTTGA
GCATTTGCTGTTCAAGTCGACGCCACCCGCTCTGCCGTGGACATTGCGCAGGCGATGGACGC
GGTGGGCGGGGAAGTGAACGCATTACCGCCAAGGAGCACACCTGCTACTACGCCACGTGCT
CGGCAGCGACTTGCCGTTGGCCGTCGACCTGGTCGCCGATGTGGTGCTCAACGGCCGCTGTGC
CGCCGACGATGTCGAGGTGGAACGTGACGTGTCCTCGAGGAGATCGCGATGCGCGACGACG
30 ACCCCGAGGACGCCTTGCGGACATGTTCTGGCGGCGTTGTTCCGGCGACCAACCGGTCGGTC
GCCCGGTGATCGGCAGCGCGCAATCCGTGTGGTGATGACGCGGGCTCAACTGCAATCGTTTC
ACCTGCGGCGCTATACCCCGGAGCGGATGGTCGTGCGGCGCCGCGCAATGTGGATCACGAC
GGGCTGGTTGCGTTGGTCCGCGAGCACTTCGGGTCCCGGTTGGTCCGGGGGAGACGGCCAGT
TGCGCCGCGCAAGGTTACCGGCCGGGTCAACGGCAGCCCCCGGTTGACACTGGTTAGCCGCG
35 ACGCCGAACAGACGCATGTGTCGCTGGGCATCCGCACACCCGGGCGCGGCTGGGAGCATCGT
TGGGCACTGTGGTGCTGCACACCGCGCTGGGCGGTGGCTTGAGTTCCCGGCTGTTCCAGGAG
GTCCGCGAGACCCGCGGGCTGGCCTACTCGGTCTACTCCGCGCTGGATCTCTTCGCCGACAGC

GGCGCGCTTTCGGTGTACGCGGCCTGCCTGCCCCAACGCTTCGCCGACGTGATGCGGGTGAC
CGCCGATGTGCTGGAAAGCGTGGCACGCGACGGCATCACCGAGGCGGAATGCGGCATCGCCA
AGGGATCGCTGCGGGGTGGGCTGGTGTAGGGCTGGAGGATTCCAGCTCCCGGATGAGCCGG
CTCGGCCGCAGCGAGTTGAACTACGGCAAGCACCGCAGCATCGAACACACCTTGCGGCAAATC
5 GAGCAGGTCACCGTGGAGGAGGTCAACGCGGTGGCCCGCCACCTGCTGAGCAGGCGCTACGG
TGCTGCCGTTCTTGCCCCACACGGATCGAAACGATCACTGCCGCAACAACCTTCGAGCGATGGTA
GGGTAG

>Rv2783c gpsi pppGpp synthase and polyribonucleotide phosphorylase TB.seq

3090339:3092594 MW:79736 >emb|AL123456|MTBH37RV:c3092594-3090336, gpsi

SEQ ID NO:106

ATGTCTGCCGCTGAAATTGACGAAGGCGTGTTGAGACGACCGCCACCATCGACAACGGGAGC
TTTGGCACCCGGACCATCCGCTTCGAGACCGGCCGATTGGCCTTGCAGGCCGCCGGCGCGGT
GGTCGCCTACCTCGACGACGACAACATGCTGCTGTCGGCGACCAACGCCAGCAAGAACCCCAA
15 AGAACACTTCGACTTCTTCCCCCTCACGGTCGACGTGAGGAGCGCATGTATGCGGCCGGCCG
CATCCCCGGTTCGTTCTTCCGTCGCGAGGGGCCGACCCTCCACCGACGCGATCCTGACCTGCCG
GCTCATCGACCGCCCGCTGCGCCCGTCGTTTGTGACGGGCTGCGCAACGAGATCCAAATCGT
GGTGACGATTCTCAGCCTGGATCCGGGCGATCTCTACGACGTATTGGCGATCAACGCGGCGTC
GGCGTCCACCCAGCTGGGCGGTCTGCCGTTCTCCGGGCCCATCGGCGGTGTGCGGGTGGCGC
20 TCATCGACGGCACCTGGGTGCGCTTCCCCACCGTCGACCAGATCGAGCGCGCCGTGTTGACA
TGGTCGTGGCCGGCCGGATCGTCGAGGGTGATGTTGCCATCATGATGGTGAAGCCGAGGCCA
CCGAAAACGTGTCGAGCTCGTCGAAGGTGGTGCCCAAGCGCCGACGGAAAGCGTGGTGGCC
GCGGGCCTGGAGGCGGCCAAGCCGTTTATCGCCGCGCTGTGCACCGCGCAGCAGGAGCTTGC
CGATGCCGCTGGAAAGTCGGGCAAACCGACCGTCGACTTCCCGGTGTTCCCTGACTACGGCGA
25 AGACGTGTACTACTCGGTGTCCTCGGTGGCCACCGACGAGTTGGCCGCCGCGTTGACCATCGG
CGGTAAAGCCGAGCGCGACCAAGCGCATCGACGAAATCAAGACCCAGGTTGTGCAGCGGCTCGC
CGACACCTACGAGGGTCGCGAAAAGGAGGTGCGCGCCGCGTTGCGTGCCCTGACCAAAAAGCT
GGTTCGGCAGCGCATCCTCACCGACCATTTCCGTATCGACGGCCGCGGCATCACCGACATTGG
CGCATTGTGCGCCGAGGTGGCCGTGTTCCGCGCGCGCACGGCAGCGCGCTGTTGAAACGCG
30 GCGAAACCCAGATCCTGGGTGTGACCACACTCGACATGATCAAGATGGCCCAGCAGATCGACT
CGTTGGGGCCGGAGACATCGAAGCGGTACATGCACCACTACAACCTCCCGCCGTTCTCCACCG
GCGAGACCGGTGCGGTGCGTTGCCCCAAGCGGCGTGAGATCGGGCACGGCGCACTGGCCGA
GCGGGCCCTGGTGCCGTGTTGCCGAGCGTCGAGGAATTCCCGTATGCCATTCGCCAGGTGTC
GGAGGCTCTGGGCTCCAACGGGTGACCTCGATGGGGTGGTGTGCGCGTCGACGCTGGCGC
35 TGCTCAACGCCGGGGTGCCGCTCAAGGCGCCGGTGGCCGGCATCGCGATGGGCCTGGTCTCC
GACGACATTCAAGTAGAAGGGGCGGTGACGCGGCTTGTGGAGCGTCGCTTCGTCAACCTCACC
GACATCCTCGGCGCCGAAGACGCGTTCGGTGACATGGACTTCAAGGTGCGCCGGGACCAAGGAC

TTCGTCACCGCGCTGCAGCTGGACACCAAGCTCGACGGGATCCCTTCGCAGGTGCTTGCCGGA
GCACTCGAGCAGGCCAAGGACGCCCCGCTCACGATCTTGGAGGTGATGGCTGAGGCCATCGAT
AGACCCGACGAAATGAGTCCCTACGCCCCGCGGGTGACCACCATCAAGGTTCCGGTGGACAAG
ATCGGGGAGGTCATCGGACCCAAGGGCAAGGTCATCAACGCCATCACCGAGGAGACCGGCGC
5 GCAGATCTCCATCGAAGACGACGGCACCGTGTTTCGTCGGCGCCACCGACGGGCCATCGGCACA
GGCCGCGATCGACAAGATCAACGCCATCGCCAACCCGCAGCTGCCGACGGTGCGGCAACGGT
TCCTCGGAACCGTGGTCAAGACCACCGATTTTCGGTGCCTTTGTATCGTTGCTGCCTGGCCGCGA
CGGTCTGGTGACATTTCCAACTCGGCAAGGGCAAGCGCATCGCGAAGGTGAGGACGTTGT
CAATGTCGGTGACAAGCTGCGGGTGGAGATCGCCGACATCGACAAACGGGGCAAGATCTCCCT
10 GATCCTGGTCGCCGACGAGGACAGCACCGCCGCGCTACCGATGCCGCGACGGTCACCAGCT
GA

>Rv2793c truB tRNA pseudouridine 55 synthase TB.seq 3102364:3103257 MW:31821

>emb|AL123456|MTBH37RV:c3103257-3102361, truB SEQ ID NO:107

15 ATGAGCGCAACCGGCCCCCGAATCGTGGTTATCGACAAGCCCGCGGGAATGACCAGCCATGAC
GTGGTGGGGCGGTGCCGCGCATCTTCGCCACCCGGCGGGTCGGCCACGCGGGCACCCCTGG
ACCCGATGGCCACCGGGGTGTTGGTGATCGGCATCGAACGCGCCACCAAGATCCTCGGTCTGC
TGACGGCGGCCCCCAAGTCGTATGCCGCCACCATCCGCTTGGGTCAGACCACTTCCACCGAGG
ACGCCGAAGGTCAAGTGCTGCAGTCGGTTCCGGCTAAGCACCTGACCATCGAGGCGATCGACG
20 CCGCGATGGAGCGGCTGCGCGGTGAGATCCGGCAGGTGCCGTGTCGGTCAGCGCGATCAAG
GTCGGTGGCCGACGCGCCTATCGGTTGGCCCCGAGGGGCGCTCCGTGCAATTGGAAGCCCG
GCCGATCCGCATCGACCGGTTTCGAGCTGCTGGCCGCACGCCGGCGCGACCAGCTCATCGATAT
CGATGTGGAGATCGACTGCTCCTCGGGAACCTACATCCGCGCGTTGGCACGCGACCTCGGCGA
CGCGCTTGGGGTGGGAGGCCATGTGACGGCGTTGCGGCGCACCCGCGTCGGCCGCTTCGAGC
25 TGGACCAGGCGAGATCGCTCGACGATCTCGCGGAGCGCCCCGCGCTGAGCCTGAGCCTCGAT
GAGGCCTGCCTGCTGATGTTTGC CGCGCCGCGACCTGACCGCCGCGGAGGCCAGCGCGGCCCG
CAACGGCCGGTCCCTGCCGGCGGTTCGGTATCGACGGCGTGTACGCGGCCTGTGACGCCGACG
GCCGGGTTATCGCGCTGCTGCGTGACGAGGGTTTCGGGACCAGGTCGGTGGCGGTGCTCCGC
CCGGCGACGATGCACCCCGGGTAG

30 >Rv2797c - TB.seq 3105619:3107304 MW:58761 >emb|AL123456|MTBH37RV:c3107304-3105616,
Rv2797c SEQ ID NO:108

GTGCCACTGACCGTGGCCGATATCGATCGGTGGAACGCGCAAGCGGTCCGGGAGGTGTTTCAC
GCGGCCAGTGCCCGAGCGGAGGTGACGTTTCGAGGCGTCGCGTCAGTTGGCCGCGCTGTGAT
35 TTTTGCGAACTCGGGTGGCAAGACCGCTGAGGCGGCGGCACACCACAACGCGGGCATTCCGC
GAGACCTCGACGCCCCACGGCAACGAGGCGTTGGCGGTTGCCCGGGCGGCGGACAGGGCCCGC
CGACGGGATTGTGAAGGTTTCAGTCCGAGCTGGCCGCACTACGCCATGCCGCGCGGCGCGCG

AGCTGACGATCGATGCGCTGATCAACCGGGTGGTGCCGATCCCCGGGCTGCGATCCACCGAG
GCGCAGTGGGCGCGGACGCTGGCCAAGCAAACGGAGCTGCAGGCGGAGCTGGATGCGATTAT
GGCCGAGGCCAATGCCGTCGACGAGGAGCTGGCCTCAGCGGTCAATATGGCCGACGGTGACG
CGCCCATCCCCGGCCGATTCCGGCCCCGGGTCCGTCCCGAGGGGCTGACCCCGACCCAGCTC
5 GCCAGCGATGCCAACGAGGAGCGGCTGCGCGAGGAGCGCGCCCCGCCTGCAGGCCCCACCTCG
AGCGGTTACAGGCGGAGTATGACCAACTGAGTGTGCGGGCCGCCGTGACTACCACAACGGCA
TCCTCGACGGTGACGCGGTGGGCCGACTGGCAGCGCTTACCGACGAGCTGAGCGCCGCCAGG
GGCCGGCTGGGTGAGCTCGATGCCGTCGACGAGGCGTTGAGCCGAGCACCCGAGACCTACCT
GACCCAGCTGCAGATTCCCGAGGACCCAAATCAGCAGGTGCTGGCGGCCGTGGCCGTCCGTAA
10 TCCCGACACCGCCGCCAATGTGTCCGTGACGGTTCGGCGCTCGGGTCCACCACCCGGGGCG
CCCTGCCCCGGCATGGTGACCGAAGCCCGCGACCTGCGGTCCGAGGTAATCCGGCAACTCAATG
CTGCCGGCAAGCCCGCATCGGTTGCCACCATCGCCTGGATGGGCTACCACCCGCCCCCGAACC
CACTCGACACCGGCAGTGCGGGCGATCTGTGGCAGACCATGACCGATGGGCAGGCACACGCG
GGCGCGGCCGATCTGTGCGGTTATTTGACGAGGTGCGCGCCAATAACCCCAAGTGGCCACCTG
15 ACCGTGTTGGGGCACTCGTATGGGTGCTGACGGCGTCGCTGGCGTTGCAGGACCTCGATGCC
CAGAGCGCCCATCCGGTCAACGACGTCGTGTTTTACGGCTCACCCGGCTTGAGCTGTACAGC
CCGGCGCAGCTCGGGCTCGATCACGGGCACGCTTATGTCATGCAGGCCCCCAGACCTCATC
ACCAATCTGGTGGCGCCGTTGGCGCCGCTGCACGGATGGGGCCTGGACCCCTATCTGACCCCC
GGGTTACGGAGCTGTGTCACAGGCGGGTTTTGATCCGGGCGGGATCTGGCGTGACGGAGT
20 GTATGCCACGGGGACTACCCGCGGTCTTCCTCGATGCCGCCGGCCAGCCGCAGCTGCGGA
TGTCCGGCTATAACCTGGCGGCGATCGCCGCCGGGCTGCCCGACAACAGGTGGGCCCGCCG
CTGCTTCCGCCAATTCTGGGTGGCGGCATGCCGGCAGCGCCCGGCCAGCACTGAGAGGGGG
ACGTTGA

25 >Rv2864c ponA2 TB.seq 3175454:3177262 MW:63015 >emb|AL123456|MTBH37RV:c3177262-
3175451, Rv2864c SEQ ID NO:109

ATGGTAACTAAAACAACATTAGCCTCAGCCACCTCAGGTTTGCTGCTGCTTGCGGTCTCGCCAT
GTCGGGCTGCACCCCGCGTCCCCAAGGGCCCGGTCCGGCGGCCGAAAAGTTCTTCGCCGCGC
TGGCCATCGGTGACACCGCCTCGCCCGCCAGCTCAGCGACAACCCCAACGAGGCGCGCGAA
30 GCGCTGAACGCGGCCTGGGCGGGGCTGCAGGCGGCCACCTGGATGCGCAGGTTCTCAGCGC
CAAGTACGCCGAGGACACCGGTACGGTCGCTTATCGCTTCAGCTGGCATCTGCCCAAGGACCG
AATCTGGACCTATGACGGCCAGCTGAAGATGGCCCGCGACGAAGGGCGTTGGCACGTTTCGCTG
GACCACCAGCGGGTTGCATCCCAAGCTAGGCGAACATCAAACGTTTCGCGCTACGAGCCGACCC
GCCGCGGCGCGCCTCGGTGAACGAAGTCGGCGGCACCGATGTGCTGGTGCCGGGCTATCTGT
35 ATCACTACTCGCTGGACGCCGGCCAGGCCGGCGCGAGCTCTTCGGCACGGCACACGCGGTG
GTGGGCGCGCTGCACCCCTTCGACGACACGCTCAATGATCCGCAGCTGCTGGCCGAACAGGCC
AGCTCGTCGACCCAGCCGTTGGACCTGGTCACGTTGCACGCGACGACAGCAACCGGGTGGC

CGCGGCGATCGGGCAGCTGCCTGGCGTGGTGATCACACCGCAGGCCGAGCTGCTCCCGACCG
 ACAAGCACTTCGCGCCGGCGGTCTCAACGATGTCAAGAAGGCCGTCGTCGATGAACTCGACG
 GCAAGGCGGGTTGGCGGGTGGTGAGCGTCAACCAAATGGCGTCGACGTCTCGGTGCTGCAC
 GAGGTGCCCCATCACCTGCGTCGTGGTTTCGATCACGTTGGATCGGGTCGTGCAAAACGCC
 5 GCGCAACACGCGGTGAACACCCGGGCGGCAAGGCGATGATCGTCGTGATCAAGCCGTCGAC
 CGGCGAGATCCTGGCGATCGCGCAGAACGCCGGGGCCGATGCGGACGGTCCGGTCGCGACCA
 CCGGTCTATATCCACCCGGGTGACATTCAAGATGATACCGCCGGTGCGGCCGTCGAGCGTG
 ACCTGGCTACCCCTGAGACGCTGCTGGGTGCCCCGGGAGATCGACATCGGGCATCGCACCA
 TTCCCAACTACGGTGGCTTTGATCTGGGCGTGGTGCCGATGTCACGCGCGTTTGCCAGTTCCTG
 10 CAACACCACCTTCGCCGAGCTGAGCAGCAGGCTGCCTCCCCGCGGTCTGACTCAGGCGGCCC
 GGCGGTACGGGATCGGGCTTGACTACCAGGTGGACGGCATCACACGGTGACCGGTTCCGGTG
 CCGCCGACGGTGGACCTGGCCGAACGCACCGAGGACGGTTTCGGCCAGGGCAAGGTGCTGGC
 CAGCCCGTTTCGGCATGGCCTTGGTGGCGGCGACGGTAGCCGCCGGGAAGACCCCGGTTCCAC
 AGCTGATCGCCGGCCGGCCGACGGCCGTCGAAGGCGATGCCACACCGATCAGCCAGAAGATG
 15 ATCGACGCGCTGCGGCCCATGATGCGGTTGGTGGTGACCAATGGCACCGCCAAGGAGATCGCT
 GGCTGTGGCGAGGTGTTTCGGTAAGACCGGCCGAAGCCGAATTCCCGGGCGGATCGCATTCTG
 GTTCGCCGGGTACCGTGGCGATCTGGCATTTCGTCGCTGATCGTCGGGGGCGGTAGCTCGGA
 ATACGCGGTGCGGATGACCAAGGTGATGTTCAATCGCTGCCGCCGGGGTACCTGGCGTAG

20 >Rv2868c gcpE TB.seq 3179368:3180528 MW:40451 >emb|AL123456|MTBH37RV:c3180528-
 3179365, gcpE SEQ ID NO:110
 GTGACTGTAGGCTTGGGCATGCCGCAGCCCCCGGCACCCACGCTCGCTCCCCGGCGCGCCAC
 CCGTCAGCTGATGGTCGGCAACGTCGGCGTGGGCAGTGACCATCCGGTCTCGGTGCAATCGAT
 GTGCACCACCAAAACCCACGACGTCAACTCGACATTGCAACAAATCGCCGAGCTGACCGCGGC
 25 CGGATGCGACATCGTGCGGGTGGCCTGCCCGCGCCAGGAGGACGCCGACGCGCTGGCCGAG
 ATCGCCCGGCACAGCCAGATCCCGGTAGTCGCGGACATACATTTCCAGCCGCGCTACATATTCG
 CCGCCATCGACGCTGGATGTGCCGCGGTGCGGGTCAACCCGGGCAACATCAAGGAGTTTGACG
 GCCGGGTGGGTGAGGTGCGCAAGGCGGGCGGGTGCGGCCGGGATCCCGATCCGAATCGGTGT
 CAACGCCGGTTCGCTGGACAAACGGTTCATGGAGAAGTATGGCAAAGCCACGCCCGAGGCGCT
 30 GGTTGAGTCGGCGCTGTGGGAGGCTTCGCTTTTCGAGGAGCATGGCTTCGGTGACATCAAGAT
 CAGCGTCAAGCACAACGACCCGGTGGTGATGGTCGCCGCCTACGAGCTGCTTGCTGCACGGTG
 CGACTACCCACTGCACCTCGGTGTCACCGAGGCGGCGCCTGCTTTCCAGGGCACCATCAAGTC
 CGCGGTTGCCTTCGGCGCGTTGCTGTGCGGGGCATAGGCGACACCATCCGGGTGTCGTTGTC
 GGCCCCGCCGGTCGAGGAAGTCAAGGTGGGCAATCAGGTTCTCGAGTCGTTGAACCTGCGGCC
 35 GCGTTCGCTCGAGATCGTGTCTTCCCCGTCGTGCGGTGCGCGCAAGTCGACGTCTACACCCT
 GGCCAACGAGGTAACCGCCGGCCTGGATGGTCTCGATGTGCCGTTGCGGGTGGCCGTGATGG
 GGTGTGTCGTCAATGGTCCGGGTGAAGCACGTGAGGCCGACCTGGGCGTGGCGTCCGGCAAC

GGCAAAGGTCAGATCTTTGTACGGGGCGAAGTGATCAAGACCGTGCCCCGAAGCACAGATCGTC
GAGACGCTGATCGAGGAGGCGATGCGGCTGGCCGCCGAAATGGGCGAGCAAGATCCGGGCGC
GACACCGAGCGGTTTCGCTATTGTGACCGTAAGCTGA

5 >Rv2869c - TB.seq 3180548:3181759 MW:42835 >emb|AL123456|MTBH37RV:c3181759-3180545,
Rv2869c SEQ ID NO:111

ATGATGTTTGTACCGGCATTGTGCTGTTTCGCGCTCGCGATCCTGATTTCCGGTGGCCCTGCACG
AATGTGGTCACATGTGGGTCGCGCGCCGCACCGGGATGAAGGTACGTCGCTATTTTCGTCGGCT
TTGGCCCCACGTTGTGGTCGACCCGGCGCGGCGAGACCGAATACGGTGTCAAAGCCGTTCCGC
10 TGGGCGGCTTCTGTGACATCGCCGGCATGACCCCGGTGAGGAACTCGACCCCGACGAACGTG
ACCGTGCGATGTACAAGCAGGCCACCTGGAAGCGGGTCGCAGTGTTATTCGCCGGGCCCCGAA
TGAACCTCGCTATCTGCCTGGTGTGATCTATGCCATCGCGCTGGTCTGGGGGCTGCCTAACCT
GCATCCGCCAACCAGGGCCGTAATCGGCGAAACTGGCTGCGTTGCACAGGAAGTGAGCCAGG
GCAAGCTCGAGCAGTGACCCGGGCCCCGGTCCGGCGGCGCTGGCCGGAATTCGCTCCGGTGAC
15 GTCGTGGTCAAGGTCGGTGACACCCCGGTGTCCAGTTTCGACGAGATGGCCGCCGCGGTGCG
CAAGTCACACGGCAGCGTCCCAGTCGTTGTGAGCGTGACGGCACCGCGATTGTTACCTACGT
GGACATCGAATCCACCCAACGCTGGATCCCTAACGGGCAGGGCGGTGAGCTCCAGCCGGCAAC
GGTCCGTGCGATTGGGGTGGGCGCCGCCCGGGTCCGGCCTGTGCGCTACGGCGTGTTCTCCG
CCATGCCGGCCACATTCGCGGTACCGGCGACCTGACCGTGGAGGTGGGCAAGGCGCTGGCC
20 GCCCTCCCGACCAAGGTAGGTGCGCTGGTGCGGGCGATCGGCGGCGGGCAGCGTGACCCGC
AGACGCCGATAAGTGTGGTGGGCGCCAGCATCATCGGCGGCGACACCGTCGACCATGGGCTG
TGGGTGGCGTTCTGGTTCTTCTTGCCCCAGCTGAACCTCATCCTGGCTGCGATCAACCTGCTGC
CGTTGCTGCCGTTTCGATGGCGGCCATATTGCCGTCGCGGTGTTTCGAGAGGATCCGCAACATGG
TCCGGTCGGCTCGTGGCAAGGTGGCGGCCGCACCGGTGAATTACCTCAAACCTCTTGCCGGCGA
25 CCTATGTGGTCTTGGTTCTTGTGTCGGGTACATGCTCTTGACCGTCACCGCCGACCTGGTCAA
CCCGATTAGGCTTTTCCAGTAG

>Rv2870c - TB.seq 3181770:3183077 MW:45324 >emb|AL123456|MTBH37RV:c3183077-3181767,
Rv2870c SEQ ID NO:112

30 GTGGCTACCGGTGGACGCGTCGTGATCCGGCGGCGCGGTGACAACGAGGTGGTGGCGCACAA
TGATGAGGTGACCAACTCGACCGACGGGCGCGCTGACGGCCGGTTGCGGGTGGTGGTGTGCTGG
GCAGTACCGGCTCGATCGGCACCCAGGCGCTTCAGGTCATCGCCGACAATCCGGACCGTTTCG
AGGTAGTCGGGCTGGCCGCTGGCGGCGCCCATCTGGACACGTTGCTGCGACAACGTGCGCAG
ACCGGGGTGACCAATATTGCCGTCGCTGACGAGCACGCGGCGCAGCGGGTGGCGACATCCC
35 CTACCACGGATCCGACGCCGCCACCCGGCTGGTCGAGCAGACCGAGGCCGACGTCGTCCTCA
ATGCGCTGGTCGGCGCGTTGGGCTGCGACCGACGTTGGCCGCGCTCAAGACGGGTGCCCGG
CTGGCGCTGGCCAACAAGGAATCGCTGGTCGCCGGTGGTTCGCTGGTGTGCGGGCGGCGCG

GCCCGGTCAGATCGTGCCGGTCGACTCCGAACACTCCGCGCTGGCCCAGTGCCTGCGCGGCG
GCACTCCCGACGAGGTCGCCAAGCTGGTGCTGACGGCCTCGGGAGGGCCGTTTCGGGGCTGG
TCCGCGGCCGACCTCGAGCATGTCACCCCCGAGCAGGCTGGCGCGCATCCTACGTGGTTCGATG
GGCCCGATGAACACGCTGAATTCGGCGTCGCTGGTCAACAAGGGAAGTTGAGGTCATCGAAACC
5 CACCTGCTGTTTCGGCATCCCCTACGACCGCATCGATGTCGTGGTGCACCCCCAGTCGATCATCC
ATTCGATGGTCACCTTCATCGACGGTTCGACGATCGCCCAGGCCAGTCCCCCGGACATGAAGCT
ACCGATTTTCGTTAGCGCTGGGCTGGCCGCGTCGGGTACGCGGCGCCGCTGCTGCCTGTGATTT
CCATACCGCGTCGAGCTGGGAGTTTCGAGCCGTTGGACACCGACGTCTTCCCCGCGGTTCGAGTT
GGCCCGGCAGGCCGCGTAGCCGGTGGCTGCATGACCGCGGTTTACAATGCGGGCGAACGAAG
10 AAGCAGCAGCGGCGTTCCTTGCTGGCCGGATCGGCTTCCCGGCCATCGTCGGCATCATCGCCG
ACGTGTTGCACGCTGCCGACCAATGGGCCGTCGAACCCGCTACCGTGGATGACGTAATCGACG
CGCAGCGCTGGGCCCGCGAGCGAGCGCAGCGCGCGGTATCTGGTATGGCTTCGGTGGCGATC
GCAAGCACGGCGAAGCCGGGCGCAGCGGTTCGACACGCATCGACGTTAGAAAGGTCCTGA

15 >Rv2922c smc member of Smc1/Cut3/Cut14 family TB.seq 3234189:3238055 MW:139610
>emb|AL123456|MTBH37RV:c3238055-3234186, smc SEQ ID NO:113
GTGGGTGCAGGGAGTCGTTTTCCGCTGGTGGACCCGCTGCCGAGCGTTGGAGCTCGGCCTGA
CCGGTTACGCGGCCAACACGCCGACGGACGCGTGCTGGTGGTCGCCAGGGTCCGCGCGCT
GCGTGCCAGAAGCTGCTGCAGCTGCTGCAGGGCGACACGACACCGGGCCGCGTCGCCAAAGT
20 CGTCGCCGACTGGTCGCAGTCGACGGAGCAGATCACCGGGTTCAGCGAGCGGTAATCTGGCC
CCTCGTGTAACCTCAAGAGTCTGACGTTGAAGGGCTTCAAGTCCTTCGCCGCGCCGACGACTTTA
CGCTTCGAGCCGGGCATTACGGCCGTCGTTGGGCCAACGGCTCCGGCAAATCCAATGTGGTC
GATGCCCTGGCGTGGGTGATGGGGGAGCAGGGGGCAAAGACGCTGCGCGGCGGCAAGATGG
AAGACGTCATCTTCGCCGGCACCTCGTCGCGTGCGCCGCTGGGCCGCGCCGAAGTCACCGTTA
25 GCATCGACAACCTCCGACAACGCACTGCCTATCGAATACACCGAGGTGTCGATCACCCGAAGAAT
GTTTCGCGACGGTGCCAGCGAATACGAAATCAACGGCAGCAGTTGCCGTTTGATGGATGTGCA
GGAGTTGCTGAGCGACTCCGGCATCGGCCGTGAGATGCATGTGATTGTTGGGCAAGGGAAGCT
CGAGGAGATCTTGAGTCGCGGCCTGAGGATCGGCGGGCGTTTCATCGAGGAAGCCGCGGTG
TGCTCAAGCATCGCAAGCGCAAGGAAAAAGCTCTGCGCAAACCTCGACACGATGGCGGCGAACC
30 TGGCCCGGCTCACCGATCTGACCACCGAGCTCCGGCGTCAACTCAAACCGCTGGGCCGGCAG
GCCGAGGCGGCCAGCGTGCCGCGGCCATCCAAGCCGATCTGCGCGACGCCCGGCTGCGCCT
GGCGGCCGACGACTTGGTAAGCCGCGAGCGCAACGGGAAGCGGTCTTTCAGGCCGAGGCTG
CGATGCGCCGCGAGCATGACGAGGCCGCGCCCGGCTGGCGGTGGCATCCGAGGAGCTGGC
CGCGCATGAGTCCGCGGTGCGCGAACTCTCGACGCGGGCCGAGTCGATCCAGCACACTTGTT
35 CGGGCTGTCTGCGCTGGCCGAACGGGTGGACGCTACGGTGCGCATCGCCAGCGAACGCGCCC
ATCATCTCGATATCGAGCCGGTAGCGGTGAGCGACACCGACCCCAGAAAGCCCGAGGAGCTAG
AAGCCGAGGCCAGCAGGTGGCCGTGCGCGAGCAACAACCTGTTAGCGGAGCTGGACGCGGCG

CGTGCCCGACTCGATGCTGCCCCTGCAGAGCTGGCCGACCGGGAGCGCCGCGCCGCGGAGG
 CCGACCGGGCACACCTGGCGGCGGTCCGGGAGGAGGCGGACCGCCGTGAGGGACTGGCGCG
 GCTGGCTGGCCAGGTGGAGACCATGCGGGCGCGTGTCTGAATCGATCGATGAGAGCGTGCCAC
 GGTGTCCGAGCGGATCGAGGATGCCGCAATGCGCGCCCAGCAGACCCGAGCCGAGTTCCGAA
 5 ACCGTGCAGGGCCGCATCGGTGAACTGGATCAAGGCGAGGTCCGGCCTGGATGAGCACCACGA
 GCGTACTGTGGCCGCGTTGCGGTTGGCCGACGAACGCGTCGCCGAGCTGCAATCCGCCGAAC
 GCGCCGCCGAACGCCAGGTGGCATCGCTACGGGCTCGCATCGATGCGCTCGCAGTGGGGCTA
 CAGCGCAAGGACGGCGCGGCGTGGCTGGCGCACAAATCGCAGTGGCGCAGGGCTTTTCGGTTC
 GATCGCCCAATTGGTGAAGGTACGTTCCGGCTATGAAGCGGCACTGGCCGCGGCGCTCGGGC
 10 CGGCGGCCGACGCACTTGCGGTGGACGGCCTGACTGCCGCGGGTAGTGCCGTCAGCGCACTC
 AAACAAGCCGACGGCGGTGCGCGGTCCTCGTGCTGAGTGACTGGCCGGCCCCGCAAGCCCC
 CCAATCCGCCCTCGGGGGAGATGCTGCCTAGCGGCGCCAGTGGGCCCTAGACCTGGTCGAGT
 CTCCACCGCAGTTGGTTGGCGCGATGATCGCCATGCTTTCGGGTGTCGCGGTGGTCAACGACC
 TGA CTGAGGCAATGGGCCTGGTCGAGATTCGTCCGAGCTACGCGCGGTACCGTTGACGGTG
 15 ATCTGGTGGGCGCCGGCTGGGTGAGCGGCGGATCGGACCGCAAGCTGTCCACCTTGAGGTC
 ACCTCCGAGATCGACAAGGCCAGGAGTGAGCTGGCCGCTGCCGAGGCGCTGGCGGCGCAATT
 GAATGCGGCCCTGGCCGGTGCCTGACCGAGCAGTCCGCCCGCCAGGACGCGGCCGAGCAA
 GCCTTGCCGCGCTTAACGAATCCGACACGGCCATCTCGGCGATGTACGAGCAGCTGGGCCGC
 CTCGGGCAGGAGGCCCGCGCGGCGGAAGAAGAGTGGAACCGGTTGCTGCAGCAGCGTACGGA
 20 ACAGGAAGCCGTGCGCACACAGACTCTCGACGACGTCATACAACTTGAGACCCAGCTGCGTAA
 GGCCCAGGAGACCCAACGGGTGCAGGTGGCCCAACCGATCGACCGCCAGGCGATCAGTGCCG
 CTGCCGATCGCGCCCGCGGTGTCTGAAGTGGAAGCCCGGCTGGCGGTGCGCACCGCCGAGGAA
 CGCGCCAACGCGGTTGCGGGGCGGGCCGATTGCTGCGCCGTGCGGCTGCGGCGGAACGTG
 AGGCGCGGGTGCGGGCTCAGCAAGCACGCGCCGCAAGACTGCATGCGGCCGCGGTGGCCGC
 25 AGCGGTGCGCGACTGCGGACGGCTGCTGGCCGGGCGGTTGCACCGGGCGGTGGACGGGGCG
 TCGCAACTGCGCGACGCGTCGGCCGCGCAACGTCAGCAGCGGTTAGCGGCGATGGCCGCGGT
 GCGCGACGAGGTGAACACGCTGAGCGCCCGAGTGGGGGAACTCACCGATTGCTGCACCGCG
 ACGAGCTGGCTAACGCGCAGGCGGCGCTGCGTATCGAGCAGCTTGAGCAGATGGTGCTAGAG
 CAGTTCGGAATGGCGCCGGCGGACTTGATCACCGAATACGGTCCACATGTGGCGCTACCACCG
 30 ACCGAGCTCGAGATGGCTGAGTTCGAGCAAGCCCGCGAACGCGGCGAGCAGGTGATTGCGCC
 CGCCCCCATGCCGTTTCGACCGGGTTACCCAGGAGCGCCGGGCCAAACGCGCCGAGCGTGCGC
 TTGCCGAGTTGGGCAGGGTCAACCCGCTGGCGCTCGAAGAGTTTGCTGCCTTGAGGAGCGCT
 ACAATTTCTGTCCACCCAACTCGAGGATGTCAAGGCTGCCCCGCAAGGATCTGCTGGGCGTCGT
 CGCCGATGTTGACGCCCGCATCTGCAGGTGTTCAATGACGCGTTTCGTAGACGTGGAACGCGA
 35 ATTCGCGGCGTGTTACCGCATTGTTCCCCGGTGGTGAAGGACGGCTGCGGCTGACCGAGCC
 CGACGACATGCTCACCACCGGCATCGAGGTGCAAGCCCGCCCGCGGGCAAGAAGATTACCC
 GACTGTCTTTGCTCTCCGGTGGCGAGAAGGCGCTGACCGCGGTGGCGATGCTGGTCGCGATCT

TTCGTGCCCCGTCCATCGCCGTTCTACATCATGGACGAGGTGGAGGCCGCCCTCGACGACGTGA
 ACCTGCGCCGACTGCTCAGCCTGTTTGAACAGCTGCGAGAGCAGTCGCAGATCATCATCAC
 CCACCAGAAGCCGACGATGGAGGTGCGGACGCACTGTACGGCGTAACCATGCAGAACGACG
 GCATCACCGCGGTCTCTCGCAGCGCATGCGCGGTGAGCAGGTGGATCAGCTGGTTACCAATT
 CCTCGTAG

>Rv2925c rnc RNase III TB.seq 3239829:3240548 MW:25400

>emb|AL123456|MTBH37RV:c3240548-3239826, rnc SEQ ID NO:114

ATGATCCGGTCACGACAACCCCTGCTCGACGCACTCGGTGTGGACCTCCCGGACGAGCTGCTC
 TCACTGGCGTTGACCCACCGCAGCTACGCCTACGAGAACGGCGGGCTGCCGACCAACGAGCGT
 TTGGAGTTTCTCGGCGATGCCGTGCTAGGGCTGACCATCACCGACGCGCTGTTCCATCGTCATC
 CTGATCGGTGCGAGGGGGATCTGGCCAACTGCGGGCCAGCGTAGTCAACACCCAGGCCCTG
 GCCGACGTGCGACGCCGCCTCTGTGCGGAAGGCCTCGGTGTTACGTGCTATTGGGTCGCGGC
 GAGGCGAACACCGGCGGGGCCGACAAGTCCAGCATTCTGGCCGACGGTATGGAATCGCTGCT
 GGGCGCGATCTACCTGCAACACGGTATGGAGAAGGCCCGTGAGGTGATCCTGCGGCTGTTTGG
 CCCGTTGCTGGACGCCGCGCCGACCCTGGGTGCGGGATTGGATTGGAAGACCAGCTTGCAGG
 AGCTGACTGCAGCGCGAGGGCTGGGTGCGCCGTCATACCTGGTCACCTCCACCGGCCCGGAC
 CACGATAAGGAATTCACCGCGGTGGTTGTCGTGATGGACAGCGAATACGGTTCAGGAGTGGGC
 CGGTCCAAAAAAGAAGCCGAGCAAAAAGCCGCGGCGGCCGCTTGAAAGCCCTGGAAGTGCTC
 GACAACGCCATGCCGGGCAAAACCTCCGCCTAA

>Rv2934 ppsD TB.seq 3262245:3267725 MW:193317

>emb|AL123456|MTBH37RV:3262245-3267728, ppsD SEQ ID NO:115

ATGACAAGTCTGGCGGAGCGCGCGGCGCAACTGTCGCCGAACGCGCGAGCGGCCCTGGCGCG
 CGAGCTCGTCCGTGCGGGTACGACCTCCCGACCGACATCTGCGAGCCGGTGGCGGTGGTGG
 GCATCGGCTGTCGCTTTCCGGGGAATGTGACTGGGCCAGAGAGCTTTTGGCAGCTACTGGCCG
 ACGGTGTGGACACAATCGAGCAGGTGCCGCCTGATCGGTGGGATGCGGACGCGTTCTACGATC
 CCGATCCTTCGGCGTCCGGTCCGATGACGACGAAATGGGGTGGTTTCGTTTCCGATGTCGACG
 CGTTCGACGCCGACTTTTTCGGAATCACTCCTCGGGAAGCCGTGGCGATGGACCCGACGATC
 GGATGCTGCTCGAGGTTGCCTGGGAAGCGTTGGAGCACGCGGGTATTCCGCCGATTCTTGA
 GCGGCACTCGAACCGGCGTGATGATGGGTCTGTCGTGCTGGGACTACACGATCGTCAATATCG
 AGCGCAGAGCCGACATCGACGCGTACCTGAGCACCGGAACCCCGCACTGTGCCGCGGTGGGG
 CGGATCGCGTATCTGTTGGGATTGCGTGGTCCGGCCGTCGCCGTAGATACCGCTTGTTGTCGT
 CGCTGGTGGCAATTCATTGGCGTGTGAGAGCCTTCGCCTGCGTGAAACCGACGTGGCATTGG
 CGGGCGGGGTGCAGCTCACCTTGTACCGTTACCGCCATCGCGCTGTCCAAGTGGTCGGCGC
 TGTACCGACCGGCCGATGCAACAGCTTCGACGCCAACGCGGATGGATTGTCGCGGGCGAG
 GGCTGCGGCGTGGTGGTGTCAAGCGGTTGGCCGACGCGGTGCGCGACCAGGACCGGGTGCT

TCGGGTGGTCCGCGGTTTCGGCAACTAACTCCGATGGTCCGTCACACGGCATGACCGCACCGAA
 CGCGCTGGCGCAGCGTGACGTGATCACATCCGCCCTCAAGCTTGCGGATGTTACCCCTGACAG
 CGTGA ACTATGTGAAACACACGGCACCGGAACGGTGTGGGGGACCCCATCGAGTTCGAGTC
 GCTGGCGGCCACTTATGGCCTGGGTAAAGGCCAGGGCGAGAGCCCGTGCGCATTGGGGTCGG
 5 TCAAGACCAACATCGGCCACCTGGAGGCGGCCGCCGGTGTGGCTGGATTCATCAAGGCGGTGC
 TGGCGGTGCAACGTGGGCACATTCCCCGCAACTTGCACTTCACCCGGTGGAACCCGGCCATCG
 ACGCGTCGGCGACGCGGCTGTTCTGTGCCGACCGAAAGCGCCCCGTGGCCGGCGGCTGCCGGT
 CCACGCAGGGCTGCGGTGTCATCGTTTCGGCCTCAGCGGGACCAACGCGCACGTGGTGGTCGA
 GCAGGCACCCGACACCGCAGTAGCCGCAGCCGGCGGCATGCCGTATGTTTCGGCGCTGAACG
 10 TCTCCGGCAAGACGGCCGCGCGGGTGGCGTCGGCGGCGGCGGTGCTGGCCGACTGGATGTC
 GGGGCCGGGCGCGGCGGCACCACTGGCCGACGTGGCACACACGTTGAACCGGCACCGGGCC
 CGGCACGCCAAGTTCGCCACCGTCATCGCGCGTGACCGCGCCGAGGCGATCGCGGGGTTCGG
 AGCGCTGGCGGCCGGACAACCACGCGTTGGGGTGGTGGATTGCGACCAGCATGCCGGTGGGC
 CTGGCCGGGTTTTTGTGTATTTCGGGTCAGGGCTCGCAGTGGGCGTCGATGGGCCAGCAGTTGC
 15 TGGCCAACGAACCGGCGTTTCGCCAAGGCGGTAGCCGAGCTGGATCCGATATTCGTTGACCAGG
 TTGGCTTTTCGCTGCAGCAAACGCTTATCGACGGCGACGAGGTGGTGGGCATCGACCGCATCC
 AGCCGGTGCTGGTCGGGATGCAGTTGGCGCTGACCGAGTTATGGCGGTCCTATGGGGTGATTC
 CAGATGCCGTGATCGGGCACTCGATGGGTGAGGTGTGGCGGCGAGTGGTGGCCGGCGCGTTG
 ACGCCCGAGCAGGGCTTGCGGGTCATCACCAACCGGTGCGCGTTGATGGCGCGGCTGTCCGG
 20 GCAGGGAGCGATGGCGCTGCTCGAGCTGGATGCCGACGCCGCCGAGGCGCTGATTGCCGGCT
 ATCCGCAGGTGACGCTGGCGGTGCATGCGTCACCGCGCCAGACGGTGATCGCCGGGCGCGCCC
 GAGCAGGTGGACACGGTGATCGCGGCGGTAGCGACGCAAAACCGGTTGGCGCGCCGCGTCGA
 AGTCGACGTGGCCTCCCATCACCCGATCATCGATCCATACTGCCCGAGTTGCGAAGCGCGTTA
 GCGGATTTGACTCCGCAGCCGCCGAGCATCCCGATCATTTCCACTACGTACGAAAGCGCGCAG
 25 CCGGTGGCGGATGCCGACTATTGGTTCGGCCAACCTGCGCAACCCGGTGCGATTCCACCAGGCC
 GTCACCGCCGCCGGTGTGACCAACAACACCTTCATCGAAATCAGCCCTCACCCCGTGCTCACG
 CACGCACTCACCGACACCCTGGATCCGGACGGCAGCCATACAGTCATGTCGACGATGAACCGC
 GAACTGGACCAGACGCTGTATTTCCACGCCCAACTCGCCGCGGTGGTGTGGCTGCGTCCGAG
 CACACCACCGGTGCGCTTGTGACCTGCCCCCACACCGTGGCACCATCAGCGATTCTGGGTC
 30 ACGGATCGTTTCGGCGATGTCCGAGCTGGCCGCGACCCACCCGCTCCTGGGCGCGCACATCGA
 GATGCCGCGCAACGGAGACCATGTCTGGCAGACCGATGTCCGGACCGAGGTCTGTCCCTGGTT
 GGCAGACCACAAGGTGTTTCGGTCAACCCATCATGCCGGCCGCGGGGTTTCGCCGAGATCGCCTT
 GGCGGCGGCCAGCGAAGCCCTCGGCACAGCCGCCGACGCCGTGCGACCCAACATCGTGATCA
 ACCAGTTCGAGGTGGAGCAGATGCTGCCCTCGACGGCCACACGCCGCTAACGACGCAGTTAA
 35 TTCGCGGCGGGGACAGCCAGATTCGGGTGAGATCTATTCCCGCACGCGTGGCGGAGAGTTCT
 GCCGACACGCCACGGCCAAGGTTGAACAATCGCCGCGCGAATGTGCGCACGCGCACCCGGAA
 GCCCAAGGTCCCGCCACCGGGACAACAGTGTGCGCGGCCGATTTTTATGCCCTGCTCCGCCAA

ACCGGCCAACACCATGGTCCGGCGTTTCGCGGCCTTAAGCCGGATCGTGCGCCTGGCCGATGGT
 TCCGCGGAAACCGAGATCAGCATTCCCGACGAGGCGCCGCGCCATCCCGGGTATCGGCTGCA
 CCCCCTGGTATTGGATGCGGCATTGCAAAGCGTGGGTGCCGCGATACCCGACGGCGAGATCGC
 GGGGTGCGCGGAAGCCAGCTATCTGCCAGTGTCTTCGAGACCATCCGGGTGTACCGCGACAT
 5 CCGTCGGCACGTCAGGTGTCTGCCCCACCTGACAAACCTCGACGGCGGCACCGGAAAGATGG
 GCAGGATCGTCCTAATCAACGACGCCGGCCACATAGCGGCCGAAGTGACGGCATCTATCTGC
 GTCGTGTGAACGCCGTGCGGTACCCCTGCCACTAGAGCAGAAGATCTTCGATGCCGAATGGA
 CCGAAAGCCCGATCGCAGCCGTGCCGGCTCCGGAGCCAGCTGCCGAGACGACGCGGGGAAGT
 TGGCTGGTACTCGCCGATGCAACGGTGGATGCGCCAGGCAAGGCCAGGCCAAGTCGATGGC
 10 CGACGACTTCGTGCAGCAGTGGCGCTCACCGATGCGGCGGGTGACACCGCCGATATCCACGA
 CGAATCGGCGGTGCTGGCCGCATTTGCAGAAACGGCAGGCGATCCCGAGCACCCGCCGGTTG
 GCGTGGTGGTGTTCGTGCGCGGTGCCTCGAGTCGACTGGACGACGAGCTGGCGGCGGCGCGC
 GACACGGTGTGGTCGATCACACGGTGGTTCGTGCGGTCTGCGGCACGTGGCACGGCCGATCA
 CCGCGGCTATGGCTGGTCACCGGGGGCGGACTTTCCGTTGCCGACGACGAGCCGGGAACACC
 15 CGCGGCGGCTTCCTTGAAAGGGCTGGTGCGGGTGCTCGCCTTCGAGCACCCGGACATGCGCA
 CCACCCTGGTCGATCTGGACATCACACAAGACCCGCTGACCGCGCTGAGCGCGGAAGTTCGGA
 ATGCCGGGAGTGGTTCGCGCCATGATGACGTGATCGCGTGGCGCGGCGAGCGCAGGTTCTGC
 GAACGGCTGTGCGCGGCCACGATCGATGTATCCAAAGGGCATCCGGTGGTGCGCCAGGGAGC
 GTCGTACGTCTGTCACCGGCGGCCTCGGCGGTCTCGGCCTGGTCTGCTCGCTCGTTGGCTGGTGG
 20 ACCGCGGCGCCGCGCCGGGTGGTGTGGGTGGCCGACGCGATCCCACTGACGAGCAGTGCAAC
 GTCCTGGCCGAAGTGCAGACCCGCGCCGAGATCGTGGTTGTCCGTGGCGACGTGGCATCGCC
 GGGGGTGGCAGAAAAGCTGATTGAGACGGCCCGACAGTCTGGGGGCCAATTGCGCGGCGTCG
 TGCACGCCGCGCGGTCATCGAAGACAGCCTGGTGTCTCTATGAGCAGGGACAACCTAGAAC
 GGGTGTGGGCACCCAAGGCCACCGGTGCGCTGCGCATGCACGAAGCCACCGCTGACTGCGAG
 25 CTCGACTGGTGGCTCGGATTCTCTTCCGCCGCTTCGCTATTGGGTTCTCCCGGGCAAGCGGCCT
 ACGCGTGCGCCAGCGCGTGGCTGGACGCGCTGGTCGGATGGCGCAGGGCATCCGGCCTGCC
 GGCCGCGGTGATCAACTGGGTCCGTGGTTCGGAGGTAGGCGTCGCCAGGCCCTGGTGGGCA
 GTGTTCTCGACACGATCAGTGTGCGAGAAGGCATCGAGGCTCTCGACTCATTGCTTGCCGCCGA
 CCGGATCCGCACTGGAGTGGCTCGGCTGCGTGCCGATCGGGCCCTGGTCGCATTCCCGGAGA
 30 TCCGCAGCATCAGCTACTTCACCCAGGTGGTTCGAGGAGCTGGACTCGGCGGGTGACCTCGGCG
 ACTGGGGCGGGCCCGACGCGCTTGCCGACCTCGACCCGGGCGAGGCGCGGCGCGCGGTGAC
 CGAGCGGATGTGTGCGCGCATCGCTGCGGTGATGGGCTACACTGACCAGTCGACTGTGCAACC
 CGCCGTGCCCTTGACAAAGCCCTGACCGAGCTGGGGCTGGATTCTCTGATGGCGGTACGAAT
 ACGCAACGGCGCGCGGGCGGATTTCCGCGTGGAACCGCCGGTAGCGCTGATACTGCAAGGCG
 35 CGTCTTGATGACCTGACGGCGGACTTAATGCGCCAACTCGGGCTCAATGATCCCGATCCGG
 CGCTCAACAACGCTGACACTATTGCGGACCGGGCGCGCCAGCGCGCGGCAGCGCGACACGGA
 GCCGCGATGCGGCGCCGACCTAAACCTGAAGTACAGGGAGGATAA

>Rv2946c pks1 TB.seq 3291503:3296350 MW:166642

>emb|AL123456|MTBH37RV:c3296350-3291500, pks1 SEQ ID NO:116

5 GTGATTTTCGGCGAGATCGGCTGAGGCGTTGACGGCGCAGGCGGGTCGACTTATGCCCCACGTG
CAGGCCAACCCAGGGCTGGATCCGATCGATGTGGGGTGCTCGTTGGCCAGTCGCTCGGTGTTT
GAGCACCGAGCGGTGGTGGTTCGGCGCAAGCCGTGAGCAACTGATTGCCGGGCTGGCTGGGCT
CGCGGCGGGCGAGCCGGGTGCCGGCGTGGCGGTTCGGTCAGCCAGGGTCGGTGGGCAAGACG
GTGGTTCGTGTTTCCTGGGCAGGGCGCGCAGCGCATCGGGATGGGCCGCGAGTTGTACGGCGA
10 GTTGCCCGTGTTTGCGCAGGCATTTCGATGCGGTGGCCGACGAGTTGGACCGGCATCTGCGGTT
GCCGCTGCGCGACGTTATTTGGGGTGCCGATGCGGATTTGCTTGACAGCACCGAATTTGCTCAG
CCCGCGTTGTTTCGCGGTGGAGGTGGCATCGTTTCGCGGTGTTGCGGGATTGGGGTGTCCTCCG
GACTTCGTTCATGGGTCACTCCGTTGGAGAGCTGGCGGCGGCGCACGCGGCCGGTGTGTTGAC
GTTGGCGGACGCGGCGATGCTGGTGGTGGCGCGGGGCCGGTTGATGCAGGCGCTGCCGGCA
15 GCGGTGCGATGGTGGCGGTGGCTGCCAGTGAGGACGAGGTGGAGCCGCTGCTGGGTGAGG
GTGTGGGGATCGCTGCGATCAACGCGCCCGAATCGGTGGTGTCTCCGGTGCGCAGGCCGCG
GCAAATGCGATTGCGGATCGGTTTCGCGCGCAGGGTTCGGCGGGTGCACCAAGTTGGCGGTCTC
GCATGCGTTTTATTTCGCGTTGATGGAGCCGATGCTCGAGGAGTTTCGCGCGTGTGCGGGCCCG
GGTGCAGGCACGCGAGCCCCAGCTTGGGCTGGTGTGCAACGTGACGGGCGAGTTGGCCGGCC
20 CTGATTTTCGGGTCGGCGCAGTACTGGGTGGACCAGTTTCGTCGGCCGGTGCCTTCGCGGACA
GTGCGCGTCATTTGCAGACCCTTGGGGCGACCCACTTCATCGAGGCCGGCCCGGGAAGTGGTT
TGACTGGCTCGATCGAGCAGTCCTTGGCCCCGGCTGAGGCGATGGTGGTGTGATGCTGGGCA
AAGACCGGCCCGAGCTGGCCTCGGCGCTCGGTGCTGCCGGTCAGGTGTTACCAACCGGTGTG
CCGGTGCAGTGGTCGGCGGTGTTTCGCCGGCTCGGGTGGACGGCGGGTGCAGCTGCCACGTA
TGCGTTTCAGCGACGGCGGTTTTTGGGAGACGCCGGGCGCGGATGGGCCCGCCGATGCGGCCG
25 GGTGGGTCTGGGCGCGACCGAGCATGCCTTGTGGGTGCGGTGGTCGAGCGGCCCGATTCT
GACGAGGTGGTGTGACCGGCCGGTTGTGCTTTCGGATCAGCCGTGGCTGGCCGACCACGT
GGTGAACGGGGTGGTGTGTTCCCGGGGCGGGTTTTGTGGAGTTGGTGATCCGCGCCGGTG
ATGAGGTTCGGGTGCGCGCTCATCGAAGAGTTGGTGTGCGCCGACCGTTGGTGATGCACCCGG
GTGTCGGGGTTTCAGGTGCAGGTGGTCGTGCGGGCTGCCGATGAATCCGGGCACCGTGCGGTG
30 TCGGTGTATTCCCGCGGTGATCAATCCAGGGTTGGTTGCTGAACGCCGAAGGCATGCTGGGG
GTGGCTGCCGCTGAGACGCCGATGGATTTGTCCGTGTGGCCGCCCGAGGGCGCGGAGAGTGT
GGATATCTCGGACGGCTATGCGCAGTTGGCCGAGCGCGGTTATGCCTACGGCCCCGCGTTTCA
GGGTCTGGTGGCGATCTGGCGGCGGGGGTCGGAGCTGTTCCCGAAGTTGTAGCCCCCGGCG
AGGCCGGCGTGGCCGTCGACCGAATGGGGATGCATCCGGCGGTGTTGGACGCGGTGCTGCAT
35 GCCCTCGGGCTGGCCGTCGAGAAGACCCAGGCGAGACCGAGACGAGACTGCCGTTTTGCTG
CGGTGGGGTGTGCTGCATGCCGGCGGCGCTGGACGGGTGCGGGGCCCGCTTCGCGTCCGCG
GGCGCGGATGCGATTTCCGTGGACGTCTGCGACGCCACTGGGCTGCCGGTGTGACGGTGCG

CTCGCTGGTTACTCGCCCGATAACCGCAGAACAGCTGCGCGCCGCGGTGACCGCGGCCGGCG
 GTGCGTCCGATCAGGGGCCGCTGGAAGTGGTGTGGTCGCCGATCTCGGTGGTCAGCGGCGGC
 GCTAACGGGTCCGCCCCACCTGCCCCGGTGTCTTGGGCGGACTTTTGCGCCGGCAGTGATGGT
 GACGCCAGTGTCTGGTGTGGGAAGTCTGAGTCTGCCGGTGGCCAAGCATCCTCGGTGGTGGG
 5 CTCGGTGTATGCGGCCACCCACACCGCCCTGGAGGTGTTGCAGTCCTGGCTCGGCGCGGATCG
 GGCGGCCACGTTGGTGGTGTGACCCATGGTGGCGTGGGGCTGGCTGGCGAGGACATCAGCG
 ACCTGGCCGCCCGCGCGGTGTGGGGCATGGCGCGTTCGCGCGAGGCCGAAAATCCCGGCCG
 GATCGTGTGATCGACACCGATGCGGCGGTGGATGCCTCGGTGCTAGCCGGCGTCGGGGAAC
 CCCAGCTGCTGGTGC GCGCGGCACTGTGCACGCCCCCGGCTGTCCCCGGCCCCGGCGTTG
 10 CTAGCGTTACCGGCGGCAGAGTCGGCGTGGCGATTGGCCGCCGGTGGTGGCGGGACCCTGGA
 GGATTTGGTGTATCCAGCCCTGCCCGGAGGTACAGGCACCGCTACAGGCGGGGACAGGTGCGCG
 TGGCGGTGGCGGCCGTCGGGGTCAACTTCCGCGATGTGGTGGCCGCCCTAGGGATGTATCCC
 GGCCAGGCCCCACCGCTGGGTGCCGAAGGCGCCGGGGTGGTGCTTGAGACCGGTCCCGAAGT
 GACCGATCTTGCCGTCGGTGACGCCGTGATGGGATTCTGGGCGGGGCGCGGTCCGCTGGCGG
 15 TGGTGGATCAGCAACTGGTTACCCGGGTGCCGCAAGGCTGGTCGTTTGCTCAGGCAGCCGCTG
 TGCCGGTGGTGTCTTGACGGCCTGGTACGGGTGGCCGATTAGCCGAGATCAAGGCGGGCG
 AATCGGTGCTGATCCATGCCGGTACCGGCGGTGTGGGCATGGCGGCTGTGCAGCTGGCTCGC
 CAGTGGGGCGTGGAGGTTTTCTGTACCGCCAGCCGTGGCAAGTGGGACACGCTGCGCGCCAT
 GGGGTTTGACGACGACCATATCGGCGATTCCCGCACATGCGAGTTCGAGGAGAAGTTCCTGGC
 20 GGTACCGAGGGCCGCGGGGTTGATGTGGTGTCTCGACTCGCTGGCCGGTGAGTTCGTGGATG
 CGTCGCTGCGCTTACTGGTCCGCGGTGGGCGTTTCTCGAGATGGGCAAGACGGATATCCGCG
 ATGCGCAGGAGATCGCCGCTAATTATCCCGGCGTGCAGTATCGGGCGTTCGACCTGTGCGAGG
 CCGGCCCGGCACGCATGCAGGAGATGTTGGCCGAGGTGCGGGAGCTGTTGACACCCGGGAG
 CTGCACCGGCTACCGGTACACAGTGGGATGTGCGCTGCGCCCCGGCGGCCTTCCGGTTCATG
 25 AGCCAGGCCCCGCATATCGGCAAGGTTGTCTTAACCATGCCCTCGGCGTTGGCCGACCGGCTT
 GCCGACGGCACGGTGGTGTATACCGGTGCCACCGGGGCGGTTGGTGGGGTGTGGCCCCGCA
 CCTGGTTGGCGCTATGGGGTGCCTCATCTGGTGTGGCCAGTCGGCGGGGCGATCGCGCGG
 AGGGAGCGGCCGAATTGGCCGCCGACTTGACGGAGGCCGCGCCAAGGTGCAGGTGGTGGC
 CTGTGACGTGGCCGATCGCGCTGCGGTAGCGGGGTTGTTTGCCAGCTGTGCGGGGAGTACCC
 30 GCCGGTGC GCGGGGTGATTCATGCCGCCGGCGTGCTCGATGACGCAGTGATCACCTCGTTGAC
 ACCGGACCGCATCGATACGGTGTGCGGGCCAAGGTGGACGCGGCGTGGAACCTGCACCAGG
 CCACCAGTGACCTGGATTTGTCGATGTTTGCGCTGTGCTCATCGATCGCGGCCACGGTCGGCTC
 GCCGGGGCAGGGCAACTACTCGGCGGCAAACGCGTTTCTGGACGGGTGGCCGCTCACCGGC
 AGGCCGCAGGGTTGGCCGGGATATCACTGGCGTGGGGTTTGTGGGAACAGCCTGGCGGCATG
 35 ACCGCGCATTTGAGCAGCCGAGATCTGGCCCGCATGAGCCGCAGCGGGCTGGCTCCGATGAG
 CCCTGCCGAAGCGGTGGAATTGTTTGACGCTGCGCTGGCCATCGATCACCTCTGGCGGTGGC
 CACGCTCTTGACCGGGCTGCACTAGACGCCCGGGCCCAGGCCGGTGCGTTGCCGGCGCTGT

TCAGCGGGCTCGCGCGCCGCCACGCCGACGCCAAATCGACGACACCGGTGACGCCACCTCG
TCGAAGTCGGCGCTGGCTCAACGCCTACACGGGCTGGCCGCGGACGAACAACTCGAGCTGCTA
GTGGGGCTGGTGTGTCTGCAGGCAGCGGCAGTGTGGGTAGGCCCTCCGCCGAGGACGTCTGA
CCCCGACACCGAATTCGGCGACCTCGGTTTCGACTCATTAAACGGCTGTGGAGTTACGCAACCGC
5 CTCAAACCGCCACCGGACTGACGCTGCCACCTACCGTGATTTTCGATCATCCCACTCCCACTG
CGGTCGCCGAGTATGTCGCCAGCAAATGTCTGGCAGCCGCCAACGGAATCCGGTGATCCGA
CGTCGCAGGTTGTGAACCCGCCGCCGCGGAAGTATCGGTCCATGCCTAG

>Rv3014c ligA DNA ligase TB.seq 3372545:3374617 MW:75258

>emb|AL123456|MTBH37RV:c3374617-3372542, ligA SEQ ID NO:117

10 GTGAGCTCCCCAGACGCCGATCAGACCGCTCCCGAGGTGTTGCGGCAGTGGCAGGCACTGGC
CGAGGAGGTGCGTGAGCACCAGTTCGTTATTACGTGCGGGACGCGCCGATCATCAGCGACGC
GGAATTCGACGAGCTGCTGCGCCGTCTGGAAGCCCTCGAGGAGCAGCATCCCGAGCTGCGCA
CGCCCGATTGCGCGACCCAGCTGGTCGGCGGTGCCGGCTTCGCCACGGATTCGAGCCCGTC
15 GACCATCTCGAACGAATGCTCAGCCTCGACAACGCGTTCACCGCCGACGAACTCGCCGCCTGG
GCCGGCCGCATCCATGCCGAGGTGCGAGACGCGGCACATTACCTGTGTGAGCTCAAGATCGAC
GGCGTCGCGCTGTCTTTGGTCTACCGCGAGGGACGGCTGACCCGGGCCTCCACCCGCGGGCGA
CGGGCGCACCCGGCGAGGACGTACCCCTGAACGCGCCGGACCATCGCCGACGTTCCCGAACGGC
TCACCCCCGGCGACGACTACCCGGTGCCCGAGGTCTCGAGGTCCGCGGCGAGGTCTTCTTCC
20 GGCTGGACGACTTCCAGGCGCTCAACGCCAGCCTCGTCGAGGAGGGCAAGGCGCCGTTCCGC
AACCCCGCAACAGCGCGGGCGGGATCGCTGCGCCAGAAAGACCCGGCGGTCACCGCGCGCCG
CCGGCTGCGGATGATCTGCCACGGGCTGGGCCACGTGGAGGGCTTTCGCCCGGCCACCCTGC
ATCAGGCATACCTGGCGTTGCGGGCATGGGGACTGCCGGTTTCCGAACACACCACCCTGGCAA
CCGACCTGGCCGGTGTCGCGAGCGCATCGACTACTGGGGCGAGCACCGCCACGAGGTGGAC
25 CACGAAATCGACGGCGTGGTGGTCAAAGTCGACGAGGTGGCGTTGCAGCGCAGGCTGGGTTT
CACGTGCGGGGCGCCGCGCTGGGCCATCGCCTACAAGTACCCGCCCGAGGAAGCGCAGACCA
AGCTGCTCGACATCCGGGTGAACGTGCGCCGACCGGGCGGATCACGCCGTTTGCCTTCATGA
CGCCGGTGAAGGTGGCCGGTTCGACGGTGGGACAGGCCACCCTGCACAACGCCTCGGAGATC
AAGCGCAAGGGCGTGCTGATCGGCGACACCGTGGTGATCCGCAAGGCCGGCGACGTGATCCC
30 CGAGGTGCTGGGACCCGTCGTCGAACTGCGCGATGGCTCCGAACGCGAATTCATCATGCCAC
CACCTGCCCGAGTGCGGTTTCGCCGTTGGCGCCGAGAAAGGAAGGCGACGCGACATCCGTT
GCCCCAACGCCCGCGGCTGCCCGGGGCAACTGCGGGAGCGGGTTTTCCACGTGCGCAGCCGC
AACGGCCTAGACATCGAGGTGCTCGGTTACGAGGCGGGTGTGGCGCTCTTGCAGGCGAAGGT
GATCGCCGACGAGGGCGAGCTGTTGCGCTGACCGAGCGGGACTTGCTGCGCACCGACCTGT
35 TCCGAACCAAGGCAGGCGAACTGTCGGCCAACGGCAAACGGCTGCTGGTCAACCTCGACAAGG
CCAAGGCGGCACCGCTGTGGCGGGTGTGGTGGCGCTGTCCATCCGCCATGTGGGGCCGACG
GCGGCCCGCGCCCTGGCCACCGAGTTCGGCAGCCTTGACGCCATCGCCGCGGCGTCCACCGA

CCAGCTGGCCGCGTCGAGGGGGTGGGGCCGACCATTGCCGCCGCGGTACCCGAGTGGTTCG
CCGTCGACTGGCACCGCGAGATCGTCGACAAGTGGCGGGCCGCCGGGGTGCGAATGGTCGAC
GAGCGTGACGAGAGTGTGCCACGCACGCTGGCCGGGCTGACCATCGTGGTCACCGGCTCGCT
GACCGGTTTTCTCCCGCGACGACGCCAAGGAGGCGATCGTGGCCCGCGGCGGCAAGGCCGCCG
5 GCTCGGTGTGGAAGAAGACCAACTATGTCTGTCGCCGGAGACTCGCCGGGATCCAAATACGACA
AGGCGGTGGAGTTGGGGGTGCCGATTCTGGACGAGGATGGGTTCCGGAGACTGCTGGCCGAC
GGACCCGCGTCACGAACGTAA

>Rv3025c - NifS-like protein TB.seq 3383885:3385063 MW:40948

>emb|AL123456|MTBH37RV:c3385063-3383882, Rv3025c SEQ ID NO:118

ATGGCCTACCTGGATCACGCTGCCACCACCCCGATGCACCCCGCCGCCATCGAGGCGATGGCG
GCCGTGCAGCGCACCATCGGCAATGCGTCGTCGCTGCACACCAGCGGGCGCTCGGCGCGCCG
GCGGATCGAGGAGGCCCGTGAGCTGATCGCGGACAAGCTAGGCGCTCGTCCGTCCGAGGTGA
TCTTCACCGCGGGCGGCACCGAAAGCGACAACCTGGCTGTCAAAGGTATCTATTGGGCACGCC
15 GCGATGCGGAGCCGCACCGCCGTCGCATCGTCACCACCGAGGTGGAACACCACGCCGTA
GACTCGGTGAACTGGCTCGTGAACACGAAGGCGCCCATGTGACCTGGCTGCCGACCGCCGC
CGACGGCTCGGTGTCGGCAACTGCGCTGCGCGAGGCACTGCAGAGCCACGACGACGTCGCGC
TGGTATCGGTGATGTGGGCCAACAACGAGGTCCGAACTATTCTACCGATCGCCGAAATGTCAGT
TGTCGCCATGGAATTCGGCGTGCCGATGCACAGTGATGCCATTACGGCGGTGGGACAGCTCCC
20 GCTTGACTTCGGGGCCAGCGGGCTGTCGGCGATGAGCGTGGCCGGGCACAAATTCGGTGGCC
CGCCAGGAGTGGGTGCGTTGCTGCTGCGCCGCGACGTACCTGCGTGCCCTTATGCACGGC
GGTGGGCAGGAGCGCGATATTCGTTCCGGCACACCCGATGTGCCAGTGCAATTGGAATGGCG
ACGGCCGCGCAGATCGCGGTGGACGGAACGAGGAAAACAGCGCGCGGTTACGGCTGCTGCG
GGATCGTCTGGTCGAGGGTGTGCTGGCTGAGATTGACGATGTTTGCCTTAACGGCGCCGATGA
25 CCCGATGCGGCTAGCGGGTAACGCGCACTTCACTTTCCGTGGCTGCGAAGGCGATGCGCTGTT
GATGTTGTTGGACGCTAACGGAATCGAGTGCTCAACCGGATCGGCCTGCACGGCAGGTGTAGC
GCAGCCCTCGCATGTGTTGATTGCAATGGGCGTCGACGCGGCCAGCGCCCGCGGATCATTGCG
TCTCTCGCTGGGGCACACCAAGTGTGAGGCTGATGTGATGCCGCGTTGGAGGTGCTTCCCGG
GGCGGTGGCACGTGCACGGCGGGCCGCCCTAGCCGCCGCGGGAGCATCCCGATGA

>Rv3080c pknK serine-threonine protein kinase TB.seq 3442656:3445985 MW:119420

>emb|AL123456|MTBH37RV:c3445985-3442653, pknK SEQ ID NO:119

ATGACCGACGTTGATCCGCACGCGACGCGGGGACCTGGTCCCGAATATTCCCGCGGAACTG
CTTGAGGCTGGATTCGACAATGTCGAGGAGATCGGGCGCGGCGGATTGCGCGTCGTCTACCGC
35 TCGTCCAGCCCTCGCTGGACCGCGCCGTCGCCGTCAAGGTATTGAGCACCGACCTGGATCGG
GACAATCTCGAGCGCTTCCTGCGCGAGCAGCGGGCCATGGGCCGCTTTCCGGGCACCCGCA
CATCGTGACCGTCTTGACAGGTGGGCGTGTGGCGGGTGGGCGGCCCTTCATCGTGATGCCCTA

CCACGCCAAGAATTTCGTTGGAGACGCTGATTGCGCCGGCACGGGCCGCTGGACTGGCGCGAGA
 CGCTGTCGATCGGCGTCAAGCTCGCGGGAGCGCTGGAAGCCGCGCATCGCGTCGGCACCCCTG
 CACCGTGACGTGAAGCCGGGGAATATCCTGCTGACCGACTACGGGGAACCGCAGCTGACCGAT
 TTCGGAATCGCCAGAATCGCCGGGGGTTTCGAGACGGCGACCGGGGTGATTGCCGGTTCCTCCG
 5 GCTTTCACCGCGCCGGAAGTTCTCGAAGGAGCATCGCCGACGCCCGCCTCTGACGTGTACTCC
 CTGGGCGCGACGTTGTTCTGTGCGCTGACCGGCCATGCCGCCTACGAGCGCCGCAGCGGTGA
 GCGGGTGATCGCCAGTTCTGCGGATCACCTCGCAGCCGATCCCCGACCTGCGGAAGCAGG
 GACTGCCCCGCGACGTGGCCGCCGCCATCGAACGGGCGATGGCCCGCCATCCGGCGGATCGT
 CCCGCGACCGCGGCAGACGTTGGCGAGGAGCTTCGCGACGTTACGCGCCGCAACGGCGTCAG
 10 CGTCGACGAGATGCCCCCTCCCCGTCGAGCTGGGCGTGGAACGCCGACGCTCGCCCCGAGGCGC
 ACGCGGCGCATCGGCATACCGGCGGCGGCACCCCGACGGTCCCGACGCCTCCGACACCCGCG
 ACCAAGTACCGGCCGTGCGTGCCACCGGCTCGCTGGTCACCCGCAGCCGGCTCACCGACAT
 CCTGCGCGCCGGCGGACGGCGCCGGCTGATCCTCATCCACGCGCCCTCGGGATTTCGGCAAAA
 GCACCCTGGCGGCGCAATGGCGGGAAGAGCTCTCGCGCGACGGCGCCGCGGTGCGCTGGCT
 15 GACAATCGACAACGACGACAACAACGAGGTGTGGTTCTTGTGCGACCTGCTCGAGTCGATCCG
 GCGGGTCCGGCCACGCTGGCCGAGTCGTTGGGGCACGTGCTCGAAGAGCATGGGGATGACG
 CCGGCCGCTACGTGTTGACTTCGCTGATCGAAGAAATCCACGAAAACGACGACCGGATCGCGG
 TGGTGATCGACGACTGGCATCGGGTGTCCGACAGCCGCACCCAAGCTGCCCTGGGTTTCCTGC
 TGGACAACGGATGTCACCACCTGCAGCTCATCGTGACCAGCTGGTCTCGCGCCGGTTTGCCGG
 20 TGGGCAGTTGCGGATCGGCGACGAAGTAGCCGAGATCGATTGGCTGCTTTGCGCTTCGATA
 CCGACGAGGCCCGCCGCGCTGCTGAACGATGCTGGTGGTCTGCGATTGCCGCGCGCAGACGTG
 CAGGCGCTGACTACCTCTACCGACGGGTGGGCCGCGGCGCTGCGGCTGGCCGCGCTGTCGCT
 GCGCGGCGGGGGCGACGCGACCCAACCTCTGCGCGGACTTTCCGGCGCCAGTGACGTGATCC
 ACGAATTCCTGAGCGAAAACGTGCTGGACACCCTGGAACCCGAACTGCGCGAATTCCTACTGGT
 25 GGCATCGGTACCGAACGCACGTGCGGCGGGCTGGCCTCGGCGCTGGCCGGGATCACCAATG
 GGCGGGCGATGCTGGAAGAGGCCGAGCACCGCGGCTTGTTCTGCAACGGACCGAAGACGAC
 CCGAATTGGTTTCGCTTCCACCAAATGTTGCGCGACTTTCTCCACCGTCGCTCGAACGTGGCG
 GGTGCGACCGGGTGGCGGAAGTGCACCGCAGGGCATCGGCCTGGTTCGCCGAGAACGGCTAC
 CTGCACGAAGCCGTGACCATGCACTGGCCGCGGGCGATCCCGCGCGCGCCGTGATCTTGT
 30 CGAGCAGGATGAAACGAACCTGCCGGAGCAGTCAAAGATGACCACACTTCTGGCAATCGTGCA
 GAACTGCCGACGTGATGGTGGTTTCACGGGCCCCGGCTCCAACCTCGCCATCGCGTGGGCGAA
 CATTCTGCTGCAACGGCGCGCGCCGGCCACCGGTGCCCTGAATCGTTTCGAAACGGCCCTTGG
 CCGGGCCGAGCTTCCCGAGGCGACGCAGGCGGATCTGCGGGCCGAGGCAGACGTGTTGCGG
 GCGGTGCGCGAGGTGTTGCGAGACCGGGTCGAGCGCGTGATGACCTTCTCGCCGAGGCAAT
 35 GTCGAGACCGGACACCCTGCCCCCGCGAGTCCCCGGGACCGCCGGCAACACCGCGGCGTTGG
 CCGCGATCTGCCGCTTCGAGTTGCGCGAGGTATATCCACTGCTGGACTGGGCGCGCCCTACC
 AGGAAATGATGGGACCGTTTCGGCACCGTTTATGCGCAGTGCTTGCGCGGCATGGCGGCCAGGA

ATCGGCTCGACATTGTCGCTGCGCTACAGAACTTCCGAACGGCGTTCGAGGTCGGCACGGCAG
TGGGGGCCCCACTCGCACGCGGCGCGGCTTGCGGGTTCGCTGCTCGCCGAATTGCTCTACGAG
ACCGGCGATCTGGCCGGGGCTGGTCGTCTCATGGACGAGAGCTATCTGCTGGGTTCCGAGGG
GGGTGCAGTGGACTACCTGGCCGCCAGGTACGTGATCGGCGCGCGGGTCAAGGCGGCCCCAGG
5 GGGATCATGAGGGTGCGGCTGATCGCCTGTCCACCGGAGGCGATACTGCCGTCCAGCTGGGG
CTGCCGCGCCTGGCTGCCCCAATCAACAACGAGCGGATCCGGCTGGGCATCGCGCTACCTGC
GGCGGTGGCCGCCGATTTGCTGGCACCCCGCACCATCCCCGCGACAATGGAATCGCCACCAT
GACAGCCGAACCTCGACGAGGACTCCGCGGTGCGCCTGTTGTCCGCCGGCGACTCCGCCGATC
GTGACCAAGCCTGCCAACGGGCCGGTGCTCTCGCCGCCGCCATCGACGGTACGCGCAGACCG
10 CTGGCGGCGCTGCAGGCGCAAATACTTCATATCGAAACGCTTGCCGCCACCGGACGGGAATCC
GATGCGCGAAACGAACTGGCGCCGGTAGCCACGAAGTGCGCCGAACTCGGGCTGTCACGTCT
GCTGGTCGATGCGGGACTGGCCTAA

>Rv3106 fprA adrenodoxin and NADPH ferredoxin reductase TB.seq 3474004:3475371

MW:49342 >emb|AL123456|MTBH37RV:3474004-3475374, fprA SEQ ID NO:120

ATGCGTCCCTATTACATCGCCATCGTGCGGCTCCGGGCGCGTTCGCGGCTTCTTCGCCGCGGCATCC
TTGCTGAAGGCCGCGGACACGACCGAGGACCTCGACATGGCCGTGACATGCTGGAGATGTTG
CCGACTCCCTGGGGGCTGGTGCGCTCCGGGGTTCGCGCCGGATCACCCCAAGATCAAGTCGAT
CAGCAAGCAATTGAAAAGACGGCCGAGGACCCCCGCTTCCGCTTCTTCGGCAATGTGGTCGT
20 CGGCGAACACGTCCAGCCCGGCGAGCTCTCCGAGCGCTACGACGCCGTGATCTACGCCGTGCG
GCGCGCAGTCCGATCGCATGTTGAACATCCCCGGTGAGGACCTGCCGGGCGAGTATCGCCGCC
GTCGATTTCTGTCGGCTGGTACAACGCACATCCACACTTCGAGCAGGTATCACCCGATCTGTCCG
GCGCCCGGGCCGTAGTTATCGGCAATGGAACGTGCGGCTAGACGTGGCACGGATTCTGCTCA
CCGATCCCGACGTGTTGGCACGCACCGATATCGCCGATCACGCTTTGGAATCGCTACGCCAC
25 GCGGTATCCAGGAGGTGGTGATCGTCCGGCGCCGAGGTCCGCTGCAGGCCGCGTTTACCACG
TTGGAGTTGCGCGAGCTGGCCGACCTCGACGGGGTTGACGTGGTGATCGATCCGGCGGAGCT
GGACGGCATTACCGACGAGGACGCGGCCGCGGTGGGCAAGGTCTGCAAGCAGAACATCAAGG
TGCTGCGTGGCTATGCGGACCGCGAACCCCGCCGGGACACCGCCGCATGGTGTTCCGGTTCT
TGACCTCTCCGATCGAGATCAAGGGCAAGCGCAAAGTGAGCGGATCGTGCTGGGCCGCAACG
30 AGCTGGTCTCCGACGGCAGCGGGCGAGTGCGCGCCAAGGACACCGGCGAGCGCGAGGAGCT
GCCAGCTCAGCTGGTTCGTGCGGTCCGTCCGCTACCGCGGGGTGCCACGCCCGGGCTGCCGT
TCGACGACCAGAGCGGGACCATCCCCAACGTCCGGCGGCCGAATCAACGGCAGCCCCAACGAAT
ACGTCGTCGGGTGGATCAAGCGCGGGCCGACCGGGGTGATCGGGACCAACAAGAAGGACGCC
CAAGACACCGTCGACACCTTGATCAAGAATCTTGCAACGCCAAGGAGGGCGCCGAGTGCAAG
35 AGCTTTCCGGAAGATCATGCCGACCAGGTGGCCGACTGGCTAGCAGCACGCCAGCCGAAGCTG
GTCACGTCCGCCCCACTGGCAGGTGATCGACGCTTTCGAGCGGGCGCCGGCGAGCCGCACGG
GCGTCCCCGGGTCAAGTTGGCCAGCCTGGCCGAGCTGTTGCGGATTGGGCTCGGCTGA

>Rv3235 - TB.seq 3611296:3611934 MW:22659 >emb|AL123456|MTBH37RV:3611296-3611937,
Rv3235 SEQ ID NO:121

ATGATGGCCAGCAACCAAACCGCTGCGCAACACTCGTCTGCCACTCTCCAGCAGGCTCCTCGTT
5 CGATCGATGATGCTGGAGGGTGCCCCTTGACCATCAGTCCTATCGCGAACTCACCGGGCGACA
CCTTCGCCGTACACCCGTCGTGAGTACGAGCCGCCGCCGCGAAACATCCCGCCGTGCGGG
CAATCATCGCACGCAGCCCGGCGGCCGCACCCCCGAGCTAGCTCGCCGACAACCAATCAGG
CCGAGCGGCCGGGCACCGGCAGCGGTACCTCCACGGCCAAGTCACCGCGGCTGCGTCAAGC
GGGGACCTTCGCCGATGCCGCGCTACGCCGAGTGCTGGAGGTCATCGACCGCCGCCGCCCGG
10 TGGGCCAGCTGCGCCCCCTGCTGGCACCCGGCCTCGTCTGACTCCGTGCTCGCGGTGAGCCGC
ACGGCGGCCGGACACCAACAAGGCGCGGCCATGCTGCGCCGCATCCGGCTGACACCGGCCGG
ACCCGACACCGCGGACACCGCCGCCGAGGTCTTCGGCACCTACAGTCGCGGGGACCGGATCC
ATGCGATCGCCTGCCGGGTGGAACAACGGCCCGCCGTAACGAAACCCGATGGCTGATGGTC
GCCCTGCACATCGGGTGA

>Rv3255c manA mannose-6-phosphate isomerase TB.seq 3635040:3636263 MW:43340

>emb|AL123456|MTBH37RV:c3636263-3635037, manA SEQ ID NO:122

GTGGAAGTGTACGTGGCGCGTTACGCACCTACGCTTGGGGATCGCGCACCGCTATCGCCGAA
TTCACCGGGCGTCCGGTGCCGGCCGCTCACCCCGAGGCCGAAGTATGGTTCCGGTGACACCC
20 GGGTGATCCGGCTTGGCTGCAGACGCCGCATGGCCAAACCTCGTTGCTCGAAGCGTTGGTCGC
GGATCCGGAGGGGCGAGCTCGGCTCCGCGTCGCGCGCGCGATTCCGGCGATGTGTTGCCGTTCT
TGGTCAAGGTGTTGGCGGCCGACGAGCCACTATCGTTGCAGGCCCATCCGAGCGCCGAGCAG
GCGGTTGAGGGCTACCTGCGGGAAGAGCGAATGGGCATTCCGGTGCTCCTACCCGTCCGCAAC
TACCGCGACACCAAGTCACAAGCCAGAGTTATTGGTGGCGCTGCAGCCGTTCCGAGGCGCTGGCC
25 GGATTCCGGGAGGCGGCTCGCACACCGAGCTGCTGCGGGCGCTGGCCGTATCCGACCTCGA
CCCGTTTCATCGACTTGCTGAGCGAGGGGTCCGATGCCGATGGTTTGCGTGCGCTGTTACCAC
CTGGATTACCGCACCCCGAGCCGACATCGACGTGCTGGTGCTGCCGTGCTGGACGGCGCTAT
CCAGTACGTCAGCTCCGGCGCAACGGAATTTGGCGCCGAAGCCAAGACAGTGCTGGAAGTCCG
CGAACGTTATCCCGGCGACGCCGGTGTGCTGGCGGCGTTGTTGCTCAACCGCATCAGCTTGGC
30 TCCTGGGGAGGCGATCTTCCTGCCGGCCGGCAACCTGCACGCCTATGTGCGTGGTTTCGGTGT
GGAAGTGATGGCCAAGTCCGACAACGTGTTACGCGGTGGACTTACCCCTAAGCACGTGATGT
GCCCCAGTTGTTGCGGGTGCTGGACTTCGCCCCACGCCGAAGGCTCGGCTGCGGCCCGCGA
TCCGGCGCGAGGGGCTGGGGCTGGTCTTTGAGACGCCACCGATGAGTTCCGCGGCCACGCTA
CTGGTGCTCGACGGCGATCAGCTCGGCCACGAGGTGACGCGTCGTCCGGCCATGACGGTCC
35 ACAGATCTTGTTATGCACCGAGGGTTCGGCGACGGTGACGGGAAGTGCGGGTCGCTCACGCT
ACAGCGCGGCACGGCCGCTGGGTGGCGGCCGACGACGGCCCGATCCGGCTGACCGCCGGC
CAACCCGCCAAGCTGTTCAAGGGCGACCGTCGGGTGTGA

>Rv3264c rmlA2 glucose-1-phosphate thymidyltransferase TB.seq 3644897:3645973 MW:37840

>emb|AL123456|MTBH37RV:c3645973-3644894, rmlA2 SEQ ID NO:123

TTGGCAACTCACCAAGTCGATGCGGTGGTCTTGGTTCGGTGGCAAGGGTACCCGACTGCGGCCG
5 TTGACGCTGTCGGCGCCCAAGCCAATGCTGCCTACCGCCGGACTGCCGTTCTCACCCTCTG
CTGTCGCGGATCGCCGCAGCGGGCATCGAGCACGTGATCCTGGGTACGTCTTACAAACCCGCA
GTCTTCGAAGCGGAGTTCGGCGACGGGTCCGCACTGGGCCTACAGATCGAATACGTGACCGAG
GAGCATCCCTTGGGGACTGGCGGCGGCATCGCCAACGTTGCCGGCAAGCTGCGCAACGACAC
CGCGATGGTGTTTAACGGCGATGTGCTCTCGGGCGCGGATCTGGCCCAACTGCTGGACTTCCA
10 CCGAAGCAATCGAGCCGATGTCACGCTGCAACTGGTTCGGGTGGGCGACCCGCGGGCATTTCG
GCTGCGTACCCACCGACGAGGAGGACCGCGTAGTCGCCTTTCTGGAGAAGACGGAGGATCCG
CCGACCGACCGATCAATGCCGGTCTGTATGTCTTCGAACGCAACGTCATCGACCGGATTCCGC
AGGGCCGGGAGGTTTCGGTGGAACGCGAGGTGTTCCCGGCCTTGCTCGCCGACGGCGACTGC
AAGATCTACGGCTATGTCGATGCCAGCTATTGGCGGGACATGGGCACACCGGAAGACTTCGTTC
15 GCGGATCGGCGGATCTGGTGCGCGGCATCGCCCCGTCTCCGGCCTTGCGTGGTCACCGCGGT
GAGCAGTTGGTGACGACGGTGCGGCGGTATCTCCCGGTGCGTTGCTGATTGGCGGCACCGTC
GTGGGGCGTGGTGCCGAAATCGGCCCCGGCACCGATTGGACGGCGCGGTTCATCTTCGATGG
TGTCCGGGTGGAGCCGGGTGCGTGATCGAGCGTTGATCATCGGCTTCGGTGCTCGCATCGG
ACCGCGGGCGTTGATCCGCGACGGTGATCGGTGACGGGGCCGACATCGGCGCGCGCTGCG
20 AGTTGTTAAGTGGTGCCCGGGTATGGCCCGGTGTCTTTCTTCCCGACGGCGGGATCCGTTACTC
GTCCGACGTTTGA

>Rv3368c - TB.seq 3780334:3780975 MW:23734 >emb|AL123456|MTBH37RV:c3780975-3780331,
Rv3368c SEQ ID NO:124

ATGACCCTCAACCTGTCCGTCGACGAGGTCTGACCACTACCCGCTCGGTGCGCAAGCGTCTC
25 GATTTGACAAGCCGGTGCCACGCGACGTGCTGATGGAATGCCTCGAGCTGGCGCTGCAGGCG
CCCACCGGTTCCAATTCCCAAGGCTGGCAGTGGGTGTTTCGTCGAGGACGCCGCCAAGAAAAAG
GCGATCGCCGACGTCTACCTGGCCAACGCCCGGGGCTACCTCAGCGGGCCGGCGCCCGAGTA
CCCCGACGGCGACACCCGCGGCGAGCGGATGGGGCGGGTCCGCGATTGGCGACCTATCTCG
30 CCGAACACATGCACCGGGCGCCGGTGCTGCTGATCCCCTGCCTGAAAGGCCGGGAAGACGAG
TCGGCGGTGGGTGGCGTGCTGTTTTGGGCCTCACTGTTCCCGGCGGTGTGGAGCTTCTGCCTG
GCGCTGCGCTCCCGCGGGCTGGGTTTCGTGCTGGACGACGCTGCACCTGCTCGACAACGGCGA
GCACAAGGTGGCCGACGTGCTCGGCATTCCCTACGACGAATACAGCCAAGGCGGGCTGCTTCC
GATCGCCTACACACAAGGCATCGACTTCCGGCCGGCCAAGCGGCTGCCGGCCGAGAGCGTGA
35 CGCACTGGAACGGCTGGTAA

>Rv3382c lytB1 TB.seq 3796447:3797433 MW:34667 >emb|AL123456|MTBH37RV:c3797433-3796444, lytB SEQ ID NO:125

ATGGCTGAGGTGTTTCGTGGGACCGGTCGCACAGGGATACGCTTCGGGTGAAGTCACGGTGCTG
TTGGCGTCGCCGCGGTCTGTTTTGCGCCGGTGTAGAGCGTGCTATCGAGACGGTCAAGCGAGTG
5 CTTGACGTGGCCGAAGGCCCGGTGTATGTGCGCAAGCAAATCGTGCACAACACTGTTGTGGTT
GCCGAGTTGCGGGACCGGGGAGCAGTGTTTCGTGAGGATCTCGACGAGATTCCCGATCCGCC
GCCGCCGGGGGCGGTCTGTTCTCCGCGCATGGGGTTTCCCGGCGGTGCGCGCGGGC
GCTGATGAGCGGGGACTGCAGGTCGTGACGCGACCTGCCCACTGGTGGCGAAAGTCCACGC
TGAAGCCGCACGGTTTGCCGCGCGCGGTGACACGGTGGTCTTCATCGGGCAGCCGGACATG
10 AGGAGACCGAAGGCACGCTTGCGTCGCTCCGCGGTCAACATTATTGGTGCAGACACCCGCTG
ATGTGGCAGCGTTGAACCTGCCCGAGGGTACCCAGCTATCGTATCTGACCCAGACAACCCTGG
CACTTGATGAACTGCCGATGTCATTGATGCGCTGCGCGCGAGGTTTCCGACGTTGGGCCAACC
CCCCTCTGAAGACATCTGCTATGCCACCACGAACAGACAGCGTGCGCTGCAATCGATGGTCGGT
GAATGTGACGTTGTGTTGGTGATTGGCTCGTGCAATTCGTGCAATTCGCGGCGTCTGGTCGAGT
15 TGGCGCAGCGAAGTGGGACGCCGGCCTACTTGATTGACGGGCCTGATGACATTGAGCCCGAAT
GGCTGTCGTGCGTCTCGACGATCGGTGTACCCGCGGGAGCCTCCGCGCCGCCACGACTGGTG
GGGCAGGTGATTGATGCACTTCGCGGATACGCCTCGATCACCGTGGTGGAAACGCTCGATAGCG
ACCGAGACGGTGCGATTTCGGCCTTCCCAAACAGGTTTCGCGCGCAATGA

>Rv3418c groES 10 kD chaperone TB.seq 3836985:3837284 MW:10773
>emb|AL123456|MTBH37RV:c3837284-3836982, groES SEQ ID NO:126

GTGGCGAAGGTGAACATCAAGCCACTCGAGGACAAGATTCTCGTGCAAGGCCAACGAGGCCGAG
ACCACGACCGCGTCCGGTCTGGTCATTCTGACACCGCCAAGGAGAAGCCGCAGGAGGGCAC
CGTCGTTGCCGTCGGCCCTGGCCGGTGGGACGAGGACGGCGAGAAGCGGATCCCGCTGGACG
25 TTGCGGAGGGTGACACCGTCATCTACAGCAAGTACGGCGGCACCGAGATCAAGTACAACGGCG
AGGAATACCTGATCCTGTCGGCACGCGACGTGCTGGCCGTCGTTTCCAAGTAG

>Rv3423c alr TB.seq 3840193:3841416 MW:43357
>emb|AL123456|MTBH37RV:c3841416-3840190, alr SEQ ID NO:127

GTGAAACGGTTCTGGGAGAATGTGCGAAAGCCAAACGACACGACAGATGGGCGGGGCACGACT
TCGTTGGCCATGACACCGATATCCCAGACACCTGGCCTCCTCGCCGAGGCCATGGTGGATCTG
GGCGCTATTGAACACAACGTGCGGGTGCTGCGTGAGCACGCCGGCCACGCGCAGCTGATGGC
GGTGGTCAAGGCCGACGGCTACGGTCACGGTGCTACGCGCGTCGCCCCAAACCGCCCTGGGAG
CCGGTGCGGGCCGAACCTCGGCGTCGCCACCGTCGACGAGGCGCTAGCGCTGCGCGCTGATGGC
35 ATTACCGCACCGGTGCTGGCCTGGCTGCATCCGCCCGGCATCGACTTCGGGCCCCGCGCTGCTG
GCCGACGTGCAGGTGCGGGTGTCTCGCTGCGCCAACCTCGACGAACTGTTGCACGCGGTGCG
CCGGACCGGCCGGACGGCGACGGTGACCGTCAAGGTGGATACCGGGCTGAACCGCAATGGCG

TGGGACCGGCACAATTCCCGGCCATGCTGACCGCGTTACGCCAAGCCATGGCCGAGGACGCC
 GTCCGGCTGCGGGGGCTGATGTGCGATATGGTTTACGCCGACAAGCCTGACGATTCCATCAAC
 GATGTTCAAGCCCAACGGTTTACCGCCTTTCTGGCGCAGGCCCGCGAACAAGGGGTGCGGTTG
 GAGGTGGCGCATCTATCGAACTCATCAGCAACTATGGCGCGCCCCGACCTGACGTTGACCTG
 5 GTGCGGCCCGGGCATCGCGGTGTATGGGCTAAGCCCGGTACCCGCCCTCGGTGACATGGGGCT
 GGTGCCGGCGATGACCGTGAAATGTGCTGTTGCGCTGGTGAAATCGATTCTGCGGGGGAGGG
 CGTGTCGTATGGGCACACATGGATCGCGCCACGCGACACCAATCTGGCGCTGCTGCCGATCGG
 TTACGCAGACGGCGTGTTCCGGTCGCTGGGCGGGCGGCTGGAGGTGCTGATCAACGGCAGAC
 GATGCCCCGGTGTTGGGGCGGATCTGCATGGACCAGTTCATGGTCGACCTGGGCCCCGGGCCG
 10 CTTGATGTGGCCGAAGGCGACGAGGCGATTTTGTTCGGGCGGGCATCCGGGGTGAGCCAC
 GGCTCAGGACTGGGCCGATCTTGTGCGCACCATCCACTACGAAGTGGTCACCAGCCCGCGAGG
 ACGTATCACCAGGACCTATCGCGAGGCTGAAAACCGTTGA

>Rv3490 otsA [alpha],-trehalose-phosphate synthase TB.seq 3908232:3909731 MW:55864

>emb|AL123456|MTBH37RV:3908232-3909734, otsA SEQ ID NO:128

ATGGCTCCCTCGGGAGGCCAGGAGGCGCAGATTTGCGATTGCGAGACCTTCGGGGACTCTGAC
 TTCGTGGTGGTAGCCAATCGACTGCCCGTCGATCTGGAGCGTCTTCCCGACGGCAGCACAACC
 TGGAACGCAGCCCCGGAGGCTTGTCACCGCCTTGAGCCGGTGCTGCGGCGTCGGCGCGG
 GGCCTGGGTGCGCTGGCCCCGGCGTTAACGACGACGGGGCCGAACCCGACCTCCACGTGCTGG
 20 ACGGCCCCATCATCAAGACGAGCTGGAACCTTCATCCGGTACGGCTGAGCACCACGGACATAG
 CTCAGTACTACGAGGGATTCTCCAACGCCACACTGTGGCCGCTGTACCACGACGTATCGTCAA
 GCCGCTCTACCACCGCGAATGGTGGGATCGCTACGTGACGTCAACCAGCGCTTTGCCGAGGC
 CGCGTCGCGCGCCGCCGCCACGGCGCAACCGTGTGGGTACAGGACTACCAGCTGCAGCTGG
 TACCGAAGATGCTGCGCATGCTGCGGCCCGATCTGACCATCGGTTTCTTTTGCACATCCCGTT
 25 CCCGCCGGTAGAGCTGTTTATGCAGATGCCGTGGCGCACCGAGATCATCCAGGGCCTACTGGG
 CGCCGACCTGGTGGGCTTCCATCTTCCGGGCGGTGCCCAGAATTCCTGATCCTGTCCCGGCG
 TCTGGTCGGCACCGACACTTCCCGCGGAACCGTCGGTGTGCGGTGCGGTTCCGTGCGGCGG
 TGCTCGGGTCCCGCACCATACGAGTTGGCGCCTTCTCTATCTCGGTTGACTCCGGCGCGCTCG
 ACCACGCTGCCCGCGACCGCAACATCAGGCGCCGGGCCCGCGAGATTGCGACCGAACTGGGA
 30 AATCCGCGCAAGATCCTGCTCGGTGTTGACCGGCTCGACTACACCAAGGGCATCGACGTACGG
 CTGAAGGCCTTTTCCGAGCTGCTGGCCGAGGGCCGCGTCAAACGCGACGACACCGTCGTGGTC
 CAGCTGGCTACCCCGAGCCGCGAGCGGGTGGAGAGCTACCAGACGCTGCGCAACGACATCGA
 ACGCCAGGTGCGCCACATTAACGGCGAGTACGGTGAGGTTGGCCATCCGGTAGTGATTACCT
 GCATCGACCGGCTCCGCGCGACGAGCTTATCGCTTTCTTCGTGGCCAGCGACGTATGCTGGT
 35 CACCCCACTACGCGACGGGATGAACCTGGTGGCCAAGGAGTACGTGCTTGCCGACGCGATCT
 TGGCGGTGCCCTGGTGCTCAGCGAATTCACCGGGGCCGCGAGCCGAACCTCCGGCACGCATACCT
 GGTC AACCCGCACGACCTGGAAGGCGTCAAGGACGGGATAGAGGAAGCGCTCAACCAGACGG

AGGAGGCGGGCCGGCGGCGAATGCGGTCGCTGCGACGCCAAGTGCTCGCCACGACGTGGA
CCGCTGGGCACAGTCGTTTCTCGACGCTCTCGCCGGGGCACACCCGAGGGGGCCAAGGCTAA

>Rv3598c lysS lysyl-tRNA synthase TB.seq 4041423:4042937 MW:55678

>emb|AL123456|MTBH37RV:c4042937-4041420, lysS SEQ ID NO:129

5 GTGAGTGCCGCTGACACAGCAGAAGACCTTCCTGAGCAGTTCCGGATTCGCCGGGACAAGCGC
GCTCGCTTGCTGGCCCAGGGGCGCGATCCCTATCCCGTCGCGGTGCCGCGCACTCACACGTTG
GCCGAGGTTGCGCGCCGCCACCTGACTTGCCGATCGATACCGCGACCGAAGACATCGTCGGC
GTCGCGGGCCGAGTGATCTTTGCGCGCAACTCGGGAAAGCTATGCTTTGCGACACTTCAGGAC
10 GGCGATGGTACCCAGCTGCAAGTGATGATCAGCCTCGACAAGGTCGGCCAGGCTGCTCTCGAC
GCATGGAAAGCCGATGTCGACCTGGGCGACATCGTCTACGTGCATGGCGCGGTGATCAGTTG
CGCCGCGGCGAGCTGTCCGTCTGCGGATTGCTGGCGGATCGCCGCCAAGTCGCTGCGGCC
GCTTCCCGTCGCGCACAAAGAGATGAGTGAAGAGTCGCGGGTTCGTCAGCGCTATGTTGACCT
CATAGTTCGACCGGAAGCGCGCGCGGTGGCTCGACTACGGATCGCCGTCGTCCGCGCGATCC
15 GGACGGCGCTTCAACGTCGTGGGTTCTGGAAGTCGAGACGCCCGTCTTGACAGCGTTAGCCG
GTGGTGCGGCGGCCCGTCCGTTGCGCCACTCATTCCAATGCCCTAGACATCGATCTGTACCTGCG
GATCGCGCCGGAAGTGTTCCTCAAGCGCTGCATCGTGGGTGGTTTCGACAAGGTCTTCGAACTT
AATCGAGTGTTCCGAAACGAAGGAGCCGATTCCACGCATTCTCCGGAATTCTCCATGCTGGAGA
CCTACCAGACCTACGGAACCTATGACGATTGCGCAGTCGTACCCGGGAGCTTATTCAAGAGGT
20 GGCCGATGAGGCGATCGGAACCAGACAACCTGCCGTTGCCCGACGGCAGTGTCTATGACATCGA
CGGAGAATGGGCGACTATACAAATGTACCCGTGCTGTCTGTGGCGCTCGGTGAAGAGATCAC
ACCGCAGACGACGGTCGATCGCTTACGTGGGATCGCCGATAGCCTTGGCCTGGAGAAAGACCC
AGCGATTCATGACAACCGTGGCTTCGGCCACGGCAAACCTCATCGAGGAACTCTGGGAGCGCAC
AGTGGGCAAGAGCTTGAGCGCACCCACATTTGTCAAGGATTTTCCGGTTCAGACAACGCCTTTG
25 ACCCGTCAGCACCGCAGTATCCCCGGCGTAACCGAGAAGTGGGACCTCTATCTGCGCGGAATC
GAACTTGCCACCGGCTACTCGGAATTAAGCGACCCGGTAGTCCAGCGGGAGAGATTGCGCGAC
CAGGCCCGTGCCGCGGCCGCTGGCGATGACGAAGCGATGGTGCTTGACGAGGATTTTCTGGCC
GCTCTGGAGTACGGCATGCCACCGTGCACCGGAACCGGAATGGGTATCGATCGGTTGTTGATG
TCTTTGACTGGGTTGTCAATTAGGGAGACAGTTTTGTTCCCGATTGTTGACCACTCCAACCTG
30 A

>Rv3600c - similar to Bacillus subtilis protein YacB TB.seq 4043041:4043856 MW:29274

>emb|AL123456|MTBH37RV:c4043856-4043038, Rv3600c SEQ ID NO:130

35 GTGCTGCTGGCGATTGACGTCCGCAACACCCACACCGTTGTGGGCCTGCTGTCCGGAATGAAA
GAGCACGCAAAGGTCGTGCAGCAGTGGCGGATACGCACCGAATCCGAAGTCACCGCCGACGAA
CTGGCACTGACGATCGACGGGCTGATCGGCGAGGATTCCGAGCGGCTACCGGTACCGCCGCGC
CTTGTCACGGTCCCGTCCGTGCTGCACGAGGTGCGGATAATGCTCGACCAGTACTGGCCGTC

GGTGCCGCACGTGCTGATCGAGCCCGGAGTACGCACCGGGATCCCTTTGCTCGTCGACAACCC
GAAGGAAGTGGGCGCAGACCGCATCGTGAAGTGTGGCCGCCTATGACCGGTTCCGGAAGGC
CGCCATCGTCGTTGACTTTGGATCCTCGATCTGTGTTGATGTTGTATCGGCCAAGGGTGAATTTT
TTGGCGGCGCCATCGCGCCCGGGGTGCAGGTGTCTTCCGATGCCGCGGCGGCCCGCTCGGCG
5 GCATTGCGCCGCGTTGAACTTGCCCGCCACGTTCCGGTGGTTGGCAAGAACACCGTCGAATGC
ATGCAAGCCGGTGCGGTGTTCCGGCTTCGCCGGGCTGGTAGACGGGTTGGTAGGCCGCATCCG
CGAGGACGTGTCCGGTTTCTCCGTGACACGATGTGCGCATCGTGGCTACCGGGCATAACCGC
GCCCCTGCTGCTGCCGGAATTGCACACCGTCGACCATTACGACCAGCACCTGACCTTGAGGG
TCTGCGGCTGGTGTTCGAGCGTAACCTCGAAGTCCAGCGCGGCCGGCTCAAGACGGCGCGCT
10 GA

>Rv3606c folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase TB.seq
4048181:4048744 MW:20732 >emb|AL123456|MTBH37RV:c4048744-4048178, folK
SEQ ID NO:131

15 ATGACGCGGGTAGTGCTCTCGGTTGGCTCCAACCTGGGTGACCGCCTGGCACGATTGCGGTG
GTCGCCGACGGTCTCGGCGATGCGTTGATTGCGGCTTCCCCGATATATGAGGCCGACCCCTGG
GGTGGGGTGGAGCAGGGGCAGTTCCTCAATGCGGTGCTGATCGCCGACGATCCTACCTGCGAA
CCGCGGGAGTGGCTGCGGCGGGCGCAGGAGTTCGAGCGCGCTGCGGGCAGGGTGCGTGGCC
AGCGCTGGGGTCCACGAAATCTCGACGTGACCTGATCGCCTGCTACCAGACCTCGGCCACCG
20 AGGCTCTGGTGAAGTGACCGCGCGGGAGAACCACCTCACGCTGCCGCACCCACTGGCGCAT
CTGCGGGCCTTTGTGTTGATCCCGTGGATTGCCGTGACCCAACGGCGCAGCTGACGGTTGCC
GGGTGCCCGCGGCCCGTACGCGACTGCTGGCCGAGCTGGAGCCCGCCGACCGCGACAGTGT
GCGGTTGTTTAGGCCGTGTTGATCTGAATAGCAGACACCCCGTCAGTCGGGCACCGGAAAG
CTGA

25 >Rv3607c folX may be involved in folate biosynthesis TB.seq 4048744:4049142 MW:14553
>emb|AL123456|MTBH37RV:c4049142-4048741, folX SEQ ID NO:132

30 ATGGCTGACCGAATCGAACTGCGCGGCCTGACCGTGCATGGTCGGCACGGGGTCTACGACCAC
GAGCGAGTGGCCGGGCAGCGGTTTGTATCGATGTACCGTGTGGATAGACCTGGCCGAGGC
CGCCAACAGCGACGACTTGCCGACACCTATGACTACGTGCGGCTGGCTTCGCGGGCGGCCG
AGATCGTCGCCGACCCCCGCGGAAGCTGATCGAAACGGTCGGGGCCGAGATCGCTGATCAC
GTGATGGACGACCAGCGAGTGCATGCCGTTGAGGTGGCGGTACACAAGCCGCAGGCGCCATT
CCGCAGACGTTGACGATGTGGCGGTGGTATCCGACGCTCACGGCGCGGCGGCCGCGGTTG
GGTAGTCCCGCGGGCGGCGCGGTATGA

35 >Rv3608c folP dihydropteroate synthase TB.seq 4049138:4049977 MW:28812
>emb|AL123456|MTBH37RV:c4049977-4049135, folP SEQ ID NO:133

5

15

20

25

30

35

35

CACGCGCCAAGCAACTGAGCAAGGACATGCCCCAAGACCACCTTCGCCGACGTGCGAGGTGTCG
 ACGAGGCGGTGCGAGGAGCTCTACGAGATCAAGGACTTCCTGCAGAACCCAGCAGGTACCAAG
 CGCTGGGCGCCAAGATCCCCAAAGGCGTGCTGCTCTACGGGCGCGCGGAACCGGTAAGACG
 TTGCTGGCTCGTGCGGTGGCCGGCGAAGCCGGAGTGCCGTTCTTCACCATCTCCGGCTCCGAC
 5 TTGCTCGAAATGTTTCGTGCGCGTTCGGCGCATCCCGTGTGAGAGACCTGTTGAGCAGGCCAAG
 CAGAACAGCCCGTGTCATCATCTTCGTGCGACGAGATCGACGCCGTGCGCCGACAAAGAGGCGCC
 GGGCTGGGCGGCGGTACGACGAGCGTGAGCAGACCCTCAACCAGTTGCTAGTCGAAATGGA
 CGGTTTTGGCGATCGCGCCGGCGTCATCCTGATCGCGGCCACCAACGGCCCGACATCCTGGA
 CCCGGCGCTGTTGCGGCCGGGCGCTTCGACCGCCAGATCCCGGTATCCAACCCCGATCTGG
 10 CGGGTCGGCGGGCGGTGCTGCGCGTGCACTCCAAGGGCAAGCCGATGGCCGCGGACGCCGA
 CCTCGACGGACTGGCCAAGCGGACCGTTCGGCATGACCGGAGCCGACCTGGCCAACGTCATCA
 ACGAGGCGGCGCTGCTGACCGCCCGGGAGAACGGCACCGTTCATCACCGGTCCCGCCCTCGAG
 GAAGCGGTGGACCGGGTGATCGGCGGCCCGCGCCGCAAAGGCCGGATCATCAGCGAGCAGGA
 GAAGAAGATCACCGCCTATCACGAGGGCGGGCACACCCTGGCCGCTTGGGCGATGCCCGATAT
 15 CGAGCCGATTTATAAGGTGACGATCCTGGCGCGCGGGCGTACCGGCGGGCACGCGGTGGCGG
 TGCCGGAAGAAGACAAGGGCCTGCGGACCCGCTCGGAAATGATCGCGCAACTGGTGTTGCGGA
 TGGGTGGGCGCGCCGCCGAAGAACTGGTGTTTCGTGAGCCGACCACCGGCGCGGTGTCCGAC
 ATCGAGCAGGCCACCAAGATAGCGCGCTCAATGGTCACCGAATTTGGAATGAGCTCCAAGCTG
 GGCGCGGTCAAATACGGCTCCGAACACGGCGACCCGTTCTCGGACGTACCATGGGCACCCAG
 20 CCGGACTACTCCCACGAGGTGCGCCGCGAGATCGACGAAGAGGTCCGCAAGCTTATCGAGGCG
 GCGCATACCGAAGCGTGCGGAAATCCTGACCGAATACCGCGACGTGCTGGACACTTTGGCCGGC
 GAGCTGCTGGAAAAGGAGACCCTGCACCGACCCGAGCTGGAAAGCATCTTCGCTGACGTCGAA
 AAGCGGCCGCGGCTCACCATGTTGACGACTTCGGTGGCCGGATCCCGTTCGGACAAACCGCCC
 ATCAAGACACCCGGCGAGCTCGCGATCGAACGCGGCGAACCTTGCCCCAGCCGGTCCCCGA
 25 GCCGGCGTTCAAGGCGGCGATTGCGCAGGCTACCCAAGCCGCTGAGGCCGCCCGGTCCGACG
 CCGGCCAAACCGGGCACGGCGCCAACGGTTCGCCCGCCGGCACCCACCGGTCCGGTGACCGC
 CAGTACGGCTCCACCCAGCCTGACTACGGTGCCCGGCGGGCTGGCATGCGCCGGGATGGCC
 CCAAGGTCATCTCATCGGCCAGCTATAGCGGTGAACCGGCACCGACGTATCCGGGTACGCC
 CTACCCGACCGGTCAAGCCGATCCGGGTTCCGATGAGTCCTCGGCGGAGCAGGATGACGAGGT
 30 CAGTCGGACCAAGCCGGGCCACGGCTGA

>Rv3671c - TB.seq 4112322:4113512 MW:40722 >emb|AL123456|MTBH37RV:c4113512-4112319,
 Rv3671c SEQ ID NO:136

ATGACCCCGTCGCAGTGGCTGGATATCGCCGTCTTGCGGGTCGCATTTATTGCAGCCATCTCCG
 35 GCTGGCGTGCCGGTGCGCTGGGCTCAATGCTGTGTTTTGGCGGGGTGCTGCTGGGCGCGACA
 GCCGGCGTGCTGCTGGCGCCGCATATCGTCAGTCAAATCAGCGCTCCGCGGGCCAAACTGTTT
 GCCGCGCTGTTCTGATCCTGGCACTGGTCGTAGTCGGCGAGGTGCTGGTGTGGTGCTGGGC

CGCGCCGTCCGCGGGGCGATCCGTAACCGGCCGATCCGGTTGATCGACTCGGTCAATTGGGGTA
GGGGTGCAGCTGGTCGTGGTGCTCACCGCGGCGTGGTTGTTGGCGATGCCGCTGACACAGTC
GAAAGAGCAGCCCGAGCTGGCTGCCGCGGTGAAGGGTTCGCGGGTGCTCGCCCGGGTCAACG
AGGCGGCACCCACCTGGCTGAAGACGGTGCCCAAGCGGCTGTCGGCCCTGCTGAACACCTCC
5 GGCCTGCCCGCGGTTTTGGAGCCGTTACGCCGCACGCCGGTCATTCCAGTGGCCTCACCCGAC
CCAGCGCTGGTCAACAATCCGGTGGTGGCGGCCACCGAGCCAAGTGTCTGTCAAAATCCGCAGC
CTGGCACCCAGATGCCAGAAAGTGTTGGAGGGCACCGGCTTCGTGATCTCACCCGATCGGGTG
ATGACCAACGCGCACGTGGTGGCCGGATCCAACAACGTCACGGTGTATGCCGGCGACAAGCCC
TTCGAGGCCACGGTGGTGTCTACGACCCGTCGGTCGACGTAGCGATCCTGGCCGTTCCGCAC
10 TTGCCGCCGCCGCCGCTGGTCTTCGCTGCGGAGCCGGCGAAAACCGGTGCCGACGTTGTGGT
GCTGGGTTATCCCGGCGGGCGGCAATTTCACTGCCACACCCGCCAGGATTCGCGAGGCCATCAG
ACTCAGTGGCCCCGATATTTACGGGGACCCGGAGCCGGTTACCCGCGACGTGTACACCATCAG
AGCCGATGTGGAGCAAGGTGATTCGGGTGGGCCCCCTGATCGACCTCAACGGTCAGGTGCTCGG
TGTGGTGTTCGGCGCAGCCATCGACGACGCCGAACTGGGTTTGTGCTGACGGCCGGCGAGGT
15 GGCGGGGCAGCTTGCCAAAATCGGTGCTACCCAACCGGTCCGCACCGGGGCCTGCGTCAGCT
GA

>Rv3682 ponA2 TB.seq 4121913:4124342 MW:84637

>emb|AL123456|MTBH37RV:4121913-4124345, ponA' SEQ ID NO:137

20 ATGCCCGAGCGCCTCCCGGCCGCGATCACCGTTCTGAAGCTGGCTGGGTGCTGTCTGTTGGCC
AGTGTCTGTCGCCACTGCGCTGACGTTCCCGTTTCGACGGCGGGCTAGGGCTGATGTCCAATCGT
GCCTCTGAGGTGCTTGCCAACGGCTCGGCCAGCTGCTCGAGGGGCAAGTGCCTGCGGTATCG
ACGATGGTTCGACGCGAAGGGCAACACGATCGCGTGGCTGTACTCGCAGCGCCGGTTTCGAGGT
GCCCTCGGACAAGATCGCCAACACGATGAAGCTGGCGATCGTCTCGATTGAAGATAAGCGGTTCC
25 GCCGACCACAGCGGCGTGGACTGGAAGGGCACCCCTGACCGGCCCTGGCGGGCTACGCGTCCG
GCGACCTCGACACGCGCGGGCGGCTCGACGCTCGAACAACAGTACGTGAAGAACTACCAACTGC
TGGTGACAGCCCAAACCGATGCCGAGAAGCGAGCGGCCGTCGAAACCACTCCGGCCCGCAAG
CTTCGCGAGATCCGGATGGCACTCACGCTGGACAAGACCTTCACAAAATCTGAAATCCTGACCC
GATACTTGAACCTGGTCTCGTTCCGGCAATAACTCGTTCCGGCGTGCAGGACGCGGCGCAAACGTA
30 CTTCGGCATCAACGCGTCCGACCTGAATTGGCAGCAAGCGGCGCTGCTGGCCGGCATGGTGCA
ATCGACCAGCACGCTCAACCCGTACACCAACCCCGACGGCGCGCTGGCCCGGCGGAACGTGG
TCCTCGACACCATGATCGAGAACCTTCCCGGGGAGGCGGAGGCGTTGCGTGCCGCCAAGGCC
GAGCCGCTGGGGGTACTGCCGCAGCCCAATGAGTTGCCGCGCGGCTGCATCGCGGCCGGCGA
CCGCGCATTCTTCTGCGACTACGTCCAGGAGTACCTGTCTCGGGCCGGGATCAGCAAGGAGCA
35 GGTCGCCACGGGCGGGTACCTGATCCGCACCACCCTGGACCCAGAGGTGCAGGCACCGGTCA
AGGCCGCCATCGACAAGTACGCCAGCCCCGAACCTGGCCGGTATTTCCAGCGTGATGAGCGTGA
TCAAACCGGGTAAGGATGCGCACAAGGTGTTGGCCATGGCCAGTAACCGCAAATACGGGCTGG

ATCTAGAAGCCGGCGAAACCATGCGGCCGAGCCATTCTCCCTGGTTGGCGACGGCGCCGGGT
 CTATCTTCAAGATCTTCACCAAGGCCGCTGCTCTGGACATGGGCATGGGTATTAACGCCCAACT
 CGACGTGCCGCCCGGATTCCAGGCCAAAGGTCTGGGAAGTGGCGGGGCAAAGGGGTGCCCCA
 AAGAGACCTGGTGTGTGGTGAACGCCGGCAACTACCGCGGCTCGATGAATGTCACCGACGCGC
 5 TGGCAACCTCGCCAAACACCGCGTTCGCCAAGCTGATCTCGCAGGTGCGGGGTGGGGCGTGCG
 GTCGATATGGCCATCAAACCTCGGGCTGAGGTCTTATGCGAATCCCGGCACCGCACGCGACTAC
 AACCCCGACAGCAATGAGAGCTTGGCTGACTTCGTCAAACGACAGAACCTGGGTTCGTTACCC
 TCGGCCCATCGAGTTAAACGCGCTGGAGCTGTCCAACGTGGCGGCCACGTTGGCATCCGGCG
 GCGTGTGGTGCCCCCCCCAACCAATCGACCAGCTCATCGACCGCAACGGCAACGAAGTCGCGG
 10 TCACCACCGAGACGTGCGACCAGGTGGTGCCCGCAGGGCTGGCGAACACCCTCGCCAACGCG
 ATGAGCAAGGACGCCGTGGGCAGCGGCACGGCGGCCGGTTCGGCCGGCGCGGGCGGGCTGGG
 ATCTGCCGATGTCCGGCAAACCGGCACCAACCGAGGCGCACCGGTTCGGCCGGCTTCGTGGGC
 TTCACCAACCGCTACGCGGCGGGCGAACTACATCTACGACGACTCCAGCTCGCCGACAGATCTGT
 GTTCCGGCCCCGCTGCGCCATTGCGGCAGCGGCGACTTGTACGGCGGCAACGAGCCATCCCGC
 15 ACCTGGTTCGCCGCGATGAAGCCGATCGCCAACAACCTTCGGCGAAGTGCAGCTACCACCGACC
 GATCCACGCTATGTGACGGCGCACCAAGGCTCACGGGTACCAAGCGTGGCCGGTCTGGATGTC
 GACGCCGCACGCCAGCGCCTCAAGGACGCGGGCTTCCAGGTGCGCGACCAAACCAACTCGGT
 CAACAGCTCCGCCAAGTATGGTGAGGTGGTCGGAACGTGCGCCAGCGGTCAAACAATTCCGGG
 TTCGATCGTCACGATCCAGATCAGCAACGGCATCCCGCCGGCTCCGCCCTCGCCACCGCTGCC
 20 TGAGGATGGTGGGCCCGCCACCGCCGGTCGGATCGCAGGTGGTGGAGATTCCGGGGCTGCCGC
 CGATCACCATTCCGCTGCTGGCGCCACCACCCCCAGCGCCTCCCCCGTAG

>Rv3721c dnaZX DNA polymerase III,[gamma] (dnaZ) and t (dnaX) TB.seq 4164995:4166728

MW:61892 >emb|AL123456|MTBH37RV:c4166728-4164992, dnaZX SEQ ID NO:138

GTGGCTCTTACCGBAAGTACCGACCGGCAAGCTTCGCGGAGGTGGTGGGGCAGGAGCACGT
 CACCGCGCCGCTGTCGGTGGCGCTGGATGCCGGCCGGATCAACCACGCGTACCTGTTCTCTGG
 GCCGCGTGGCTGCGGAAAGACGTGCTCAGCGCGTATCCTGGCGCGGTGTTGAACTGTGCGCA
 GGGCCCTACCGCCAACCCGTGCGGGGTCTGCGAATCCTGCGTTTCGTTGGCGCCCAACGCCCC
 CGGCAGCATCGACGTGGTAGAGCTGGATGCCGCCAGCCACGGCGGCGTGGACGACACCCGCG
 30 AGCTGCGGGACCGCGCGTTCTATGCGCCGGTCCAGTCACGGTACCGGGTATTTATCGTCGACG
 AGGCGCACATGGTGACCACCGCGGGATTCAACGCGCTGCTCAAGATCGTGGAGGAACCGCCC
 GAACACCTGATCTTCATATTCGCCACCACCGAACCAGGAGGTAAGTACTGCCGACGATTCGGTTCG
 GCACTCATCACTACCCGTTCCGGCTGCTGCCGCCGCGCACTATGCGGGCGTTGCTCGCGCGGA
 TCTGCGAGCAGGAGGGCGTCGTCGTCGACGATGCGGTGTACCCGTTGGTGATCCGGGGCCGGC
 35 GGAGGTTCCCCACGGGATACGCTCTCGGTGCTGGACCAATTGCTGGCTGGGGCCGCGGACAC
 CCACGTGACCTACACCCGGGCGCTGGGGCTGCTGGGTGTCACCGACGTCGCCCTGATCGACG
 ACGCGGTGACGCACTGGCCGCTTGCATGCGGCCGCATTGTTGGGGCGATCGAATCGGTGA

TCGATGGCGGACATGACCCTCGGCGTTTCGCTACCGATCTGCTGGAGCGATTCCGCGACCTGA
 TTGTGCTGCAATCGGTTCCCGACGCGGCATCTCGCGGGGTGGTGGATGCGCCCCGAAGACGCG
 CTGGATCGGATGCGCGAGCAAGCCGCCCGGATCGGGCGGGCGACCCTGACCCGATATGCCGA
 GGTGGTGCAGGCCGGGCTAGGCGAGATGCGCGGTGCGACCGCGCCGCGTCTGCTGCTGGAA
 5 GTGGTTTTCGCGCGGACTGCTGCTGCCCTCGGCGAGCGACGCCGAATCGGCACTGTTGCAGCG
 GGTCGAACGGATCGAGACCCGGTTGGACATGTCGATCCCGGCGCCGCAAGCCGTACCACGCC
 CGTCGGCTGCGGCTGCCGAGCCGAAACACCAGCCCGCGCGTGAACCGAGACCGGTGCTGGCC
 CCCACACCGGCCTCGAGCGAACCACCGTGGCCGCGGTTTCGGTCCATGTGGCCGACGGTGCG
 CGACAAGGTGCGCCTGCGCAGCCGTACCACCGAGGTGATGCTGGCGGGTGCCACCGTCCGTG
 10 CGCTAGAGGACAACACGCTGGTGTGACCCACGAATCGGCGCCGCTGGCGCGGCGGCTGTCC
 GAACAGCGCAACGCCGATGTCCTCGCCGAGGCGCTTAAGACGCGCTGGGAGTCAACTGGCG
 GGTGCGGTGTGAGACCGGTGAACCGGCTGCGGCGGCATCACCCGTCGGCGGGGGAGCGAAC
 GTGGCGACCGCCAAGGCCGTAAACCCTGCCCCACAGCGAATTCCACTCAGCGCGACGAAGAG
 GAGCACATGCTCGCCGAAGCCGGCCGTGGCGACCCGTCGCCGCGTCGCGACCCGGAAGAGGT
 15 TGCACTCGAGCTGCTGCAGAACGAGCTGGGCGCGCGCCGGATAGACAACGCCTAG

>Rv3783 - TB.seq 4229255:4230094 MW:32337

>emb|AL123456|MTBH37RV:4229255-4230097, Rv3783 SEQ ID NO:139

ATGACATTCATGGATGCTCAAGCTAGCTTCCAGACACAGTCGCGGACACTGGCCCGCGTCCGA
 20 GCGGATCTGGTCGACGGGTTCCGCCGCCACGAGCTGTGGCTGCACCTGGGCTGGCAGGACAT
 CAAGCAGCGGTACCGCCGCTCGGTGCTGGGGCCGTTCTGGATCACCATCGCCACCGGAACGA
 CCGCCGTCGCGATGGGCGGCCTGTATTCCAAGCTGTTTCGGCTCGAGCTGTCTGAGCACCTGC
 CCTACGTCACGCTCGGGCTGATCGTCTGGAACCTGATCAACGCCGCCATCCTGGACGGCGCAG
 AGGTTTTTCGTCGCCAACGAAGGTCTGATCAAACAGCTGCCGGCACCGTTGAGCGTGACGTCTA
 25 TCGGTTGGTGTGGCGGCAGATGATCTTCTTCGCCACAACATCGTCATCTACTTCGTATCGCG
 ATCATCTTTCCTAAGCCGTGGTCGTGGGCGGATCTGTCGTTTCTTCGGCGCTGGCGCTCATTT
 TCCTCAATTGCGTTTGGGTGTCACTGTGTTTCGGCATCCTGGCGACCCGCTACCGCGACATCGG
 CCGCTGCTGTTTTCCGTTGTGCAGTTGTTGTTCTTCATGACGCCGATCATCTGGAACGACGAGA
 CCCTGCGTCGGCAGGGCGCGGGCCGCTGGTCGAGCATCGTCGAGCTCAACCCGCTGCTGCAC
 30 TATCTGGACATCGTGCGGGCGCCACTGTTGGGCGCTCACCAGGAGCTGCGGCACTGGCTGGTG
 GTGCTGGTGTGACCGTCGTGGGCTGGATGCTGGCGGCGTTCGCGATGCGGCAGTATCGCGC
 GCGGGTGCCCTACTGGGTGTAG

>Rv3789 - TB.seq 4235371:4235733 MW:13378

>emb|AL123456|MTBH37RV:4235371-4235736, Rv3789 SEQ ID NO:140

ATGCGGTTTCGTTGTCAACGGCGGCCTCGCTGGGATAGTTGACTTTGGCCTCTACGTCGTGCTGT
 ACAAGGTGGCGGGCCTACAGGTGACCTGTCCAAGGCCATCAGCTTCATCGTCGGCACCATCA

CCGCGTACCTGATCAACCGCCGGTGGACATTCCAGGCCGAGCCCAGCACGGCCCCGATTCTGTCG
CGGTCATGCTCCTCTACGGAATCACCTTCGCCGTGCAGGTCGGACTCAACCACCTCTGCCTCGC
ACTCTTGCACTACCGGGCGTGGGCCATCCCCGTGCGTTTTGTGATCGCGCAGGGCACCGCCAC
GGTAATCAACTTCATCGTGCAGCGAGCCGTGATCTTCCGGATCCGCTGA

5

>Rv3790 - TB.seq 4235776:4237158 MW:50164

>emb|AL123456|MTBH37RV:4235776-4237161, Rv3790 SEQ ID NO:141

ATGTTGAGCGTGGGAGCTACCACTACCGCCACCCGGCTGACCGGGTGGGGCCGCACAGCGCC
GTCGGTGGCGAATGTGCTTCGCACCCCAGATGCCGAGATGATCGTCAAGGCGGTGGCTCGGGT
10 CGCCGAGTCGGGGGGCGGCCGGGGTGTATCGCGCGCGGGTGGGCCGCTCCTATGGGGAC
AACGCCCCAAAACGGCGGTGGGTTGGTGATCGACATGACGCCGCTGAACACTATCCACTCCATTG
ACGCCGACACCAAGCTGGTCGACATCGACGCCGGGGTCAACCTCGACCAACTGATGAAAGCCG
CCCTGCCGTTTCGGGCTGTGGGTCCCGGTGCTGCCGGGAACCCGGCAGGTCACCGTCGGCGGG
GCGATCGCCTGCGATATCCACGGCAAGAACCATCACAGCGCTGGCAGCTTCGGTAACACAGTG
15 CGCAGCATGGACCTGCTGACCGCCGACGGCGAGATCCGTATCTCACTCCGACCGGCGAGGA
CGCCGAACGTGTTCTGGGCCACCGTCGGGGGCAACGGTCTACCGGCATCATCATCGGGGCCAC
CATCGAGATGACGCCCACTTCGACGGCGTACTTCATCGCCGACGGCGACGTACCGCCAGCCT
CGACGAGACCATCGCCCTGCACAGCGACGGCAGCGAAGCGCGCTACACCTATTCCAGTGCCTG
GTTTCGACGCGATCAGCGCTCCCCGAAGCTGGGCCGCGCGGCGGTATCGCGTGGCCGCCTGG
20 CCACCGTCGAGCAATTGCCTGCGAAACTGCGGAGCGAACCTTTGAAATTCGATGCGCCACAGCT
ACTTACGTTGCCCGACGTGTTTCCCAACGGGCTGGCCAACAAATATACCTTCGGCCCCGATCGGC
GAACTGTGGTACCGCAAATCCGGCACCTATCGCGGCAAGGTCCAGAACCTCACGCAGTTCTACC
ATCCGCTGGACATGTTTCGGCGAATGGAACCGCGCCTACGGCCCAGCGGGCTTCCTGCAATATC
AGTTCGTGATCCCCACAGAGGCGGTTGATGAGTTCAAGAAGATCATCGGCGTTATTCAAGCCTC
25 GGGTCACTACTCGTTTCTCAACGTGTTCAAGCTGTTTCGGCCCCCGCAACCAGGCGCCGCTCAGC
TTCCCCATCCCGGGCTGGAACATCTGCGTCGACTTCCCCATCAAGGACGGGCTGGGGAAGTTC
GTCAGCGAACTCGACCGCCGGTACTGGAATTCGGCGGCCGCTCTACACCGCAAAGACTCC
CGTACCACCGCCGAAACCTTTCATGCCATGTATCCGCGCGTCGACGAATGGATCTCCGTGCGCC
GCAAGGTCGATCCGCTGCGCGTATTGCGCTCCGACATGGCCCCGACGCTTGGAGCTGCTGTAG

30

>Rv3791 - TB.seq 4237162:4237923 MW:27470

>emb|AL123456|MTBH37RV:4237162-4237926, Rv3791 SEQ ID NO:142

ATGGTTCTTGATGCCGTAGGAAACCCCCAGACGGTGCTGCTGCTCGGTGGCACCTCCGAGATC
GGGCTCGCCATCTGCGAGCGCTACCTGCACAATTTCGGCGGCCCGCATCGTGCTGGCCTGCCTG
35 CCCGACGACCCACGGCGGGAGGACGCGGCCGCTGCGATGAAGCAGGCGCGCGCGGTTCG
TGGAGCTGATCGACTTTGACGCCCTGGATACCGACAGCCACCCGAAGATGATCGAGGCGGCCT
TCTCCGGCGGTGATGTGGACGTGGCTATCGTCGCGTTTCGGCTTGTCTGGCGACGCCGAAGAGC

TGTGGCAGAACCAGCGCAAGGCGGTGCAGATCGCCGAAATCAACTACACCGCAGCGGTTTCGG
TGGGCGTGCTGCTGGCTGAGAAGATGCGCGCTCAGGGCTTCGGTCAGATCATCGCGATGAGCT
CGGCCGCCGGTGAGCGGGTGCAGCGGGCGAACTTCGTCTACGGCTCCACCAAGGCCGGTCTG
GACGGGTTTTACCTGGGGTTGTCAGAAGCGCTGCGCGAGTACGGTGTTCTGTGCTGGTGATC
5 CGGCCCGGCCAGGTGCGTACCCGGATGAGCGCGCACCTCAAGGAAGCTCCATTGACCGTCGA
CAAGGAGTACGTGCGCAACCTCGCGGTGACCGCGTCCGCAAAAGGTAAGGAATTGTTTTGGGC
GCCAGCAGCGTTCCGCTACGTCATGATGGTGTTGCGTCACATCCCGCGGAGCATCTTCCGCAA
GCTGCCCATCTGA

>Rv3794 embA TB.seq 4243230:4246511 MW:115694

>emb|AL123456|MTBH37RV:4243230-4246514, embA SEQ ID NO:143

GTGCCCCACGACGGTAATGAGCGATCTACCGGATCGCACGCCTAGCAGCCGTCGTCTCGGGA
ATCGCGGGTCTGCTGCTGTGCGGCATCGTTCCGCTGCTTCCGGTGAACCAAACACCGCGACC
ATCTTCTGGCCGCAGGGCAGCACCGCCGACGGCAACATCACCCAGATCACCGCCCCCTCTGGTA
15 TCCGGGGCGCCACGCGCGCTGGACATCTCGATCCCCTGCTCGGCCATCGCCACGCTGCCCGC
CAACGGCGGCCTGGTGCTGTCCACACTGCCGGCCGGTGGCGTGGATAACCGGTAAGGCCGGGC
TGTTCTGTCGCGCCAACCAGGACACGGTCGTCTGGCGTTCGCGACTCGGTGGCCGCGGTG
GCGGCCCGCTCCACGATCGCAGCGGGAGGCTGTAGCGCGCTGCATATCTGGGCCGATAACGG
CGGCGCGGGCGCTGATTTTATGGGTATACCCGGCGGCGCGCGGACCCTGCCGCCGAGAAGA
20 AGCCACAGGTTGGCGGCATCTTACCGACCTGAAGGTCGGAGCGCAGCCCGGGCTGTGCGCC
CGCGTCGACATCGACACTCGGTTTATCACGACGCCCGGCGCGCTCAAGAAGGCCGTGATGCTC
CTCGGCGTGCTGGCGGTCCTGGTAGCCATGGTGGGGCTGGCCGCGCTGGACCGGCTCAGCAG
GGGCCGCACCCTGCGCGACTGGCTGACCCGATATCGCCCGCGGGTGCGGGTGCGGATTGCGCA
GCCGGCTCGCTGACGCAGCGGTGATCGCGACCTTGTTGCTCTGGCATGTCATCGGCGCCACCT
25 CGTCCGATGACGGCTACCTTCTGACCGTCGCCCGGGTCGCCCGAAGGCCGGCTATGTAGCCA
ACTACTACCGGTATTTGCGCACGACGGAGGCGCCGTTGACTGGTATACATCGGTGCTTGCCCA
GCTGGCGGCGGTGAGCACCGCCGGCGTCTGGATGCGCCTGCCCGCCACCCTGGCCGGAATCG
CCTGCTGGCTGATCGTCAGCCGTTTCGTGCTGCGGCGGCTGGGACCGGGCCCGGGCGGGCTG
GCGTCCAACCGGGTCGCTGTGTTACCGCTGGTGCGGTGTTTCTGTCCGCTGGCTGCCGTTT
30 AACAACGGCCTGCGTCCCGAGCCGCTGATCGCGCTGGGTGTGCTGGTCACGTGGGTGTTGGTG
GAACGGTCGATCGCGCTCGGACGGCTGGCCCCGGCGCGGTAGCCATCATCGTGGCGACGCT
TACCGCGACGCTGGCACCGCAGGGGTTGATCGCGCTGGCCCCGCTGCTGACTGGTGCGCGCG
CCATCGCCCAGAGGATCCGGCGCCGCGGGGCGACCGATGGACTGCTGGCGCCGCTGGCGGT
GCTGGCCGCGGCGTTGTGCTGATCACCGTGGTGGTGTTCGGGACCAGACGCTGGCCACGGT
35 GGCCGAATCGGCACGCATCAAGTACAAGGTCGGCCCGACCATCGCCTGGTACCAGGACTTCCT
GCGCTACTACTTCCTTACCGTGGAGAGCAACGTTGAGGGTTCGATGTCCCGCCGGTTCGCGGT
GCTGGTGTTGCTGTTCTGCCTGTTCCGGGTGCTGTTCTGTGCTGCTGCGGCGCGGCCGGGTGGC

GGGGCTGGCCAGCGGCCCGGCCTGGCGACTGATCGGCACTACGGCGGTGGCCTGCTGCTGC
 TCACGTTACGCCAACCAAGTGGGCCGTGCAGTTCGGCGCATTGCGCGGGCTGGCCGGGGTGT
 TGGGTGCGGTACCGCGTTACCTTTGCCCGCATCGGTCTACATAGTCGACGCAACCTCACGCT
 GTACGTGACCGCGTTGCTGTTGCTGCTGGCGTGGGCAACCTCGGGCATCAACGGGTGGTTCTA
 5 CGTCGGCAACTACGGGGTGCCGTGGTATGACATCCAGCCCGTCATCGCCAGCCACCCGGTGAC
 GTCGATGTTTTCTGACGCTGTCGATCCTCACCGGATTGCTGGCAGCCTGGTATCACTTCCGGATG
 GACTACGCCGGGCACACCGAAGTCAAAGACAACCGGCGCAACCGCATCTTGGCCTCTACGCCA
 CTGCTGGTGGTCGCGGTGATCATGGTCGAGGCGAAGTCGGCTCGATGGCCAAGGCCGCGGT
 GTTCCGTTACCCGCTTTACACCACCGCCAAGGCCAACCTGACCGCGCTCAGCACCGGGCTGTC
 10 CAGCTGTGCGATGGCCGACGACGTGCTGGCCGAGCCCGACCCCAATGCCGGCATGCTGCAAC
 CGGTTCCGGGCCAGGCGTTCGGACCGGACGGACCGCTGGGCGGTATCAGTCCCGTCGGCTTC
 AAACCCGAGGGCGTGGGCGAGGACCTCAAGTCCGACCCGGTGGTCTCAAACCCGGGCTGGT
 CAACTCCGATGCGTCGCCCAACAAACCCAACGCCGCCATCACCGACTCCGCGGGCACCGCCGG
 AGGGAAGGGCCCGGTGCGGATCAACGGGTGCGACGCGGCGCTGCCGTTGCGATTGGACCCGG
 15 CACGTACCCCGGTGATGGGCAGCTACGGGGAGAACAACCTGGCCGCCACGGCCACCTCGGCC
 TGGTACCAGTTACCGCCCCGACGCCCGACCGGCCGCTGGTGGTGGTTTTCCGCGGCCGGCGC
 CATCTGGTCTTACAAGGAGGACGGCGATTTTCATCTACGGCCAGTCCCTGAAACTGCAGTGGGG
 CGTCACCGGCCCGGACGGCCGCATCCAGCCACTGGGGCAGGTATTTCCGATCGACATCGGACC
 GCAACCCGCGTGGCGCAATCTGCGGTTTCCGCTGGCCTGGGCGCCCGCGGAGGCCGACGTGG
 20 CGCGCATTGTGCGCTATGACCCGAACCTGAGCCCTGAGCAATGGTTCGCTTCACCCGCCCC
 GGGTTCCGGTGCTGGAATCTCTGCAGCGGTTGATCGGGTCAGCGACACCGGTGTTGATGGACA
 TCGCGACCGCAGCCAACTTCCCCTGCCAGCGACCGTTTTCCGAGCATCTCGGCATTGCCGAGC
 TTCCGCAGTACCGGATCCTGCCGACCACAAGCAGACGGCGGCGTCGTGGAACCTATGGCAGT
 CCAGCTCGACCGGCGGTCCGTTCTGTTACCCAGGCGCTGCTGCGCACCTCGACGATCGCCA
 25 CGTACCTGCGTGGGGACTGGTATCGCGACTGGGGATCGGTGGAGCAGTACCACCGGCTGGTG
 CCGGCCGATCAGGCTCCAGACGCCGTTGTGAGGAGGGCGTGATCACTGTGCCCGGCTGGGG
 TCGGCCAGGACCGATCAGGGCGCTGCCATGA

>Rv3795 embB TB.seq 4246511:4249804 MW:118023

>emb|AL123456|MTBH37RV:4246511-4249807, embB SEQ ID NO:144

ATGACACAGTGC GCGAGCAGACGCAAAAGCACCCCAAATCGGGCGATTTTGGGGGCTTTTGCG
 TCTGCTCGCGGGACGCGCTGGGTGGCCACCATCGCCGGGCTGATTGGCTTTGTGTTGTCGGTG
 GCGACGCCGCTGCTGCCCCGTCGTGCAGACCACCGCGATGCTCGACTGGCCACAGCGGGGGCA
 ACTGGGCAGCGTGACCGCCCCGCTGATCTCGCTGACGCCGGTCGACTTTACCGCCACCGTGCC
 35 GTGCGACGTGGTGCGGCCATGCCACCCGCGGGCGGGGTGGTGCTGGGCACCGCACCCAAG
 CAAGGCAAGGACGCCAATTTGCAGGCGTTGTTGTCGTGTCGTGAGCGCCAGCGCGTGGACGTC
 ACCGACCGCAACGTGGTGATCTTGTCCGTGCGCGCGAGCAGGTGACGTCCCCGCAGTGTCAA

CGCATCGAGGTCACCTCTACCCACGCCGGCACCTTCGCCAACTTCGTCGGGCTCAAGGACCCG
TCGGGCGCGCCGCTGCGCAGCGGCTTCCCCGACCCCAACCTGCGCCCGCAGATTGTCGGGGT
GTTACCGACCTGACCGGGCCCCGCGCCGCCGGGCTGGCGGTCTCGGCGACCATCGACACCC
GGTTCTCCACCCGGCCGACCACGCTGAAACTGCTGGCGATCATCGGGGCGATCGTGGCCACCG
5 TCGTCGCACTGATCGCGTTGTGGCGCCTGGACCAGTTGGACGGGCGGGGCTCAATTGCCCAGC
TCCTCCTCAGGCCGTTCCGGCCTGCATCGTCGCGGGGCGGCATGCGCCGGCTGATTCCGGCAA
GCTGGCGCACCTTCACCCTGACCGACGCCGTGGTGATATTGGGCTTCCTGCTCTGGCATGTCAT
CGGCGCGAATTCTGTCGGACGACGGCTACATCCTGGGCATGGCCCGAGTCGCCGACCACGCCG
GCTACATGTCCAACATTTCCGCTGGTTCGGCAGCCCCGGAGGATCCCTTCGGCTGGTATTACAA
10 CCTGCTGGCGCTGATGACCCATGTCAGCGACGCCAGTCTGTGGATGCGCCTGCCAGACCTGGC
CGCCGGGCTAGTGTGCTGGCTGCTGCTGTGCGGTGAGGTGCTGCCCCGCCTCGGGCCGGCGG
TGGAGGCCAGCAAACCCGCCTACTGGGCGGCGGCCATGGTCTTGCTGACCGCGTGATGCCG
TTCAACAACGGCCTGCGGCCGGAGGGCATCATCGCGCTCGGCTCGCTGGTCACCTATGTGCTG
ATCGAGCGGTCCATGCGGTACAGCCGGCTCACACCGGCGGGCGCTGGCCGTCTGTTACCGCCGC
15 ATTCACACTGGGTGTGCAGCCCACCGGCCTGATCGCGGTGGCCGCGCTGGTGGCCGGCGGCC
GCCCGATGCTGCGGATCTTGGTGCGCCGTATCGCCTGGTCGGCACGTTGCCGTTGGTGTGCG
CGATGCTGGCCGCCGGCACCGTCATCCTGACCGTGGTGTTCGCCGACCAGACCCTGTCAACGG
TGTTGGAAGCCACCAGGGTTCGCGCCAAAATCGGGCCGAGCCAGGCGTGGTATACCGAGAACC
TGCGTTACTACTACCTCATCCTGCCACCGTCGACGGTTCGCTGTGCGGGCGCTTCGGCTTTTT
20 GATCACCGCGCTATGCCTGTTACCGCGGTGTTTCATCATGTTGCGGCGCAAGCGAATTCACAGC
GTGGCCCGCGGACCGGCGTGGCGGCTGATGGGCGTCATCTTCGGCACCATGTTCTTCCTGATG
TTCACGCCCACCAAGTGGGTGCACCACTTCGGGCTGTTCCGCCCGGTAGGGGCGGCGATGGC
CGCGCTGACGACGGTGTGTTGGTATCCCCATCGGTGCTGCGCTGGTCGCGCAACCGGATGGCGTT
CCTGGCGGCGTTATTCTTCCTGCTGGCGTTGTGTTGGGCCACCACCAACGGCTGGTGGTATGTC
25 TCCAGCTACGGTGTGCCGTTCAACAGCGCGATGCCGAAGATCGACGGGATCACAGTCAGCACA
ATCTTTTTCGCCCTGTTTGCGATCGCCGCCGGCTATGCGGCCTGGCTGCACTTCGCGCCCCGC
GGCGCCGGCGAAGGGCGGCTGATCCGCGCGCTGACGACAGCCCCGGTACCGATCGTGGCCG
GTTTCATGGCGGCGGTGTTGTCGCGTCCATGGTGGCCGGGATCGTGCGACAGTACCCGACCT
ACTCCAACGGCTGGTCCAACGTGCGGGCGTTTGTGCGGCGGCTGCGGACTGGCCGACGACGTA
30 CTCGTCGAGCCTGATACCAATGCGGGTTTCATGAAGCCGCTGGACGGCGATTCCGGTTCTTGG
GGCCCCCTGGGCCCCGCTGGGTGGAGTCAACCCGGTCGGCTTCACGCCCAACGGCGTACCGGA
ACACACGGTGGCCGAGGCGATCGTGATGAAACCCAACCAGCCCGGCACCGACTACGACTGGGA
TGCGCCGACCAAGCTGACGAGTCCTGGCATCAATGTTCTACGGTGCCGCTGCCCTATGGGCT
CGATCCCGCCCGGTACCGTTGGCAGGCACCTACACCACCGGCGCACAGCAACAGAGCACACT
35 CGTCTCGGCGTGGTATCTCCTGCCTAAGCCGGACGACGGGCATCCGCTGGTCGTGGTGACCGC
CGCGGGCAAGATCGCCGGCAACAGCGTGCTGCACGGGTACACCCCGGGCAGACTGTGGTG
TCGAATACGCCATGCCGGGACCCGGAGCGCTGGTACCCGCGGGGCGGATGGTGCCCGACGAC

CTATACGGAGAGCAGCCCAAGGCGTGGCGCAACCTGCGCTTCGCCCCGAGCAAAGATGCCCCG
CGATGCCGTCGCGGTCCGGGTGGTGGCCGAGGATCTGTCGCTGACACCGGAGGACTGGATCG
CGGTGACCCCGCCGCGGTACCGGACCTGCGCTCACTGCAGGAATATGTGGGCTCGACGCAG
CCGGTGCTGCTGGACTGGGCGGTGCGTTTGGCCTTCCCGTGCCAGCAGCCGATGCTGCACGC
5 CAATGGCATCGCCGAAATCCCGAAGTTCCGCATCACACCGGACTACTCGGCTAAGAAGCTGGAC
ACCGACACGTGGGAAGACGGCACTAACGGCGGCCTGCTCGGGATCACCGACCTGTTGCTGCG
GGCCACGTCATGGCCACCTACCTGTCCCGCGACTGGGCCCGCGATTGGGGTTCCCTGCGCAA
GTTTCGACACCCTGGTCGATGCCCTCCCGCCAGCTCGAGTTGGGCACCGCGACCCGCGAGCG
GCCTGTGGTCACCGGGCAAGATCCGAATTGGTCCATAG

>Rv3834c serS seryl-tRNA synthase TB.seq 4307655:4308911 MW:45293

>emb|AL123456|MTBH37RV:c4308911-4307652, serS SEQ ID NO:145

GTGATCGACCTGAAGCTGCTTCGTGAAAACCCCGACGCGGTACGCCGCTCACAACCTCAGCCGC
GGCGAGGACCCGCGCTGGTAGATGCCCTGCTGACGGCCGACGCCGCCCGCCGGGCGGTGA
15 TCTCGACCGCCGATTGTTACGGGCCGAGCAGAAAGCCGCCAGCAAAAGCGTGGGTGGCGCG
TCTCCCGAAGAGCGCCCGCCGCTGCTGCGGCGCGCGAAGGAACTCGCCGAGCAGGTCAAAGC
CGCTGAGGCCGACGAGGTGAAGCGGAGGCGGCGTTACCGCGGCGCACCTGGCGATCTCGA
ATGTCATCGTGACGGGGTACCCGCCGGCGGGGAGGACGACTACGCGGTGCTCGACGTCGTC
GGCGAGCCCAGCTACCTCGAGAACCCCAAGGACCACCTGGAGCTCGGCGAGTCGCTGGGCCT
20 GATCGACATGCAGCGCGGCCAAGGTGTGGGTTACGGTTCTACTTCCTGACCGGTGCGGG
TGCCCTACTGCAGCTTGGATTGCTGCAGCTGGCGCTGAAGCTAGCCGTCGACAACGGCTTTGTC
CCTACGATCCCGCCGGTGCTGGTGCGCCCGGAAGTGATGGTAGGCACGGGATTTCTAGGCGCC
CACGCCGAGGAGGTGTACCGGGTAGAGGGCGACGGCCTCTACCTTGTGGGCACCTCCGAGGT
ACCGCTGGCGGGGTATCACTCCGGCGAGATTCTGGACCTTCCCGCGGGCCGCTGCGGTATGC
25 GGGCTGGTCGTCGTGTTTCCGACGTGAGGCCGGCAGCCATGGCAAGGACACGCGCGGCATCA
TCCGGGTGCACCAAGTTCGACAAAGTCGAGGGCTTCGTCTACTGCACACCGGCCGACGCGGAGC
ACGAACATGAGCGGCTGCTGGGCTGGCAGCGCCAGATGCTGGCACGCATCGAGGTGCCGTAT
CGGGTCATCGACGTGGCCGCGGGTGATCTCGGCTCGTCGGCCGCCCGCAAGTTCGACTGCGA
GGCGTGATTCCGACGCAGGGGGCCTATCGCGAGCTGACGTCGACGTCGAAGTGCACCACTT
30 TCAGGCGCGCCGTTGGCGACCCGCTACCGGGATGCCAGCGGCAAGCCGCGAGATCGCGGCCA
CCCTCAACGGAACGCTGGCCACCACCCGGTGGCTGGTTGCGATCCTGGAGAACCACCAGCGG
CCCGACGGCAGCGTTAGAGTCCCGGACGCACTGGTTCCGTTCTGTGGGTGTCGAAGTGCTGGAG
CCGGTCGCTTAG

>Rv3907c pcnA polynucleotide polymerase TB.seq 4391631:4393070 MW:53057

>emb|AL123456|MTBH37RV:c4393070-4391628, pcnA SEQ ID NO:146

GTGCCGGAAGCCGTCCAGGAAGCCGATCTGCTAACCGCCGCTGCGGTTGCCTTGAACAGGCAT
GCTGCCTTATTGCGGGAACCTCGGGTCGGTGTTCGCCGCCGCGGGACACGAGTTGTATCTGGTC
GGCGGTTTCGGTGCGAGATGCACTGTTGGGCCGGTTGAGCCCCGACCTGGACTTCACCACCGAC
GCCCCGTCCCAGCGGGTGCAGGAGATCGTGCGGCCGTGGGCCGATGCGGTGTGGGATACCG
5 GAATCGAATTCGGCACCGTTCGGCGTGGGTAAGAGCGACCACCGCATGGAGATCACCACATTCC
GTGCCGACAGCTACGACCGGGTTTCGCGTCATCCAGAGGTACGTTTCGGCGATTGCCTCGAGG
GCGATCTGGTCCGCCGCGACTTCACCACGAACGCAATGGCTGTGCGCGTCACCGCCACTGGGC
CGGGCGAATTCCTGGATCCGCTTGGTGGCTTGGCGGCGCTGCGGGCCAAGGTGTTAGACACCC
CGGCGGCGCCGTCGGGGTCCTTTGGCGACGATCCGTTGCGGATGCTGCGCGCCGCGCGGTTTC
10 GTCTCGCAACTTGATTTCGCGGTGGCGCCGCGGGTGC GCGCGGCGATCGAAGAGATGGCGCC
GCAGTTGGCCCGAATCAGCGCCGAACGGGTGGCCGCCGAGCTGGACAAGCTGCTGGTTCGGTG
AGGATCCGGCCGCGGGTATCGACCTGATGGTGCAGAGCGGTATGGGTGCTGTGGTCTTGCCTG
AAATCGGTGGGATGCGGATGGCGATCGACGAACATCACCAGCACAAGGACGTCTATCAGCATTTC
CTTGACCGTGCTGCGGCAGGCGATCGCGCTGGAGGACGACGGCCCGGATCTGGTGTTCGCGCT
15 GGGCGGCGCTGCTGCACGACATCGGCAAGCCCCGCCACCCGCCGTACGAACCCGACGGTGGG
GTGAGCTTCCATCACCACGAAGTGGTGGCGCCAAGATGGTGC GCAAGCGGATGCGGGCGCT
GAAGTATTCCAAGCAGATGATCGACGACATCTCGCAGCTGGTCTACCTGCATCTGCGGTTTCAC
GGCTACGGCGATGGGAAATGGACCGACTCTGCGGTGCGCCGCTATGTCACCGACGCGGGGGC
CCTACTGCCACGGCTGCACAAGCTGGTGC GCGCCGACTGCACGACCCGCAACAAGCGCCGGG
20 CCGCGCGGTTGCAGGCCAGTTACGACCGGCTGGAAGAGCGGATCGCGGAGCTGGCCGCCAG
GAGGATCTGGATCGGGTGC GCGCCCGACCTGGACGGCAACCAGATCATGGCGGTGCTCGACATT
CCGGCGGGGCCGCAAGTCGGCGAGGCGTGGCGCTACTTGAAGGAGCTGCGGCTAGAGCGCG
GCCGTTGTCCACCGAGGAGGCGACAACCGAGCTGCTGTCCTGGTGGAATCACGGGGGAAC
CGCTAG

TABLE 4

>Rv0002 dnaN DNA polymerase III, b-subunit TB.seq 2052:3257 MW:42114 SEQ ID NO:147
MDAATTRVGLTDLTFRLLRESFADAVSWVAKNLPARPAVPVLSGVLLTGSDNGLTISGFDYEVSAEA
QVGAEIVSPGSVLVSGRLLSDITRALPNKPVDVHVEGNRVALTCGNARFSLPTMPVEDYPTLPTLPEE
30 TGLLPAELFAEAIQVAIAAGRDDTLPLMTGIRVEILGETVVLAATDRFRLAVRELKWSASSPDIEAAVL
VPAKTLAEAAKAGIGGSDVRLSLGTGPGVGKDGLLGISNGKRSTTRLLDAEFPKFRQLLPTEHTAVA
TMDVAELIEAIKLVALVADRG AQVRMEFADG SVRLSAGADDV GRAEEDLVVDYAGEPLTIAFNPTYLT
DGLSSLRSERVSFGFTTAGKPALLRPVSGDDR PVAGLNGNGPFP AVSTDYVYLLMPVRLPG
35 >Rv0003 recF DNA replication and SOS induction TB.seq 3280:4434 MW:42181 SEQ ID NO:148
VYVRHLGLRDFRSWACVDLELHPGRTVFVGPNGYGKTNLIEALWYSTTLGSHRVSADLPLIRVGTDR
AVISTIVNDGRECAVDLEIATGRVNKARLNRSSVRSTRDVVGVLRAVL FAPEDLGLVRGDPADRRR

YLDDLAIVRRPAIAAVRAEYERVLQRRTALLKSVPGARYRGDRGVFDLTLEVWDSRLAEHGAELVAARI
DLVNQLAPEVKKAYQLLAPESRSASIGYRASMDVTGPSEQSDIDRQLLAARLLAALAARRDAELERG
VCLVGPHRDDLLRLGDQPAKGFASHGEAWSLAVALRLAAYQLLRVDGGEPVLLDDVFAELDMRR
RALATAAESAEQVLVTAAVLEDIPAGWDARRVHIDVRADDTGSMSVLP

5
>Rv0005 gyrB DNA gyrase subunit B TB.seq 5123:7264 MW:78441 SEQ ID NO:149
MGKNEARRSALAPDHGTVCPLRLNRMHATPEESIRIVAAQKKKAQDEYGAASITILEGLEAVRKR
PGMYIGSTGERGLHHLIWEVVDNAVDEAMAGYATTNNVLLLEDGGVEVADDGRGIPVATHASGIPTV
DVTMTQLHAGGKFDSDAYAISGGLHGVGVSVNALSTRLEVEIKRDGYEWSQVYEKSEPLGLKQGA
10 PTKKTGSTVRFWADPAVFETTEYDFETVARRLQEMAFLNKGLTINLTDERVTQDEVVDEVSDVAEA
PKSASERAAESTAPHKVKSRTHYPGGLVDFVKHINRTKNAIHSSIVDFSGKGTGHEVEIAMQWNAG
YSESVHTFANTINTHEGGTHEEGFRSALTSVNNKYAKDRKLLKDKDPNLTGDDIREGLAAVISVKVSE
PQFEGQTKTKLGNTEVKSFVQKVCNEQLTHWFEANPTDAKVVVNKAVSSAQARIAARKARELVRRK
SATDIGGLPGKLADCRSTDPRKSELYVVEGDSAGGSAKSGRDSMFQAILPLRGKIINVEKARIDRVLK
15 NTEVQAIITALGTGIHDEFDIGKLRYHKIVLMADADVDGQHISTLLLTLLFRFMRPLIENGHVFLAQPPPLY
KLKWQRSDDPEFAYSRRERDGLLEAGLKAGKKINKEDGIQRYKGLGEMDAKELWETMDPSVRVLRQ
VTLDAAADELFSILMGEDVDARRSFITRNAKDVRFLDV

20 >Rv0006 gyrA DNA gyrase subunit A TB.seq 7302:9815 MW:92276 SEQ ID NO:150
MTDTTLPPDDSLDRIEVDIEQEMQRSYIDYAMSVIVGRALPEVRDGLKPVHRRVLYAMFDSGFRPD
RSHAKSARSVAETMGNYHPHGDASIYDSLVRMAQPWSLRYPLVDGQGNFGSPGNDPPAAMRYTEA
RLTPLAMEMLREIDEETVDFIPNYDGRVQEPTVLPSPFPNLLANGSGGIAVGMATNIPPHNLRELADA
VFWALENHDADEEETLAAMVGRVKGPDPFTAGLIVGSQGTADAYKTGRGSIRMGRGVVEVEEDSRG
RTSLVITELPYQVNHDFITSIAEQVRDGLAGISNIEDQSSDRVGLRIVIEIKRDAVAKVWINNLYKHTQ
25 LQTSFGANMLAIVDGPVPTLRDLQLIRYYVDHQLDVIVRRTTYRLRKANERAHILRGLVKALDALDEVI
ALIRASETVDIARAGLIELLDIDEIQAQAILDMQLRRLAALERQRIIDDLAKIEAEIADLEDILAKPERQIR
VRDELAIEVDHRHGGDRRTRIIAADGDVSEDLIAREDDVVTTITETGYAKRTKTDLYRSQKRGKGQVQG
AGLKQDDIVAHFFVCSTHDLILFFTQGRVYRAKAYDLPEASRTARGQHVANLLAFQPEERIAQVIQIR
GYTDAPYVLATRNGLVKSKLTDDFSNSGGIVAVNLRDNDDELVGAVLCSAGDDLVSANGQSIR
30 FSATDEALRPMGRATSGVQGMRFNIDRLLSLNVVREGTYLLVATSGGYAKRTAIEEYPVQGRGGK
GVLTVMYDRRRGRLVGALIVDDDSELYAVTSGGGVIRTAARQVRKAGRQTKGVRLMNLGEGDTLLAI
ARNAEESGDDNAVDANGADQTGN

35 >Rv0014c pknB serine-threonine protein kinase TB.seq 15593:17470 MW:66511 SEQ ID NO:151
MTTPSHLSDRYELGEILGFGGMSEVHLARDLRLHRDVAVKVLRADLARDPSFYLRFRREAQNAALN
HPAIVAVYDTGEAETPAGPLPYIVMEYVDGVTLRDIVHTEGPMTPKRAIEVIADACQALNFSHQNGIIH
RDVKPANIMISATNAVKVMDFGIARAIADSGNSVTQTAAVIGTAQYLSPEQARGDSVDARSDVYSLGC

VLVEVLTGEPFPTGDSPPSVAYQHVREDPIPPSARHEGLSADLDAVVLKALAKNPENRYQTAAEMRA
DLVRVHNGEPPEAPKVLTAERTSLLSSAAGNLSPRTDPLPRQDLDDTDRDRSIGSVGRWVAVVA
VLAVLTVVVTIAINTFGGITRDVQVPDVRGQSSADAIATLQNRGFKIRTLQKPDSTIPPDHVIGTDPAAAN
TSVSAGDEITVNVSTGPEQREIPDVSTLTYAEAVKKLTAAGFGRFKQANSPSTPELVGKVIGTNPPAN
5 QTSAITNVVIVGSGPATKDIPDVAGQTVDAQKNLNVYGFTKFSQASVDSRPAGEVTGTNPPAGT
TVPVDSVIELQVSKGNQFVMPDLSGMFWVDAEPRLRALGWTGMLDKGADV DAGGSQHNRVYQN
PPAGTGVNRDGIITLRFQG

>Rv0016c pbpA TB.seq 18762:20234 MW:51577 SEQ ID NO:152

10 MNASLRISVTVMALIVLLLLNATMTQVFTADGLRADPRNQRVLLDEYSRQRGQITAGGQLLAYS VAT
DGRFRFLRVYPNPEVYAPVTGFYSLRYSSTALERAEDPILNGSDRRLFGRRADFFTGDRDPRGGNV
DTTINPRIQQAGWDAMQQGCGYGPCKGAVVALEPSTGKILALVSSPSYDPNLLASHNPEVQAQAWQR
LGDNPASPLTNRAISETYPPGSTFKVITTAALAAGATETEQLTAAPTIPLPGSTAQLENYGGAPCGDE
PTVSLREAFVKSCNTAFVQLGIRTGADALRSMARAFGLDSPPRPTPLQVAESTVGPIPD SAALGMTSI
15 GQKDVALTPLANAIEAATIANGGITMRPYLVGSLKGPDLANISTTVGYQQRRAVSPQVAAKLT ELMVG
AEKVAQQKGAIPGVQIASKTGTAEHGTDPRHTPPHAWYIAFAPAQAPKVAVAVLVENGADR L SATGG
ALAAPIGRAVIEAALQGEP

>Rv0017c rodA TB.seq 20234:21640 MW:50612 SEQ ID NO:153

20 MTTRLQAPVAVTPPLPTRRNAELLLCFAAVITFAALLVVQANQDQGVWDLT SYGLAFLTLFGSAHL
AIRRFAPYTDPLLLPVVALLNGLGLVMIHRLDLVDNEIGEHRHPSANQQMLWTLVGVA AFALVVTFLK
DHRQLARYGYICGLAGLVFLAVPALLPAALSEQNGAKIWIRLPGFSIQPAEFSKILLIFFSAVLVAKRG
LFTSAGKHLLGMTLPRPRDLAPLLAAWVISVGMVFEKDLGASLLLYTSFLV VVYLATQRF SWVIGL
TLFAAGTLVAYFIFEHVRLRVQTWLDPFADPDGTGYQIVQSLFSFATGGIFGTGLGNGQPDTVPAAST
25 DFIIA AFGEELGLVGLTAILMLYTIIRGLRTAIATRDSFGKLLAAGLSSTLAIQLFIVVGGVTRLIPLTGLT
TPWMSYGGSSLLANYILLAILARISHGARRPLRTRPRNKSPITAAGTEVIERV

>Rv0018c ppp TB.seq 21640:23181 MW:53781 SEQ ID NO:154

30 VARVTLVLRYAARSDRGLVRANNEDSVYAGARLLALADGMGGHAAGEVASQLVIAALAH LDDDEPG
GDLLAKLDAAVRAGNSAIAAQVEMEPDLEGMTTLTAILFAGNRLGLVHIGDSRGYLLRDGELTQITK
DDTFVQTLVDEGRITPEEAHSHPQRS LIMRALTGHEVEPTLTMREARAGDRYLLCSDGLSDPVSD ETI
LEALQIPEVAESAHR LIELALRGGGPDNVTVVADVVDYDYGQTQPILAGAVSGDDDQLTPNTAAG
RASAIQRKEIVKRVPQADTF SRPRWSGRRLAFVVALVTVLMTAGLLIGRAIRS NYVADYAGSVSI
MRGIQGSLLGMSLHQPYLMGCLSPRNELSQISYGQSGGPLDCHLMKLEDLRPPER AQVRAGLPAGT
35 LDDAIGQLRELAANSLPPCPAPRATSPPGRPAPPTTSETTEPNVTSSPASPSPTTSAPAPTGTTPAIP
TSASPAASPPTPWPVTSSPTMAALPPPPQPGIDCRAAA

>Rv0019c - TB.seq 23273:23737 MW:17153 SEQ ID NO:155

MQGLVLQLTRAGFLMLLWVFIWSVLRILKTDIYAPTGAVMRRGLALRGTLGARQRRHAARYLVVT
EGALTGARITLSEQPVLIGRADDSTLVLTDDYASTRHARLSMRGSEWYVEDLGSTNGTYLDRAKVTT
AVRVPIGTPVRIGKTAIELRP

5

>Rv0020c - TB.seq 23864:25444 MW:56881 SEQ ID NO:156

MGSQKRLVQRVERKLEQTVGDAFARIFGGSIVPQEVEALLRREAADGIQSLQGNRLLAPNEYIITLGV
HDFEKLADPELKSTGFARLDADIQEQQWQTYGDVVVRFEQSSNLHTGQFRARGTVNPDVETHP
PVIDCARPQSNHAFGAEPGVAPMSDNSSYRGGQGQGRPDEYDDRYARPQEDPRGGPDPQGGG
DPRGGYPPETGGYPPQPGYPRPRHPDQGDYPEIQIGYPDQGGYPERGYPERGYPDQRGYQDQ
GRGYPDQGGGGYPPPYEQRPVSPGPAAGYGAPGYDQGYRQSGGYGPSPGGGQPGYGGYGEY
GRGPAREEESYVPSGPPGPPEQRPAYPDQGGYDQGYQQGATTYGRQDYGGGADYTRYTESPR
VPGYAPQGGGYAEPAGRDYDYGQSGAPDYQPPAPGGYSGYGGGYGSAGTSVTLQLDDGSGRT
YQLREGSNIIRGQDAQFRLPDTGVSRRHLEIRWDGQVALLADLNSTNGTTVNNAPVQEWQLADGD
VIRLGHSEIIVRMH

10

15

>Rv0032 bioF2 C-terminal similar to B. subtilis BioF TB.seq 34295:36607 MW:86245

SEQ ID NO:157

MPTGLGYDFLRPVEDSGINDLKHYFMADLADGQPLGRANLYSVCDFLATTDRLTPAWRTTIKRW
PGFMTFRFLECGLLTMVSNPLALRSDDLRLVPLAGQMDQLAHDDGSDFLMIRDVDPEHYQRYL
DILRPLGFRPALGFSRVDTTISWSSVEEALGCLSHKRRPLKTSLEFRERFGIEVEELDEYAEHAPVLA
RLWRNVKTEAKDYQREDLNPEFFAACSRHLHGRSRLWLFYRQGTPIAFFLNWVGADENYILLEWGI
DRDFEHYRKANLYRAALMLSLKDAISRDKRRMEMGITNYFTKLRIPGARVIPTIYFLRHSTDPVHTATL
ARMMMHNIQRPTLPDDMSEEFCEWEERIRLDQDGLPEHDIFRKIDRQHKYTGLKLGGVYGFYPRFT
GPQRSTVKAAELGEIVLLGTNSYLGLATHPEVVEASAEATRRYGTGCSGSPLLNGTLDLHVSLEQEL
ACFLGKPAAVLCSTGYQSNLAAISALCESGDMIIQDALNHRSLFDAARLSGADFTLYRHNDMDHLARV
LRRTEGRRRIIVDAVFSMEGTVADLATAELADRHGCRVYVDESHALGVLPDGRGASAAALGVLAR
MDVVMGTFSKSFASVGGFIAGDRPVVDYIRHNGSGHVFSASLPPAAAAATHAALRVSRREPDRRAR
VLAAAAYMATGLARQGYQAEYHGTAIVPVILGNPTVAHAGYLRLMRSGVYVNPVAPPVPEERSGFR
TSYLADHRQSDLDLALHVFAGLAEDLTPQGAAL

20

25

30

>Rv0050 ponA1 TB.seq 53661:55694 MW:71119 SEQ ID NO:158

VVILLPMVTFTMAYLIVDVPKPGDIRTNQVSTILASDGSEIAKIVPPEGNRVDVNLQVPMHVRQAVIAA
EDRNFYSNPGFSFTGFARAVKNNLFGGDLQGGSTITQQYVKNALVGSAQHGWWSGLMRKAKELVIAT
KMSGEWKDDVLQAYLNIIYFGRGAYGISAASKAYFDKPVEQLTVAEGALLAALIRRPSTLDPVDP
GAHARWNWVLDGMVETKALSPNDRAAQVFPETVPPDLARAENQTKGPNGLIERQVTRELLELFNID
EQLTNTQGLVTTTIDPQAQRAAEKAVAKYLDGQDPDMRAAVVSIDPHNGAVRAYYGDNANGFDF

35

AQAGLQTGSSFKVFALVAALEEQGIGLYQVDSSPLTVDGKITNVEGEGCGTCNIAEALKMSLNTSYY
RLMLKLNGGPQAVADAAHQAGIASSFPQVAHTLSEDGKGGPPNNGIVLGQYQTRVIDMASAYATLAA
SGIYHPPHFVQKVVSANGQVLFDASTADNTGDQRIPKAVADNVTAAMEPIAGYSRGNLAGGRDSA
AKTGTTFQGDTTANKDAWMVGYTPSLSTAVWVGTVKGDEPLVTASGAAYGSGLPDSIWKATMDGA
5 LKGTSNETFPKPTEVGGYAGVPPPPPPPEVPPSETVIQPTVEIAPGITIPIGPPTTITLAPPPPPAPPAAT
PTPPP

>Rv0051 - TB.seq 55694:57373 MW:61210 SEQ ID NO:159

VTGALSQSSNISPLPLAADLRSADNRDCPSRTDVLGAALANVVGPPVGRHALIGRTRLMTPLRVMFAI
10 ALVFLALGWSTKAACLQSTGTGPGDQRVANWDNQRAYYQLCYSDTVPLYGAELLSQGKFPYKSSWI
ETDSNGTPQLRYDGGQIAVRYMEYPVLTGIYQYLSMAIAKTYTALSKVAPLPVVAEVMFFNVAAFGLA
LAWLTTWATSGLAGRRIWDAALVAASPLVIFQIFTNFDALATGLATSGLLAWARRRPVLAVLIGLG
SAAKLYPLLFLYPLLLLIRAGRLNALARTMAAAAATWLLVNLPMMLFPRGWSEFFRLNTRRGDDM
DSLYNVVKSFTGWRGFDPTLGFWEPPVLNNTVTLFLVLCACAIAYIALTAPHRPRVAQLTFLTVASFL
15 LVNKLWSPQFSLWLVLAVLALPHRRILLAWMTIDALVWVPRMYLYGNPSRSLPEQWFTTTVLLRD
IAVMVLCGLVWQIYRPGRDLVRTGGPGALPACGGVDDPVGGVFANAADAPPGRLPSWLRPRLGD
EHARERTPDAGRDRTFSGQHRA

>Rv0106 - TB.seq 124372:125565 MW:43701 SEQ ID NO:160

MRTPVILVAGQDHTDEVTGALLRRTGTVVVEHRFDGHVRRMTATLSRGELITTEDALEFAHGCVSC
20 TIRDDLVLRLRLHRRDNVGRIVVHLAPWLEPQPICWAIDHVRVCVGHGYPDGPAALDVRVAAVVTC
VDCVRWLPQSLGEDELPDGRVTAQVTVGQAEFADLLVLTHPEPVAVAVLRLAPRARITGGVDRVEL
ALAHLDNRSRRGRTDTPHTPLLAGLPPLAADGEVAIVEFSARRPFHPQRLHAAVDLLLDGVVRTRGR
LWLANRPDQVMWLESAGGGLRVASAGKWLAAAMAASEVAYVDLERRLFADLMWVYPFGDRHTAMT
25 VLVCGADPTDIVNALNAALLSDDEMASPQRWQSYVDPFGDWHDDPCHEMPDAAGEFSAHRNSGES
R

>Rv0125 - TB.seq 151146:152210 MW:34927 SEQ ID NO:161

MSNSRRRSLRWSWLLSVLAAVGLGLATAPAQAAPPALSQDRFADFPALPLDPSAMVAQVGPQVVNI
30 NTKLGYNNAVGAGTGIVIDPNGVLTNNHVIAGATDINAFSVGSGQTYGVDVVGYYDRTQDVAVLQLR
GAGGLPSAAIGGGVAVGEPVAMGNSGGQGGTPRAVPGRVVALGQTVQASDSLTAETLNLGIQ
FDAAIQPGDSGGPVVNLGQVGMNTAASDNFQLSQGGQGFAPIGQAMAAGQIRSGGGSPVHI
GPTAFLGLGVDDNNGGARVQRVVGSAAPASLGISTGDVITAVDGAPINSATAMADALNGHHPGDVI
SVTWQTKSGGTRTGNVTLAEGPPA

>Rv0350 dnaK 70 kD heat shock protein, chromosome replication TB.seq 419833:421707
MW:66832 SEQ ID NO:162

MARAVGIDLGTTNSVSVLEGGDPVVANSEGSRTTPSIVAFARNGEVLVGQPAKNQAVTNVDRTV
RSVKRHMGS DWSIEIDGKKYTAPEISARILMKLKRDAEAYLGEDITDAVITTPAYFNDAQRQATKDAG
QIAGLNLVRIVNEPTAAALAYGLDKGEKEQRILVFDLGGGTFDVSLLIEGEGVVEVRATSGDNHLGGD
DWDQQRVVDWLVDKFKGTSGIDLTKDKMAMQRLREAAEKAKIELSSSQSTSINLPYITVDADKNPLFLD
5 EQLTRAEFQRITQDLLDRTRKPFQSVIADTGISVSEIDHVVLVGGSTRMPAVTDLVKELTGGKEPNKG
VNPDEVVAVGAALQAGVLKGEVKDVL LLDVTPLSLGIETKGGVMTRLIERNTTIPTKRSETFTTADDN
QPSVQIQVYQGEREIAAHNKLLGSFELTGIPPAPRGIPQIEVTFDIDANGIVHVTAKDKGTGKENTIRIQ
EGSGLSKEDIDRMIKDAEAHAEEDRKRREEADVRNQAETLVYQTEKFVKEQREAEAGGSKVPEDTLN
KVDAAVAEAKAALGGSDISAIKSAMEKLGQESQALGQAIYEAQAASQATGAAHPGGEPGGAHPGS
10 ADDVDAEVVDDGREAK

>Rv0351 grpE stimulates DnaK ATPase activity TB.seq 421707:422411 MW:24501
SEQ ID NO:163

VTDGNQKPDGNSGEQVTVTDKRRIDPETGEVRHVPPGDMPPGGTAAADAHAHTEDKVAELTADLQRV
15 QADFANYRKRALRDQQAADRAKASVVSQLLGVLDLERARKHGDLESGLKSVADKLD SALTGLG
LVAFGAEGEDFPVLHEAVQHEGDGGGQSKPVI GTVMRQGYQLGEQVLRHALVGVDTVVVDAAE
LESVDDGTAVADTAENDQADQGNSADTSGEQAESEPSGS

>Rv0352 dnaJ acts with GrpE to stimulate DnaK ATPase TB.seq 422450:423634 MW:41346
SEQ ID NO:164

MAQREWVEKDFYQELGVSSDASPEEIKRAYRKLARDLHPDANPGNPAAGERFKAVSEAHNVLS DPA
KRKEYDETRRLFAGGGFGGRRFDSGFGGGFGGFGVGGDGAEFNLNDFDAASRTGGTTIGDLFGG
LFGRGGSARPSRPRRGNDLETETELDFVEAAKG VAMPLRLTSPAPCTNCHGSGARPGTSPKVCPTC
NGSGVINRNQGAFGFSEPTDCRGSGSIIHPCEECKGTGVTTTRTRTINVRIPPGVEDGQRIRLAGQ
25 GEAGLRGAPSGDLVTVHVRPDKIFGRDGDDLTVTVPVSFTELALGSTLSVPTLDGTVGVRVPKGTA
DGRILRVGRGVPKRSGGSGDLLVTVKVAVPPNLAGAAQEAL EYAAAERSSGFNPRAGWAGNR

>Rv0363c fba fructose bisphosphate aldolase TB.seq 441266:442297 MW:36545
SEQ ID NO:165

MPIATPEVYAEMLGQAKQNSYAFPAINCTSSETVNAAIKGFADAGSDGIIQFSTGGAIEFGSGLGVKDM
30 VTGAVALAEFTHVIAAKYPVNVALHTDHCPKDKLDSYVRPLLAISAQRVSKGGNPLFQSHMW DGS AV
PIDENLAI AQELLKAAAAAKIILEIEIGVVGGEEDGVANEINEKLYTSPEDFEKTIEALGAGEHGKYL LAA
TFGNVHGVYKPGNVKLRPDILAQQGQVAAAKLGLPADAKPFDVFHGGSGSLKSEIEEALRYGVVKM
NVDTDTQYAFTRPIAGHMFTNYDGV LKVDGEVGVKKVYDPRSYLKKA EASMSQRVVQACNDLHCA
GKSLTH

>Rv0405 pks6 TB.seq 485729:489934 MW:147615 SEQ ID NO:166

MTDGSVTADKLQKWFREYLSTHIECHPNEVSLDVPIRDLGLKSIDVLAIPGDLGDRFGFCIPDLAVWD
NPSANDLIDSLNQRSADSLRESHGHADRNTQGRGSINEPVAVIGVGCRFP GDIDGPERLWDFLTEK

KCAITAYPDRGFTNAGTFAESGGFLKDVAGFDNRFFDIPPDEALRMDPQQRLLLEVSWEALEHAGIIP
ESLRLSRTGVFVGVSSSTDYVRLVSASAQQKSTIWDNTGGSSSIIANRISYFLDIQGGSIVIDTACSSSLV
AVHLACRSLSTWDCDIALVGGTNVLISPEPWGGFREAGILSQTGCCHAFDKSADGMVRGEGCGVIVL
QRLSDARLEGRRLAILTGSAVNQDGKSNIGIMAPNPSAQIGVLENACKSARVDPLEIGYVEAHGTGTS
5 LGDRIEHALGMVFGRKRPGSGPLMIGSIKPNIGHLEGAAGIAGLIKAVLMVERGSLLPSGGFTEPNP
AIPFTELGLRVDELQEWPVVAGRPRRAGVSSFGGGTNAHVIVEEAGSVGADTVSGRADVGGSGG
GVVAWVISGKTASALAAQAGRLGRYVRARPALDVVDVGYSLVSTRSVFDHRAVVGQTRDELLAGL
AGVVAGRPEAGVVCVGVKPKAGKTAFFVAGQGSQWLGMGSELYAAYPVFAEALDAVDELDRHLRY
PLRDVIWGHQDQDLLNTEFAQPALFAVEVALYRLLMSWGVPRGLVLGHSVGEIAAAHVAGALCLPD
10 AAMLVAARGRLMQALPAGGAMFAVQAREDEVAPMLGHDVSI AAVNGPASVVISGAHDAVSAIADRL
RGQGRRVHRLAVSHAFHSALMEPMIAEFTAVAAELSVGLPTIPVISNVTGQLVADDFASADYWARHIR
AVVRFGDSVRSASAHGASRFIEVGPGGGLTSLIEASLADAQIVSVPTLRKDRPEPVSVMTAAQGFV
SGMGLDWASVFSGYRPKRVELPTYAFQHQQFWLAPAPSVSDPTAAGQIGASDGGAEALLASSGFAA
RLAGRSADQLAAAEVVCHEAAVLGRDGAAGLDAGQAFADSGFNLSAVELNRNLTAVTAVTLPA
15 TAIFDHPTPTELAQYLITQIDGHGSSAAAAANPAERIDALDQLFLQACDAGRDADGWKMVALASNTRE
RMSSPVRNNVSKNVALLADGISDVVICIPTLTVLSDQREYRDIANAMTGRHSVYSLTLPFGDSSDAL
PQNADMIVETVSNAIIDVVGGSCTFVLSGYSSGGVLAALCSHLSVKHQRNPLGVALIDTYLPSQIAN
PSMNEGFSPNDTGKGLSREVIRVARMLNRLTATRLTAAATYAAIFQAWEPGRSMAPVLNIVAKDRIAT
VENLREERINRWRTAAAEAAYSVAEVPGDHFGMMSTSSEAIATEIHDWISGLVRGPHR
20

>Rv0435c - ATPase of AAA-family TB.seq 522348:524531 MW:75315 SEQ ID NO:167

VTHPDPARQLTLTARLNTSAVDSRRGVVRLHPNAIAALGIREWDAVSLTGSRTTAAVAGLAAADTAV
GTVLLDDVTLNAGLREGTEVIVSPVTYVYARSVTLGSGTLATQSVPPVTLRQALLGKVMTVGDAVSL
LPRDLGPGTSTSAASRALAAVGVSWTSELLTVTGVDPDGPVSVQPNLSVTWGAGVPAAMGTSTAG
25 QVSISSPEIQIEELKGAQPQAAKLTWELKLALDEPHLLQTLGAGTNLGVLSGPAGVGKATLVRAVCD
GRRLVTLTGPEIGALAAGDRVKAVASAVQAVRHEGGVLLITDADALLPAAAEPVASLILSELRTAVATA
GVVLIATSARPDQLDARLRSPELCDRELGLPLPDAATRKSLLLEALLNPVPTGDLNLDEIASRTPGFVVA
DLAALVREAALRAASRASADGRPPMLHQDDLLGALTIVIRPLSRSASDEVTVGDVTLDDVGDMAAAK
QALTEAVLWPLQHPDTFARLGVEPPRGVLLYGPPGCGKTFVVRALASTGQLSVHAVKGSELMDKWV
30 GSSEKAVRELFRARDSAPSLVFLDELDAAPRRGQSFDGSGVSDRVVAALLTELGDIDPLRDVVMLG
ATNRPDLDIPALLRPGRRLERLVFEPPDAAARREILRTAGKSIPLSSDVLDEVAAGLDGYSAADCVAL
LREAALTAMRRSIDAANVTAADLATARETVRASLDPLQVASLRKFGTKGDLRS

>Rv0436c pssA CDP-diacylglycerol-serine o-phosphatidyltransferase TB.seq 524531:525388

MW:31219 SEQ ID NO:168

MIGKPRGRRGVNLQILPSAMTVLSICAGLTAIKFALEHQPKAAMALIAAAAILDGLDGRVARILDAQSR
MGAEIDSLADAVNFGVTPALVLYVSMLSKWPVGWVVLLYAVCVLRLARYNALQDDGTQPAYAHE

FFVGMPAPAGAVSMIGLLALKMQFGEGWWTSGWFLSFWVTGTSILLVSGIPMKKMHAVSVPPNYAA
ALLAVLAICAAAVALAPYLLIWVIIIAYMCHIPFAVRSQRWLAQHPEVWDDKPKQRRRAVRRASRAHP
YRPSMARLGLRKPGRRLL

5 >Rv0440 groEL 260 kD chaperonin 2 TB.seq 528606:530225 MW:56728 SEQ ID NO:169
MAKTIAYDEEARRGLERGLNALADAVKVTLGPKGRNVVLEKKWGAPTITNDGVSLAKEIELEDPYEKI
GAELVKEVAKKTDDVAGDGTTTATVLAQALVREGLRNVAAGANPLGLKRGIEKAVEKVTTETLLKGAK
EVETKEQIAATAAISAGDQSIGDLIAEAMDKVGNEGVITVEESNTFGLQLELTEGMRFDKGYISGYFVT
DPERQEAVLEDPYILLVSSKVSTVKDLLPILLEKVIAGKPLLIIAEDVEGEALSTLVVNKIRGTFKSVAVK
10 APGFGDRRKAMLQDMAILTGGQVISEEVGLTLENADLSLLGKARKVVVTKDETTIVEGAGDTDAIAGR
VAQIRQEIENSDDYDREKLQERLAKLAGGVAVIKAGAATEVELKERKHRIEDAVRNAKAAVEEGIVA
GGGVTTLLQAAPTLDCLKLEGDEATGANIVKVALEAPLKQIAFNGLPGVVAEKVRNLPAGHGLNAQT
GVYEDLLAAGVADPVKVTRSAALQNAASIAGLFLTTEAVVADKPEKEKASVPGGGMDMGGMDF

15 >Rv0482 murB TB.seq 570537:571643 MW:38522 SEQ ID NO:170
MKRSGVGSFLFAGAHIAEAVPLAPLTTLRVGPIARRVITCTSAEQVVAALRHLDAAKTGADRPLVFAG
GSNLVIAENLTDLTVVRLANSGITIDGNLVRAEAGAVFDDVVVRAIEQGLGGLECLSGIPGSAGATPVQ
NVGAYGAEVSDTITRVRLLDRCTGEVRWVSARDLRFYRTSVLKHADGLAVPTVVLEVEFALDPSGR
SAPLRYGELIAALNATSGERADPQAVREAVLALRARKGMVLDPTDHDTSVGSFFTNPVVTQDVYE
20 RLAGDAATRKGDPVPHYPAPDGVKLAAGWLVERAGFGKGYPDAGAAPCRLSTKHALALTNRGGAT
AEDVVTLARAVRDGVHDFGITLKPEPVLIGCML

>Rv0483 - TB.seq 571708:573060 MW:47859 SEQ ID NO:171
VVIRVLFRPVSLIPVNNSSTPQSQGPISRRLALTALGFGVLAPNVLVACAGKVTKLAEKRPPPPAPRLTF
25 RPADSAADVPIAPISVEVGDFQWRVALTNSAGKVVAGAYSRRDRTIYTITEPLGYDTTYTWSGSAV
GHDGKAVPVAGKFTTVAPVKTNAGFQLADGQTVGIAAPVIIQFDSPISDKAAVERALTVTTDPPVEGG
WAWLPDEAQQGARVHWRPREYYPAGTTVDVDAKLYGLPFGDGAYGAQDMSLHFQIGRRQVKA
SSHRIQVVTDAQVIMDFPCSYPEADLARNVTRNGIHVVTEKYSDFYMSNPAAGYSHIHERWAVRISN
NGEFIHANPMSAGAQQNSNVTNGCINLSTENAEQYYRSAVYGDPEVTGSSIQLSYADGDIWDWAV
30 DWDTWVMSALPPPAKPAATQIPVTAPVTPSDAPTPSGTPTTTNGPGG

>Rv0489 gpm phosphoglycerate mutase I TB.seq 578424:579170 MW:27217 SEQ ID NO:172
MANTGSLVLLRHGESDWNALNLTGWVDVGLTDKGQAEAVRSGELIAEHDLLPDVLYTSLLRRAITT
AHLALDSADRLWIPVRRSWRLNERHYGALQGLDKAETKARYGEEQFMAWRRSYDTPPPPIERGSGQ
35 FSQDADPRYADIGGGPLTECLADVVARFLPYFTDIVGDLRVGKTVLIVAHGNSLRALVKHLDQMSDD
EIVGLNIPTGIPLRYDLDSAMRPLVRGGTYLDPEAAAAGAAVAGQGRG

>Rv0490 senX 3sensor histidine kinase TB.seq 579347:580576 MW:44794 SEQ ID NO:173
VTVFSALLLAGVLSALALAVGGAVGMRLTSRVVEQRQRVATEWSGITVSQMLQCIVTLMPLGAAVVD
THRDVVYLNERAKELGLVRDRQLDDQAWRAARQALGGEDVEFDLSPRKRSATGRSGLSVHGHARL
LSEEDRRFAVVFVHDQSDYARMEAAARRDFVANVSHELKTPVGAMALLAEALLASADDSETVRRFAE
5 KVLIEANRLGDMVAELIELSRLQGAERLPNMTDVDVDIVSEAISRHKVAADNADIEVRTDAPSNLRVL
GDQTLTALANLVSNAIAYSPRGSLSISRRRRGANIEIAVTDRGIGIAPEDQERVFERFFRGDKARS
RATGGSGGLGLAIVKHVAANHGDGIRVWSKPGTGSTFTLALPALIEAYHDDERPEQAREPELRSNRSQ
REEELSR

10 >Rv0500 proC pyrroline-5-carboxylate reductase TB.seq 590081:590965 MW:30172
SEQ ID NO:174
MLFGMARIAIIGGSGIGEALLSGLLRAGRQVKDLVVAERMPDRANYLAQTYSVLVTSAADAVENATFV
VVAVKPADVEPVIA LANATAAAENDSAEQVFVTVVAGITIAYFESKLPAGTPVVRAMPNAAALVGAG
VTALAKGRFVTPQQLEEVSA LFDVGGVLTVPESQLDAVTAVSGSGPAYFFLLVEALVDAGVGVGLS
15 RQVATDLAAQTMAGSAAMLLERMEQDQGGANGELMGLRVDLTASRLRAAVTSPGGTTAAALRELE
RGGFRMAVDAAVQAASRSEQLRITPE

>Rv0528 - TB.seq 618303:619889 MW:57132 SEQ ID NO:175
MWRSLTSMGTALVLLFLLALAAIPGALLPQRGLNAAKVDDYLAHPLIGPWLDELQAFDVFSSFWFTA
IYVLLFVSLVGCLAPRTIEHARSLRATPVAAPRNLARLPKHAHARLAGEPAALAATITGRLRGWRSITR
20 QQGDSVEVSAEKGYLREFGNLVFHFALLGLLVAVAVGKLFGEYGNVVIADGGPGFCSASPAAFDSF
RAGNTVDGTSLHPICVRVNNFQAHYLP SGQATSFAADIDYQADPATADLIANSWRPYRLQVNHPLRV
GGDRVYLQGHGYAPTFTVTFPDGQTRTSTVQWRPDNPQTLLSAGVVRIDPPAGSYNPNPDERRKHQI
AIQGLLAPTEQLDGTLLSSRF PALNAPAVAIDYRGDTGLDSGRPQSLFTLDHRLIEQGRLVKEKRVNL
25 RAGQQVRIDQGPAAAGTVVRFDGAVPFVNLQVSHDPGQSWVLVFAITMMAGLLVSLVRRRRRVWARI
TPTTAGTVNVELGGLTRTDNSGWGAEFERLTGRLLAGFEARSPDMAEAAAGTGRDVD

>Rv0667 rpoB [beta] subunit of RNA polymerase TB.seq 759805:763320 MW:129220
SEQ ID NO:176
LADSRQSKTAASPSRPQSSSNNSVPGAPNRVSFAKLREPLEVPGLLDVQTDSFEWLIGSPRWRE
30 SAAERGDVNPVGGLEEVLYELSPIEDFSGSMSLSFSDFPRFDDVKAPVDECKDKDMTYAAPLFVTAEF
INNNTGEIKSQTVFMGDFPMMTEKGTFIINGTERVWVSQVLRSPGVYFDETIDKSTDKTLHSVKVIPS
GAWLEFDVDKRDVTGVRIDRKRRQPVTVLLKALGWTSEQIVERFGFSEIMRSTLEKDNTVGTDEALL
DIYRKL RPGEPTKESAQTLL ENLFFKEKRYDLARVGRYKVNKKLGLHVGEPTSSLTTEEDVVATIEY
35 LVRLHEGQTTMTVPGGVEVPVETDDIDHFGNRRRLRTVGELIQNQIRVGMSRMRERVVRERMTTQDVE
AITPQTLINIRPVVAAIKEFFGTSQLSQFMDQNNPLSGLTHKRRLSALGPGGLSRERAGLEV RDVHPS
HYGRMCPIETPEGPNIGLIGLSVYARVNPFGFIETPYRKVV DGVVSDEIVYLTADEEDRHVVAQANS

PIDADGRFVEPRVLVRRKAGEVEYVPSSEVDYMDVSPRQMVSVATAMIPFLEHDDANRALMGANMQ
RQAVPLVRSEAPLVGTGMELRAAIDAGDVVVAEESGVIEEVSADYITVMHDNGTRRTYRMRKFARSN
HGTCANQCPIVDAGDRVEAGQVIADGPCTDDGEMALGKNLLVAIMPWEGHNYEDAILSNRLVEEDV
LTSIHIEEHEIDARDTKLGAEIEITRDIPNISDEV LADLDERGIVRIGAEVRDGDILVGKVTPKGETELTPE
5 ERLLR AIFGEKAREVRDTS LKVP HGESGKVIGIRVFSREDEDEL PAGVNELVRVYVAQKRKISDGD KL
AGRHGNKGVIGILPVEDMPFLADGTPVDIILNTHGVPRRMNIGQILETHLGWCAHSGWKVDAAGKV
PDWAARLPDELLEAQPN AIVSTPVFDGAQEAELQGLLSCTLPNRDGDVLVDADGKAMLF DGRSGEP
FPYPVTVGYMYIMKLHHLVDDKI HARSTGPYSMITQQPLGGKAQFGGQRF GEMECWAMQAYGAAY
TLQELLTIKSDDTVGRVKVYE AIVKGENIPEPGIPESFKVLLKELQSLCLNVEVLSSDGA AIELREGEDE
10 DLERAAANLGINLSRNESASVEDLA

>Rv0668 rpoC [beta]' subunit of RNA polymerase TB.seq 763368:767315 MW:146740
SEQ ID NO:177

VLDVNFFDELRI GLATAEDIRQWSYGEVKKPETINYRTLKPEKDGLFCEKIFGPTRDWECYCGKYKRV
15 RFKGIICERCGVEVTRAKVRRERMGHIELAAPVTHIWYFKGVPSRLGYLLDLAPKDLEKIIYFAAYVITS
VDEEMRHNELSTLEAEM AVERKAVEDQRDGELEARAQKLEADLAELEAEGAKADARRKVRD GGER
EMRQIRDRAQRELDRL EDIWSTFTKLAPKQLIVDENLYRELVD RYGEYFTGAMGAESIQKLIENFDIDA
EAESLRDVIRNGKGQKKLRALKRLKVAA FQQSGNSPMGMVLDAVPVIPPELRPMVQLDGGRFATS
DLNDLYRRVINRNNRLKRLIDLGAPEIIVNNEKRMLQESVDALFDNGRRGRPV TGPGNRPLKSLSDLL
20 KGKQGRFRQNLLGKRV DYSGRSVIVVGPQLKLHQCGLPKLMAL ELFKPFVMKRLVDLNHAQNIKSAK
RMVERQRPQVWDVLEE VIAEHPVLLNRAPTLHRLGIQAFEPMLVEGKAIQLHPLVCEAFNADFDGDQ
MAVHLPLSAEAQAEARILMLSSNNILSPASGRPLAMPRLDMVTGLYYLTTEVP GDTGEYQPASGDHP
ETGVYSSPAEAIMAADRGVLSVR AKIKVRLTQLRPPVEIAELFGHSGWQPGDAWMAETTLGRVMF
NELLPLGYPFVNKQMHKKVQAAIINDLAERYPMIVVAQTVDKLKDAGFYWATRSGVTVSMADVLVPP
25 RKKEILDHYEERADKVEKQFQRGALNHDERNEALVEIWKEATDEVGQALREHYPDDNPIITIVDSGAT
GNFTQTRTLAGMKGLVTNPKGEFIPRPVKSSFREGLTVLEYFINTHGARKGLADTALRTADSGYLTRR
LVDVSQDVIVREHDCQTERGIVVELAERAPDGT LIRDPIYIETSAYARTLGTD AVEAGNVIVERGQDL
GDPEIDALLAAGITQVKVRSVLT CATSTGVCATCYGRSMATGKLVDIGEAVGIVAAQSIGEPGTQLTM
RTFHQGGVGEDITGGLPRVQELFEARVPRGKAPIADVTGRVRLEDGERFYKITIVPDDGGEEVVYDKI
30 SKRQRLRVFKHEDGSERVLSDGDHVEVGQQLMEGSADPHEVLRVQGPREVQIHLVREVQEVYRAQ
GVSIHDKHIEVIVRQMLRRVTIIDSGSTEFLPGSLIDRAEFEAENRRVVAEGGEPAAGR PVLMGITKAS
LATDSWLSAASFQETTRVLTDAAINCRSDKLNGLKENVIIGKLIPAGTG INRYRNAIVQPTEEARAAAYT
IPSYEDQYYSPDFGAATGA AVPLDDYGYSDYR

35 >Rv0711 atsA TB.seq 806333:808693 MW:86216 SEQ ID NO:178
MAPEATEAFNGTIELDIRDSEPDWGPYAAPVAPEHSPNILYLWDDVGIATWDCFGGLVEMPAMTRV
AERGVRLSQFHHTALCSPTRASLLTGRNATTVG MATIEEFTDGFPNCNGRIPADTALLPEVLAEHGYN

TYCVGKWHLTPLEESNMASTKRHWPTSRGFERFYGFLGGETDQWYPDLVYDNHPVSPPGTPEGG
YHLSKDIADKTIEFIRDAKVIAPDKPWFSYVCPGAGHAPHHVKEWADRYAGRFDMGYERYREIVLE
RQKALGIVPPDELSPINPYLDVPGPNGETWPLQDTPVRPWDSLSDEEKKLFCRMAEVFAGFLSYTDA
QIGRILDYLEESGQLDNTIIVISDNGASGEGGPNNGSVNEGKFFNGYIDTVAESMKLFDHLGGPQTYN
5 HYPGWAMAFNTPYKLFKRYASHEGGIADPAIISWPNGIAAHGEIRDNYVNVSDITPTVYDLLGMTTP
GTVKGIPQKPMGDVGSFIAALADPAADTGKTTQFYTMLGTRGIWHEGWFANTIHAATPAGWSNFNAD
RWELFHIAADRSQCHDLAAEHDPKLEELKALWFSEAAKYNGPLADLNLLTMTSRPYLVSERASY
VYYPDCADVIGAAVEIRGRSFAVLADVTIDTTGAEGVLFKHGGAHGGHVLFVRDGRHLHYVYNFLGE
RQQLVSSSGPVPSGRHLLGVRYLRTGTVPNSTPTVGDLELFFDENLVGALTNVLTHPGTFGLAGAAI
10 SVGRNGGSAVSSHYEAPFAFTGGTITQVTVDVSGRPFEDVESDLALAFSRD

>Rv0764c - lanosterol 14-demethylase cytochrome P450 TB.seq 856683:858035 MW:50879
SEQ ID NO:179

MSAVALPRVSGGHDEHGHLEEFRTDPIGLMQRVRDECGDVGTFLAGKQVLLSGSHANEFFFR
15 GDDDLQAKAYPFMTPIFGEGVFDASPERRKEMLHNAALRGEQMKGHAATIEDQVRRMIADWGE
AGEIDLLDFFAELTIYTSSACLIKKFRDQLDGRFAKLYHELERGTDPLAYVDPYLPISFRRRDEARN
GLVALVADIMNGRIANPPTDKSDRDMLDVLIAVKAETGTPRFSADEITGMFISMMFAGHHTSSGTASW
TLIELMRHRDAYAAVIDELDELYGDRSVSFHALRQIPQLENVLKETLRLHPPLIILMRVAKGEFEVQG
HRIHEGDLVAASPAISNRIPEDFPDPHDFVPARYEQPRQEDLLNRWTWIPFGAGRHRVCVGAFAIMQI
20 KAIFSVLLREYEFEMAQPPESYRNDHSMVVLQAQPACVRYRRRTGV

>Rv0861c - DNA helicase TB.seq 958524:960149 MW:59773 SEQ ID NO:180

VQSDKTVLLEVDHELAGAARAAIAPFAELERAPEHVHTYRITPLALWNARAAGHDAEQVVDALVSYS
RYAVPQPLLVDIVDTMARYGRLQLVKNPAHGLTLVSLDRAVLEEVLNRNKKIAPMLGARIDDDTVVHP
25 SERGRVKQLLLKIGWPAEDLAGYVDGEAHPISLHQEGWQLRDYQRLAADSFWAGGSGVWLPCGA
GKTLVGAAAMAKAGATTLILVTNIVAARQWKRELVARTSLTENEIGEFSGERKEIRPVTISTYQMITRR
TKGEYRHLELFDSDRWGLIYDEVHLLPAPVFRMTADLQSKRRRLGLTATLIREDGREGDVFSLIGPKR
YDAPWKDIEAQGWIAPAECVEVRVTMTDSERMMYATAEPEERYRICSTVHTKIAVVKSIKHPDEQ
TLVIGAYLDQLDELGAELGAPVIQGSTRTSREALFDAFRRGEVATLVVSKVANFSIDLPEAAVAVQVS
30 GTFGSRQEEAQRLGRILRPKADGGGAIFYSVVARDSLDAEYAAHRQRFLAEQGYGYIRDADDLLGP
AI

>Rv0904c accD3 TB.seq 1006694:1008178 MW:51741 SEQ ID NO:181

VSRITTDQLRHAVLDRGSFVSWDSEPLAVPVADSARELAARAATGADESQVTGEGRVFGRRVAV
35 VACEFDLGGSIGVAAAERITAVERATAERLPLLASPSSGGTRMQEGTVAFLQMVKIAAAIQLHNQA
RLPYLVYLRHPTTGGVFASWGLHGLTVAEPGALIGFLGPRVYELLYGDPFPGSVQTAENLRRHGIID
GVVALDRLRPMMLDRALTVLIDAPEPLPAPQTPAPVPDVPTWDSVVASRRPDRPGVRQLLRHGATDR

VLLSGTDQGEAATLLALARFGGQPTVVLGQQRAVGGGGSTVGPAALREARRGMALAAELCLPLVL
VIDAAGPALSAAAEQGGLAGQIAHCLAELVTLDTPTVSILLGQSGGPALAMLPADRVLAALHGWLAP
LPPEGASAIVFRDTAHAAELAAAGGIRSADLLKSGIVDTIVPEYPDAADEPIEFALRLSNAIAAEVHALR
KIPAPERLATRLQRYRRIGLPRD

5

>Rv0983 - TB.seq 1099064:1100455 MW:46454 SEQ ID NO:182
MAKLARVVGLVQEEQPSDMTNHPRYSPPPQQPGTPGYAQQGQQTYSQQFDWRYPPSPPPQPTQY
RQPYEALGGTRPGLIPGVIPTMTPPPGMVRQRPRAGMLAIGAVTIAVVSAGIGGAAASLVGFNRAPA
GPSGGPVAASAAPSIPAANMPPGSVEQVAAKVPSVVMLETDLGRQSEEGSGIILSAEGLILTNNHVI
10 AAAAKPPLGSPPPKTTVTFSDGRTAPFTVVGADPTSDIAVVRVQGVSGLTPIISLGSSSDLRVGQPVL
IGSPLGLEGTVTTGIVSALNRPVSTTGEAGNQNTVLDAIQTDAAINPGNSGGALVNMNAQLVGVNSAI
ATLGADSADAQSGSIGLGAIPVDQAKRIADELISTGKASHASLVQVTNDKDTLGAKIVEVVAGGAA
ANAGVPKGVVVTKVDDRPINSADALVAVRSKAPGATVALTFQDPSGGSRVQVTLGKAEQ

10

15

>Rv1008 - Similar to E.coli protein YcfH TB.seq 1127087:1127878 MW:29066 SEQ ID NO:183
LVDAHTHLDACGARDADTVRSLVERAAAAGVTAVTVADDLESARWVTRAAEWDRRVYAAVALHPT
RADALTDAAARAELERLVAHPRVVAVGETGIDMYWPGRLDGCAEPHVQREAFAWHIDLAKRTGKPLM
IHNRQADRDVLDVLAEGAPDTVILHCFSSDAAMARTCVDAGWLLSLSGTVSFRTARELREAVPLMP
VEQLLVETDAPYLTPHPRGLANEPYCLPYTVRALAELVNRPEEVALITTSNARRAYGLGWMRQ

20

>Rv1009 - lipoprotein, similar to various other MTB proteins TB.seq 1128089:1129174 MW:38079
SEQ ID NO:184

MLRLVVGALLLVLA FAGGYAVAACKTVTLVDGTAMRVTTMKSRVIDIVEENGFSVDDRDDLPAAG
VQVHDADTIVLRRSRPLQISLDGHDQVWTTASTVDEALAQLAMTDTAPAAASRASRVPLSGMALP
25 VVSAKTQVLNDGGLVRTVHLPA PNVA GLLSAAGVPLLQSDHVVPAATAPIVEGMQIQVTRNRIKKVTE
RLPLPPNARRVEDPEMNMSREVVEDPGVPGTQDVTFAVAEVNGVETGRLPVANVVVTPAHEAVVR
VGTKPGTEVPPVIDGSIWDAIAGCEAGGNWAIN TGNGYYGGVQFDQGTWEANGGLRYAPRADLAT
REEQIAVAEVTRLRQGWGAWPVCAARAGAR

25

30

>Rv1010 ksgA 16S rRNA dimethyltransferase TB.seq 1129150:1130100 MW:34647
SEQ ID NO:185

MCCTSGCALTIRLLGRTEIRRLAKELDFRPRKSLGQNFVHDANTVRRVVAASGVSRSDLVLEVGPGL
GSLTLALLDRGATVTAVEIDPLLASRLQQTVAEHSSEVHRLTVVNRDVLALRREDLAAAPTAVVANL
PYNVAVPALLHLLVEFPSIRVVTVMVQAEVAERLAAEPGSGKEYGVPSVKLRFGRVRRCGMVSPVTF
35 WPIPRVYSGLVRIDRYETSPWPTDDAFRRRVFELVDIAFAQRRKTSRNAFVQWAGSGSESANRLLAA
SIDPARRGETLSIDDFVRLRLRRSGGSDEATSTGRDARAPDISGHASAS

35

>Rv1011 - Similar to E.coli protein YcbH TB.seq 1130189:1131106 MW:31350

SEQ ID NO:186

VPTGSVTVRVPKVNLYLAVGDRREDGYHELTTFHAVSLVDEVTVRNADVLSLELVGEGADQLPTD
ERNLAWQAAELMAEHVGRAPDVSIMIDKSIPVAGGMAGGSADAAVLVAMNSLWELNVPRDLRML
5 AARLGSDVPFALHGGTALGTGRGEELATVLSRNTFHWLAFADSGLLTSAVYNELDRLREVGDPPRL
GEPGPVLAALAAGDPDQLAPLLGNEMQAAVSLDPALARALRAGVEAGALAGIVSGSGPTCAFLCTS
ASSAIDVGAQLSGAGVCRTVRVATGPVPGARVVSAPTEV

>Rv1106c - cholesterol dehydrogenase TB.seq 1232845:1233954 MW:40743 SEQ ID NO:187

10 MLRRMGDASLTTELGRVLVTGGAGFVGANLVTLLDRGHWVRSFDRAPSLPAHPQLEVLQGDITD
ADVCAAVDGIDTIFHTAAIIELMGGASVTDEYRQRSFAVNVGGTENLLHAGQRAGVQRFVYTSSNS
VVMGGQNIAGGDETLPYTDRFNDLYTETKVVAERFVLAQNGVDGMLTCAIRPSGIWNGDQTMFRK
LFESVLKGHVKVLVGRKSARLDNSYVHNLIHGFIILAAHLVPDGTAPGQAYFINDAEPINMFEFARPVL
EACGQRWPKMRISGPAVRWVMTGWQRLHFRFGFPAPLLEPLAVERLYLDNYFSIAKARRDLGYEPL
15 FTTQQALTECLPYVSLFEQMKNEARA EKTAATVKP

>Rv1110 lytB2 TB.seq 1236183:1237187 MW:36298 SEQ ID NO:188

MVPTVDMGIPGASVSSRSVADRPNRKRVLAEPRGYCAGVDRAVETVERALQKHGPPVYVRHEIVH
NRHVVDTLAKAGAVFVEETE QVPEGAI VVFSAHGVAPT VHVSASERNLQVIDATCPLVTKVHNEARR
20 FARDDYDILLIGHEGHEEVVG TAGEAPDHVQLVDGVD AVDQVTVRDEDKVWLSQTTL SVDETMEIV
GRLRRRFPKLQDPPSDDICYATQNRQVAVKAMAPECELVIVVGSRNSSNSVRLVEVALGAGARAAH
LVDWADDIDSAWLDGVTTVGVTSGASVPEVLVRGVLERLAECGYDIVQPVTTANETLVFALPRELRS
PR

25 >Rv1216c - TB.seq 1359473:1360144 MW:24863 SEQ ID NO:189

MHIGLKIFIWGV LGLV VFGALLFGPAGTFDYWQAWVFLAAFVSTTIGPTIYLARNDPAALQRRMRSGP
LAEGRTIQKFIVIGAF LGFFAMMVLSACD HRYGWSSVPAAVCVIGDVLVMTGLGIAMLVVIQNRYYAAS
TVRVEAGQILASDGLYKIVRHPMYAGNVVMMTG IPLALGSYWAMFILVP GTLVLVFRILDEEKLLTQEL
SGYREYRQLVRYRLVPYVW

30 >Rv1223 htrA TB.seq 1365810:1367456 MW:56547 SEQ ID NO:190

VSHLSQRMAGLLRVHGEWSRSVDTRVDTDNAMPARFSAQIQNEDEVTS DQGNNGGPNGGGRLAP
RPVFRPPVDPASRQAFGRPSGVQGSFVAERVRPQKYQDQSDFTPN DQLADPVLQEA FGRPFAGAE
SLQRHPIDAGALAAEKDGAGPDEPDDPWRDPAAAAALGTPALAAPAPHGALAGSGKLGV RDVLFGG
35 KVSYLALGILVAIALVIGGIGGVIGRKTA EVVDAFTTSKVTLS TTGNAQEPAGRFTKVAAAVADSVVTIE
SVSDQEGMQGSGVIVDGRGYIVTNNHVISEAANNPSQFKTTVFNDGKEVPANLVGRDPKTDLAVLK
VDNVDNLTVARLGDSSKVRVGDEV LAVGAPLGLRSTVTQGIVSALHRPVPLSGEGSDTDTVIDAIQTD

ASINHGNSGGPLIDMDAQVIGINTAGKSLSDSASGLGFAIPVNEMKLVANSLIKDGKIVHPTLGISTRSV
SNAIASGAQVANVKAGSPAQKGGILENDVIVKVG NRAVADSDEFVAVRQLAIGQDAPIEVVREGRH
VTLTVKPD PDST

5 >Rv1224 - TB.seq 1367461:1367853 MW:14083 SEQ ID NO:191

VFANIGWWEMLVLMVGLVVLGPERLPGAIRWAASALRQARDYLSGVTSQ LREDIGPEFDDL RGH
GELQKLRGMT PRAALTKHLLDGDDSLFTGDFDRPTPKPDAAGSAGPDATEQIGAGPIPFDS DAT

10 >Rv1229c mrp similar to MRP/NBP35 ATP-binding proteins TB.seq 1371778:1372947 MW:41064
SEQ ID NO:192

MPSRLHSAVMSGTRDGD LNAAIR TALGKVIDPELRRPITELGMVKSIDTGPDGSVHVEIYLT IAGCPKK
SEITERVTRAVADVPGTSAVRVSLDVM SDEQRTEL RKQLRGDTREPVIPFAQPDSL TRVYAVASGKG
GVGKSTVTVNLAAMAVRGLSIGVLDADIHGHSIPRMMGTDRPTQVESMILPPIAHQVKVISIAQFTQ
GNTPVVWRGPMLHRALQQFLADVWGDLDVLLLDLPPGTGDVAISVAQLIPNAELLV TTPQLAAAE
15 VAERAGSIALQTRQRIVGVVENMSGLTLPDGTMMQVFGE GGGRLVAERLSRAVGADVPLL GQIPLDP
ALVAAGDSGVPLVLSSPDSAIGKELHSIADGLSTRRRGLAGMSLGLDPTRR

>Rv1239c corA magnesium and cobalt transport protein TB.seq 1381943:1383040 MW:41470
SEQ ID NO:193

20 VFPGFDALPEVLRPVARPQPPNAHPVAQPPA QALVDCGVYVCGQRLPGKYTYAAALREVREIELTG
QEAFVWIGLHEPDENQM QDVADV FGLHPLAVEDAVHAHQRPKLERYDETFLVLKTVNYVP HESV
LAREIVKTGEIMIFVGKDFVTVRHGEHGGLSEVRKRMDADPEHLRLGPYAVMHAIADYVVDHYLEV T
NLMETDIDSIEEVA FAPGRKLDIEPIYLLKREVELRRCVNPLSTAFQRMQTESKDLISKEVRRYLRDV
ADHQTEAADQIASYDDMLNSLVQAALARVGMQQNM DMRKISAWAGIIAVPTMIAGIYGMNFHFMP EL
25 DSRWGYPTVIGGMVLICFLYHVFRNRNWL

>Rv1279 - TB.seq 1430060:1431643 MW:57332 SEQ ID NO:194

MDTQSDYVVVGTGSAGAVVASRLSTD PATTVALEAGPRDKNRFIGVPAAFSKLFRSEIDWDYLTEP
QPELDGREIYWPRGKVLGGSSSMNAMMWVRGFASDYDEWAARAGPRWSYADVLGYFRRIENVTA
AWHFVSGDDSGVTGPLHISRQSPRSVTA AAWLAAARECGFAAARPN SPRPEGFCETVVTQRRGAR
30 FSTADAYLKPAMRRKNLRVLTGATATRVVIDG DRAVGVEYQSDGQTRIVYARREVVLCAGAVNSPQL
LMLSGIGDRDHLAEHDIDTVYHAPEVGCNLLDHLVTVLGF DVEKDSLFAAEKPGQLISYLLRRRGMLT
SNVGEAYGFVRSRPELKL PDLELIFAPAPFYDEALVPPAGHGVVFGPILVAPQSRGQITLRSADPHAK
PVIEPRYLSDLGGVDRAAMMAGLRICARIAQARPLRDLLGSIARPRNSTELDEATLELALATCSHTLYH
PMGTCRMGSDEASVDPQLRVRGVDGLRVADASVMPSTVRGHTHAPSVLIGEKAADLIRS

35 >Rv1294 thrA homoserine dehydrogenase TB.seq 1449373:1450695 MW:45522 SEQ ID NO:195
VPGDEKPVGVAVLGLGNVGSEVVRIIENSAEDLAARVGAPLVLRGIGVRRVTTDRGVPIELLTDDIEEL
VAREDVDIVVEVMGPVEPSRKAILGALERGKSVVTANKALLATSTGELAQAAESAHV DLYFEAAVAGA

IPVIRPLTQSLAGD TVLRVAGIVNGTTNYILSAM DSTGADYASALADASALGYAEADPTADVEGYDAA
AKAAILASIAFHTRVTADDVYREGITKVTPADFGSAHALGCTIKLLSICERITTTDEGSQRVSARVYPALV
PLSHPLAAVNGAFNAV VVEAEAAGRLMFYGGAGGAPTASAVTGD LVMAARNRVLGSRGPRESKY
AQLPVAPMGFIETRYVSMNVADKPGVLSAVAAEFAKREVSIAEVRQEGVVDEGGRRVGARIVVVTH
5 LATDAALSETVDALDDLDVVQGVSSVIRLEGTGL

>Rv1323 fadA4 acetyl-CoA C-acetyltransferase (aka thiL) TB.seq 1485860:1487026 MW:40049
SEQ ID NO:196

VIVAGARTPIGKLMGSLKDFSASELGAIAIKGALEKANVPASLVEYVIMGQVLTAGAGQMPARQAABA
10 AGIGWDVPALTINKMCLSGIDAIALADQLIRAREFDVVAGGQESMTKAPHLLMNSRSGYKYGDVTVL
DHMAYDGLHDVFTDQPMGALTEQRNDVDMFTRSEQDEYAAASHQKAAA WKGDFADEVIPVNIP
QRTGDPLQFTEDEGIRANTTAAALAGLKPAFRGDGTITAGSASQISDGAAAVVMNQEK AQELGLTW
LAEIGAHGVVAGPDSTLQSQPANAINKALDREGISVDQLDVVEINEAFAAVALASIRELGLNPQIVNVN
GGIAIVGHPLGMSGTRITLHAALQLARRGSGVGVAALCGAGGQGDALILRAG

>Rv1389 gmk putative guanylate kinase TB.seq 1564399:1565022 MW:22064 SEQ ID NO:197
VSVGEGPDKPTARGQPAAVGRVVLSGPSAVGKSTVVRCLRERIPNLHFSVSATTRAPRPGEVDG
VDYHFIDPTRFQQLIDQGELLEWAEIHGGLHRSGLTAQPVRAAAATGVPVLIEVDLAGARAIKKTMP
AVTVFLAPPSWQDLQARLIGRGTTETADVIQRRLD TARIELAAQGD FDKVVVNRRLESACAE LVSLLVG
20 TAPGSP

>Rv1407 fmu similar to Fmu protein TB.seq 1583099:1584469 MW:48494 SEQ ID NO:198
MTPRSRGRPRRRPLDPARRAAFETLRAVSARDAYANLVLPALLAQRGIGGRDAAFATELTYGTCRAR
GLLDAVIGAAAERSPQAIDPVLLDLLRLGTYQLLRTRVDAHAAVSTTVEQAGIEFDSARAGFVNGVLR
25 TIAGRDRSWVGELAPDAQNDPIGHAAFVHAHPRWIAQAFADALGA AVGELEAVLASDDERPAVHLA
ARPGVLTAGELARAVRGTVGRYSPFAVYLPRGDPGR LAPVRDGGQALVQDEGSQLVARAL TLAPVDG
DTGRWLDLCAGPGGKTALLAGLGLQCAARVTAVEPSPHRADLVAQNTRGLPVELLRVDGRHTDLDP
GFDRVLVDAPCTGLGALRRRPEARWRRQPADVAALAKLQRELLSAAIALTRPGGVVLYATCSPHLAE
TVGAVADALRRHPVHALDTRPLFEPVIAGLGEGPHVQLWPHRHGTDAMFAAALRRLT

>Rv1409 ribG riboflavin biosynthesis TB.seq 1585192:1586208 MW:35367 SEQ ID NO:199
MNVEQVKSIDEAMGLAIEHSYQVKGTTPKPPVGAVIVDPNGRIVGAGGTEPAGGDHAEVVALRRAG
GLAAGAIVVVTMEPCNHYGKTPPCVNALIEARVGT VVYAVADPNGIAGGGAGRLSAAGLQVRSGVLA
EQVAAGPLREWLHKQRTGLPHVTWKYATSIDGRSAAADGSSQWISSEAAARLDLHRRRAIADAILVGT
35 GTVLADDPALTARLADGSLAPQQPLRVVVGKRDIPPEARVLNDEARTMMIRTHEPMEVLRALS DRTD
VLLEGGPTLAGAFLRAGAINRILAYVAPILLGGPVTA VDDVGVS NITNALRWQFDSVEKVGPDLLLSLV
AR

>Rv1440 secG TB.seq 1617715:1618065 MW:12140 SEQ ID NO:200

VAGVTAAVSARLKADEARRPGFYAAGSGPLPQVRGSTLPVMELALQITLIVTSVLVLLVLLHRAKGG
GLSTLFGGGVQSSLSGSTVVEKNLDRLTLFVTGIWLVSIIGVALLIKYR

5 >Rv1484 inhA TB.seq 1674200:1675006 MW:28529 SEQ ID NO:201

MTGLLDGKRILVSGIITDSSIAFHARVAQEQQGAQLVLTGFDRLRLIQRITDRLPAKAPLLELDVQNEEH
LASLAGRVTEAIGAGNKLDGVVHSIGFMPQTGMGINPFFDAPYADVSKGIHISAYSASYASMAKALLPIM
NPGGSIVGMDFDPSRAMPAYNWMTVAKSALESVNRVAREAGKYGVRSNLVAAGPIRTLAMSAIVG
GALGEEAGAQIQLLEEGWDQRAPIGWNMKDATPVAKTVCALLSDWLPATTGDIIYADGGAHTQLL

10

>Rv1617 pykA pyruvate kinase TB.seq 1816187:1817602 MW:50668 SEQ ID NO:202

VTRRGKIVCTLGPATQRDDLVRALVEAGMDVARMNFSHGDYDDHKVAYERVRVASDATGRAVGVL
ADLQGPKIRLGRFASGATHWAEGETVRITVGACEGSHDRVSTTYKRLAQDAVAGDRVLVDDGKVAL
VDAVEGDDVCTVVEGGPVSDNKGISLPGMNVTAPALSEKDIEDLTFALNLGVDMVALSFVRSPAD
15 VELVHEVMDRIGRRVPVIAKLEKPEAIDNLEAIVLAFDAVMVARGDLGVELPLEEVPLVQKRAIQMARE
NAKPVIVATQMLDSMIENSRRPTRAEASDVANAVLDGADALMLSGETSVGKYPLAAVRTMSRIICAVEE
NSTAAPPLTHIPRTKRGVISYAARDIGERLDAKALVAFTQSGDTVRRRLARLHTPLPLLAFTAWPEVRS
QLAMTWGTETFIIVPKMQSTDGMIRQVDKSLLELARYKRGDLVVIVAGAPPGTVGSTNLHVHRIGEDD
V

20

>Rv1630 rpsA 30S ribosomal protein S1 TB.seq 1833540:1834982 MW:53203 SEQ ID NO:203

MPSPTVTSPQVAVNDIGSSEDFLAAIDKTIKYFNDGDIVEGTIVKVDRDEVLLDIGYKTEGVIPARELSIK
HDVDPNEVSVSGDEVEALVLTKEDEKGRLLSKKRAQYERAWGTIEALKEKDEAVKGTVIEVVKGLI
LDIGLRGFLPASLVEMRRVRDLQPYIGKEIEAKIIELDKNRNNVLSRRRAWLEQTQSEVRSEFLNNLQK
25 GTIRKGVVSSIVNFGAFVDLGGVDGLVHVSELSWKHIDHPSEVVQVGDEVTVELVDVMDRERVSL
LKATQEDPWRHFARTHAIGQIVPGKVTKLVPFGA FVRVEEGIEGLVHISELAERHVEVPDQVAVGDD
AMVKVIDIDLERRRISLSLKQANEDYTEEDPAKYGMADSYDEQGNIFPEGFDAETNEWLEGFEKQ
RAEWEARYAEAERRHKMHTAQMEKFAAAEAAGRGADDQSSASSAPSEKTAGGSLASDAQLAALRE
KLAGSA

30

>Rv1631 - TB.seq 1835011:1836231 MW:44669 SEQ ID NO:204

MLRIGLTGGIGAGKSLLSTTFSQCGGIVDGDVLAREVVQPGTEGLASLVDAFGRDILLADGALDRQA
LAAKAFRDDESRGVLNGIVHPLVARRRSEIIAAVSGDAVVVEDIPLLVESGMAPLFPLVVVHADVELR
VRRLEVRGMAEADARARIAAQASDQQRRAVADVWLDNSGSPEDLVRRAVDWVWTRVQPFVHNL
35 AQRQIARAPARLVPADPSWPDQARRIVNRLKIACGHKALRVDHIGSTAVSGFPDFLAKDVIDIQVTE
SLDVADELAEPPLAAGYPRLEHITQDTEKTDARSTVGRYDHTDSAALWHKRVHASADPGRPTNVHLR

VHGWPNQQFALLFVDWLAANPGAREDYLTVKCDADRRADGELARYVTAKEPWFLDAYQRAWWEA
DAVHWRP

>Rv1706c - TB.seq 1932695:1933876 MW:39779 SEQ ID NO:205

5 MTLDVPVNQGHVPPGSGVACCLVGVTA VADGIAGHSLSNFGALPPEINSGRMYS GP GSGPLMAAAAA
WDGLAAELSSAATGYGAAISELTNMRWWSGPASDSMVA AVL PFGWLSTTATLAEQAAMQARAAA
AAFEAAFAMTVPPPAIAANRTLMTLVDTNWFGQNTPAIATTESQYAEMWAQDAAMYGYASAAAP
ATVLT PFA PPPQTTNATGLVGHATAVAALRGQHSWAAAIPWSDIQKYWMMFLGALATAEGFIYDSG
10 GLTLNALQFVGGMLWSTALAEAGAAEAAAAGAGGAAGWSAWSQLGAGPVAASATLAAKIGPMSVPP
GWSAPPATPQAQTVARSIPGIRSAAEAAETSVLLRGAPTPGRSRAAHMGRRYGRRLTVMADRPNVG

>Rv1745c - similar to Q46822 ORF_O182 TB.seq 1971381:1971989 MW:22490 SEQ ID NO:206

15 MTRSYRPAPPIERVLLNDRGDATGVADKATVHTGDTPLHLAFSSYVFDLHDQLLITRRAATKRTWP
AVWTNSCCGHPGSLPGAIRRRLLAAELGTPDRVDLILPGFRYRAAMADGT VENEICPVYRVQVD
QQPRPNSDEVDAIRWLSWEQFVRDVTAGVIAPVSPWCRSQLGYLTKLGPCPAQWPVADD CRLPKA
AHGN

>Rv1800 - TB.seq 2039451:2041415 MW:67068 SEQ ID NO:207

20 MLPNFAVL PPEVNSARVFAGAGSAPMLAAAAAWDDLASELHCAAMSFSGSVTSGLVVGWWQGSASA
AMVDAAASYIGWLSTSAAHAEGAAGLARA AVSVFEEALAA TVHPAMVAANRAQVASLVASNLFQGN
APAIAALESLEYECMWAQDAAMAGYYVGASAVATQLASWLQRLQSIPGAASLDARLPSSAEAPMGV
VRAVNSAIAANAAAAQTVGLVMGGSGTPIPSARYVELANALYMSGSVPGVIAQALFTPQGLYPVWVIK
NLTFDSSVAQGAVILES AIRQQIAAGNNVT VFGYSQSATISSLVMANLAASADPPSPDELSFTLIGNPN
NPNGGVATRFPGISFPSLGVTATGATPHNLYPTKIY TIEYDGVADFP RYPLNFVSTLNAIAGTYVHSN
25 YFILTPEQIDA AVPLTNTVGPTMTQYYIIR TENLP LLEPLRSVPIVGNPLANLVQPNLKVIVNLGYGDPA
YGYSTSPPNVATPFGLFPEVSPVVIADALVAGTQQGIGDFAYDVSHLELPLPADGSTMPSTAPGSGT
PVPPLSIDSLIDDLQVANRNLANTISKVAATSYATVLTADIANAALTIVPSYNIHLFLEGIQQALKGDPM
GLVNAVGYPLAADVALFTAAGGLQLLIISAGRTIANDISAIVP

30 >Rv1844c gnd 6-phosphogluconate dehydrogenase (Gram -) TB.seq 2093732:2095186
MW:51548 SEQ ID NO:208

35 MSSSESPAGIAQIGVTGLAVMGSN IARNFARHGYTVAVHNRSVAKTDALLKEHSSDGKFVRSETIPEF
LAALEKPRRVLMVKAGEATDADAVINELADAMEPGDIIIDGGNALYDTMRREKAMRERGLHFVGAG
ISGGEEGALNGPSIMPGGPAESYQSLGPLLEEISAHVDGVPCCTHIGPDGSGHFVKMVHNGIEYS DM
QLIGEAYQLMRDGLGLTAPAIADV FTEWNNGDLSYLVEITAEVLRQTD AKTGKPLVDVIVDRAEQKG
TGRWTVKSALDLGVPVTGIAEAVFARALSGSVGQRS AASGLASGKLGEQPADPATFTEDVRQALYA
SKIVAYAQQGFNQIQAGSAEFGWDITPGDLATIWRGGCIIRAKFLNHIKEAFDASPNLASLIVAPYFRGA

VESAIDSWRRVSTAAQLGIPTPGFSSALSYYDALRTARLPAALTQAQRDFFGAHTYGRIDEPGKFHT
LWSSDRTEVPV

>Rv1900c lipJ TB.seq 2146246:2147631 MW:49685 SEQ ID NO:209

5 VAQAPHIHRTRYAKCGDMDIAYQVLGDGPTDLLVLPGPFPIDSIDDEPSLYRFHRRLASFSRVIRLDH
RGVGLSSRLAAITTLGPKFWAQDAIVMDAVGCEQATIFAPSFHAMNGLVLAADYPERVRSIVVNGS
ARPLWAPDYPVGAQVRRADPFLTVALEPDAVERGFDVLSIVAPTAVAGDDVFRAWWDLAGNRAGPP
SIARAVSKVIAEADVRDVLGHIEAPTLILHRVGSTYIPVGHGRYLAEHIAGSRLVELPGTDTLYWVGDT
10 GPMLDEIEEFITGVRGGADAERMLATIMFTDIVGSTQHAAALGDDRWRDLLDNHDTIVCHEIQRFGGR
EVNTAGDGFVATFTSPSAAIACADDIVDAVAALGIEVRIGIHAGEVEVRDASHGTDVAGVAVHIGARVC
ALAGPSEVLVSSTVRDIVAGSRHRFAERGEQELKGVPGRWRLCVMRDDATRTR

>Rv1967 - TB.seq 2210599:2211624 MW:36516 SEQ ID NO:210

15 MREN LGGVVRLGVFLAVCLLTAFLLIAVFGEVRF GDGKTYAEFANVSNLRTGKLVRIAGVEVGKVT
RISINPDATVRVQFTADNSVTLTRGTRAVIRYDNLF GDRYLALEEGAGGLAVLRPGHTIPLARTQPALD
LDALIGGFKPLFRALNPEQVNALSEQLLHAFAGQGPTIGSLLAQSAAVTNTLADRDRLIGQVITNLNVV
LGSLGAHTDRLDQAVTSLSALIHRLAQRKTDISNAVAYTNAAAGSVADLLSQARAPLAKVVRETDRVA
GIAAADHDYLDNLLNTLPDKYQALVRQGMYGDFFAFYLCDVVLKVNGKGGQPVIYKLAGQDSGRCA
20 PK

>Rv1975 - TB.seq 2218050:2218712 MW:23650 SEQ ID NO:211

25 MSRRASATCALSATTAVAIMAAPAARADDKRLNDGVVANVYTVQRQAGCTNDVTINPQLQLAAQWH
TLDLLNNRHLNDDTGSDGSTPQDRAHAAGFRGKVAETVAINPAVAISGIELINQWYYNPAFFAIMSDC
ANTQIGVWSENSPDRTVVAVYGQPDRPSAMPPRGAVTGPPSPVAAQENVPIDPSPDYDASDEIEY
GINWLPWILRGVYPPPPAMPPQ

>Rv1981c nrdF ribonucleotide reductase small subunit TB.seq 2224221:2225186 MW:36591
SEQ ID NO:212

30 MTGKLVERVHAINWNRLLDAKDLQVWERLTGNFWLPEKIPLSNDLASWQTLSTEQQTTIRVFTGLT
LLDTAQATVGAVAMIDDAVTPHEEAVLTNMAFMESVHAKSYSSIFSTLCSTKQIDDAFDWSEQNPYL
QRKAQIIVDYRGDDALKRKASSVMLESFLFYSGFYLPYWSSRGKLTNTADLIRLIIRDEAVHGYIY
YKCQRGLADLTAERADHREYTCCELLHTLYANEIDYAHDLYDELGWTDDVLPYMRYNANKALANLG
YQPAFDRDTCQVNPVRAALDPGAGENHDFFSGSGSSYVMGTHQPTTDTDWDF

35 >Rv2092c helY helicase, Ski2 subfamily TB.seq 2349335:2352052 MW:99576 SEQ ID NO:213

VTELAELDRFTAELPFSLDDFQQRACSALERGHGVLCAPTGAGKTVVGEFAVHLALAAGSKCFYTT
PLKALSNQKHTDLTARYGRDQIGLLTGDLVNGNAPVVVMTTEVLRNMLYADSPALQGLSYVVMDE

VHFLADRMRGPVWEEVILQLPDDVRVVSLSATVSNAAEEFGGWIQTVRGDTTVVDEHRPVPLWQHV
LVGKRMFDLFDYRIGEAEGQPQVNRELLRHIAHRREADRMADWQPRRRGSGRPGFYRPPGRPEVI
AKLDAEGLLPITFVFSRAGCDAAVTQCLRSPLRLTSEEERARIAEVIDHRCGLADSDLAVLGYEWE
REGLLRGLAAHHAGMLPAFRHTVEELFTAGLVKAVFATETLALGINMPARTVVLERLVKFNGEQHMP
5 LTPGEYTQLTGRAGRRGIDVEGHAVVIWHPEIEPSEVAGLASTRTFPLRSSFAPSYNMTINLVHRMGP
QQAHRLLSEQSFAQYQADRSVVLVRGIERGNRILGEIAAELGGSDAPILEYARLRARVSELERAQARA
SRLQRRQAATDALAALRRGDIIITITHGRRGGLAVVLESARDRDDPRPLVLTEHRWAGRISADYSGTT
PVGSMTLPKRVEHRQPRVRRDLASALRSAAAGLVIPAARRVSEAGGFHDPELESSREQLRRHPVHT
SPGLEDQIRQAERYLRIERDNAQLERKVAAATNSLARTFDRFVGLLTEREFIDGPATDPVVTDDGRL
10 ARIYSESDLLVAECLRTGAWEGLKPAELAGVVS AVVYETRGGDGQGAPFGADVPTPRLRQALTQTS
RLSTTLRADEQAHRITPSREPDDGFVRVIYRWSRTGDLAAALAAADVNGSGSPLLAGDFVRWCRQV
LDLLDQVRNAAPNPELRATAKRAIGDIRRGVAVDAG

>Rv2101 helZ helicase, Snf2/Rad54 family TB.seq 2360238:2363276 MW:111632

SEQ ID NO:214

MLVLHGFWNSNGMRLWAEDSDLLVKSPSQALRSARPHFAAPADLIAGIHPGKPATAVLLPSLRS
APLDSPELIRLAPRPAARTDPMLLAWTVPVVDLDPTAALAAFDQPAPDVRYGASVDYLAELAVFAREL
VERGRVLPQLRRDTHGAAACWRPVLQGRDVVAMTSLVSAMPPVCRAEVGGHDPHELATSALDAMV
DAAVRAALSPMDLLPPRRGRSKRHRHAVEAWLTALTCPDGRFDAEPDELDALAEALRPWDDVGIGTV
20 GPARATFRLSEVETENEETPAGSLWRLEFLLQSTQDPSLLVPAEQAWNDDGSLRRWDRPQELLLT
ELGRASRIFPELVPALRTACPSGLELDADGAYRFLSGTAAVLDEAGFGVLLPSWWDRRRKLGLVLSA
YTPVDGVVGKASKFGREQLVEFRWELAVGDDPLSEEEIAALTETKSPLIRLRGQWVALDTEQMRRGL
EFLERKPTGRKTTAEILALAASHPDDVDTPLEVTAVRADGWLGDLLAGAAAASLQPLDPPDGFTATLR
PYQQRGLAWLAFLSSLGLGSC LADMGLGKTVQLLALETLESVQRHQDRGVGPTLLCPMSLVGN
25 WPQEAARFAPNLRVYAHHG GARLHGEALRDHLERTDLVSTYTTATRDIDELAEYEWNRVWLDEAQ
AVKNLSRAAKAVRRLRAAHRVALTGTPMENRLAELWSIMDFLNPGLLGSSERFRTRYAIPIERHGHT
EPAERLRASTRPYILRRLKTDPAIDDLPEKIEIKQYQCLTTEQASLYQAVVADMMEKIENTEGIERGN
VLAAMAKLKQVCNHPAQLLHDSVPVGRRSKGKIRLEEILEEILAEGRVLCFTQFTEFAELLVPHLAAR
FGRAARDIAYLHGGTPRKRRDEMVARFQSGDGPPIFLLSLKAGGTGLNLTAANHVVHLDRWWNPAV
30 ENQATDRAFRIGQRRTVQVRKFICTGTLEEKIDEMIEKKALADLVVTDGEGWLTELSTRDLREVFAL
SEGAVGE

>Rv2110c prcB proteasome [beta]-type subunit 2 TB.seq 2369727:2370599 MW:30274

SEQ ID NO:215

VTWPLPDRLSINSLSGTPAVDLSSFTDFLRRQAPELLPASISGGAPLAGGDAQLPHGTTIVALKYPGG
VVMAGDRRSTQGNMISGRDVRKVYITDDYTATGIAGTAAVAVEFARLYAVELEHYEKGLEGVPLTFAG
KINRLAIMVRGNLAAAMQGLLALPLLAGYDIHASDPQSAGRIVSFDAAGGWNIEEEGYQAVGSGSLFA

KSSMKKLYSQVTDGDSGLRVAVEALYDAADDDSATGGPDLVRGIFPTAVIIDADGAVDVPESRIAELA
RAIIESRSGADTFGSDGGEK

>Rv2118c - = B2126_C1_165 (83.6%) TB.seq 2377471:2378310 MW:30091 SEQ ID NO:216
VSATGPF SIGERVQLTDAKGRRYTMSLTPGAEFHTHRGSIAHDAVIGLEQGSVVKSSNGALFLVLRPL
LVDYVMSMPRGPQVIYPKDAAQIVHEGDIFFGARVLEAGAGSGALTLSLLRAVGPAGQVISYEQRAD
HAEHARRNVSGCYGQPPDNWRLVVS DLADSEL PDGSVDRAVL DMLAPWEVLDAVSRLLVAGGVLM
VYVATVTQLSRIVEALRAKQCWTEPRAWETLQRGWNVVGLAVRPQHSMRGHTAFLVATRRLAPGA
VAPAPLGRKREGRDG

>Rv2144c - TB.seq 2404166:2404519 MW:12028 SEQ ID NO:217
MLIIALVLALIGLLALVFAVVTSNQLVAWVCIGASVLGVALLIVDALRERQQGGADEADGAGETGVAEE
ADVDYPEEAEPEESQAVDAGVIGSEEPSEEASEATEESAVSADRSDDSAK

>Rv2146c - TB.seq 2405667:2405954 MW:10805 SEQ ID NO:218
LVVFFQILGFALFIFWLLLIARVVVEFIRSF SRDWRPTGVTVVILEIIMSITDPPVKVLRRLIPQLTIGAVRF
DLSIMVLLLVAFIGMQLAFGAAA

>Rv2147c - TB.seq 2406119:2406841 MW:27630 SEQ ID NO:219
VNSHCSHTFITDNRS PRARRGHAMSTLHKVKAYFGMAPMEDYDDEYYDDRAPS RGYARPRFDDDY
GRYDGRDYDDARS DSRGDLRGEPADYPPPGYRGGYADEPRFRPREFDRAEMTRPRFGSWLRNST
RGALAMDPRRMAMMFEDGHPLSKITTLRP KDYSEARTIGERFRD GSPVIMDLVSMDNADAKRLVDF
AAGLAFALRGSFDKVATKV FLLSPADVDSPEERRRIAETGFYAYQ

>Rv2148c - TB.seq 2406841:2407614 MW:27694 SEQ ID NO:220
MAADLSAYPDRESELTHALAAMRSRLAAAAEAAGRNVGEIELLPITKFFPATDVAILFRLGCRSVGES
REQEASAKMAELNRL LAAAE LGHSGGVHWHMVGR IQRNKAGSLARWAHTAHSVDSSRLVTALDRA
VVAALAEHRRGERLRVYVQVSLDGDGSRGGVDSTTPGAVDRICAQVQESEGLELVGLMGIPPLDWD
PDEAFDRLQSEHNRVRAMFPHAIGLSAGMSNDLEVAVKHGSTCVRVGTALLGPRRLRSP

>Rv2150c ftsZ TB.seq 2408386:2409522 MW:38757 SEQ ID NO:221
MTPPHNYLAVIKVVGIGGGGVNAVNRMI EQGLKGVFI AINTDAQALLMSDADVKLDVGRDSTRGLG
AGADPEVGRKAAEDAKDEIEELLRGADMV FVTAGEGGGTGTGGAPVVASIARKLGALT VGVVTRPF
SFEGKRRSNQAENGIAALRESCDTLIVIPNDRLLQM GDAAVSLMDAFRSAD E VLLNGVQGITDLITTP
GLINVDFA DVKGIMSGAGTALMGIGSARGEGRSLKAAEIAINSPLLEASMEGAQGV LMSIAGGSDLGL
FEINEAASLVQDA AHPDANIIFGTVIDDSLGD E VRTVIAAGFDVSGPGRKPVMGETGGAHRIESAKA
GKLTSTLFEPVDAVS VPLHTNGATLSIGGDDDDVDVPPFMRR

>Rv2152c murC TB.seq 2410639:2412120 MW:51146 SEQ ID NO:222

VSTEQLPPDLRRVHVMVGIGGAGMSGIARILLDRGGLVSGSDAKESRGVHALRARGALIRIGHDASSL
DLLPGGATAVVTTHAAIPKTNPELVEARRRGIPVVLRAVLAKLMAGRTTLMVTGTHGKTTTTMLLIVA
5 LQHCGLDPSFAVGGEAGTNAHHGSGDCFVAEAEDESGLLQYTPHVAVITNIESDHLDFYGSVE
AYVAVFDSFVERIVPGGALVVCTDDPGGAALAAQRATELGIRVLRYSVPGETMAATLVSWQQQGVG
AVAHIRLASELATAQGPRVMRLSVPGRHMAINALGALLAAVQIGAPADEVL DGLAGFEGVRRRFELV
GTCGVGKASVRVFDDYAHHPTEISATLAAARMVLEQGDGGRMVFQPHLYSRKFAAAEFGRALN
AADEVFVLVDYGAREQPLAGVSGASVAEHVTPMRYVPDFSAVAQQVAAAASPGDVIVTMGAGDVT
10 LLGPEILTALRVANRSAPGRPGVLG

>Rv2153c murG TB.seq 2412120:2413349 MW:41829 SEQ ID NO:223

VKDTV SQPAGGRGATAPRPADAASPCGSSPSADSVSVVLAGGGTAGHVEPAMAVADALVALDPR
VRITALGTLRGLETRLVPQRGYHLELITAVPMPRKPGGDLARLPSRVWRVREARDVLDDVDADV
15 GFGGYVALPAYLAARGLPLPPRRRRRIPVVIHEANARAGLANRVGAHTADRVLSAVPDSGLRRAEVV
GVPVRASIAALDRAVLRAEARAHFGFPDDARVLLVFGGSQGAVSLNRAVSGAAADLAAAGVCVLHA
HGPQNVLELRRRAQGDPPYVAVPYLDRMELAYAAADLVICRAGAMTVAEVS AVGLPAIYVPLPIGN
EQRLNALPVNAGGGMVADAALTPELVARQVAGLLTDPARLAAMTAAAAARVGH RDAAGQVARAAL
AVATGAGARTTT

>Rv2154c ftsW TB.seq 2413349:2414920 MW:56306 SEQ ID NO:224

VLTRLLRRGTSDTDGSQTRGAEPVEGQRTGPEEASNPGSARPRTRFGAWLGRPMTSFHLIIAVAL
TTLGLIMVLSASAVRSYDDDGSAAWIFGKQVLWTLVGLIGGYVCLRMSVRFMRRIAFSGFAITIVMLVL
VLVPGIGKEANGSRGWVWAGFSMQPSELAKMAFAIWGAHLLAARRMERASLREMLIPLVPAAVVAL
25 ALIVAQPD LGQTVSMGIILLGLLWYAGLPLRVFLSSLAAVVVSAAILAVSAGYRSDRVRSWLNPENDP
QDSGYQARQAKFALAQQGIFGDGLGQGVAKWNYLPNAHND FIFAIIGEELGLVGALGLLGLFGLFAY
TGMRIASRSADPFLRLLTATTTLWVLGQAFINIGYVIGLLPVTGLQLPLISAGGTSTAATLSLIGIIANAAR
HEPEAVAALRAGRDDKVNRLRLPLPEPYLPPRLEAFRDRKRANPQPAQTQ PARKTPRTAPGQPAR
QMGLPPRPGSPRTADPPVRRSVHHGAGQRYAGQRRTRRVRALEGQRYG

>Rv2155c murD TB.seq 2414935:2416392 MW:49314 SEQ ID NO:225

VLDPLPGGAPVLVAGGRVTGQAVAAVLTRFGATPTVCDDDPVMLRPHAERGLPTVSSSDAVQQITG
YALVVASPGFSPATPLAAAAAGVPIWGDVELAWRLDAAGCYGPPRSWLVTGTNGKTTTTMLH
AMLIAGGRRRAVLCGNIGSAVLVDLDEPAELLAVELSSFQLHWAPSLRPEAGAVLNIAEDHLDWHATM
35 AEYTAAKARVLTGGVAVAGLDDSRAAALLDGSPAQVRVGFRLGEPAAARELGVRDAHLVDRAFSDDL
TLLPVASIPVPGPVGVLDALAAAALARSVGPAGAIADAVTSFRVGRHRAEVVAVADGITYVDDSKAT
NPHAARASVLAYPRVWVIAGGLLK GASLHAEVAAMASRLVGAVLIGRDRAAAVAEALSRHAPDVPVQ

VVAGEDTGMPATVEVPVACVLDVAKDDKAGETVGAAVMTAAVAAAARRMAQPGDTVLLAPAGASFD
QFTGYADRGEAFATAVRAVIR

>Rv2156c murX TB.seq 2416397:2417473 MW:37714 SEQ ID NO:226

5 MRQILIAVAVAVTVSILLTPVLIRLFTKQGGFGHQIREDGPPSHHTKRGTPSMGGVAILAGIWAGYLGAAH
LAGLAFDGEIGIGASGLLVGLLATALGGVGFIDDLIKIRRSRNLGLNKTAKTVGQITSAVLFGVLVLQFRN
AAGLTPGSADLSYVREIATVTLAPVLFVLCVVIVSAWSNAVNFTDGLDGLAAGTMAMVTAAYVLITF
WQYRNACVTAPGLGCYNVRDPLDLALIAAATAGACIGFLWWNAAPAKIFMGDTGSLALGGVIAGLSV
TSRTEILAVVLGALFVAEITSVVLQILTFRTTGRRMFRMAPFHFFELVGWAETTVIIRFWLLTAITCGL
10 GVALFYGEWLA AVGA

>Rv2157c murF TB.seq 2417473:2419002 MW:51634 SEQ ID NO:227

15 MIELTVAQIAEIVGGAVADISPQDAAHRRVTGTVEFDSRAIGPGGLFLALPGARADGHDHAASAVAAG
AAVLAARPVGVPAIVPPVAAPNVLAGVLEHDNDGSGAAVLAALAKLATAVAAQLVAGGLTIIGITGS
SGKTSTKDLMAAVLAPLGEVVAPPGSFNNELGHPWTVLRATRRTDYILEMAARHHGNIAALAEIAPP
SIGVVLNVGTAHLGEFGSREVIAQTKAELPQAVPHSGAVVLNADDPAVAAMAKLTAARVVRVSRDNT
GDVWAGPVSLDELARPRFTLHAHDAQAEVRLGVCGDHQVTNALCAA VALECGASVEQVAAALTA
PPVSRHRMQVTTRGDGVTVIDDAYNANPDSMRAGLQALAWIAHQPEATRRSWAVLGEMAE LGEDAI
AEHDRIGRLAVRLDVSRLVVGTGRSISAMHHGAVLEGAWGSGEATADHGADRTAVNVADGDAALA
20 LLRAELRPGDVVLVKASNAAGLGAVADALVADDTCGSVRP

>Rv2158c murE TB.seq 2419002:2420606 MW:55310 SEQ ID NO:228

25 VSSLARGISRRRTEVATQVEAAPTGLRPNVAVGVRLAALADQVGAALAEQPAQRAVTE DRTVTGVTL
RAQDVSPGDLFAALTGSTTHGARHVGDAIARGAVAVLTD PAGVAEIAGRAAVPVLVHPAPRGVLGGL
AATVYGHPSERLTVIGITGTSGKTTTTYLVEAGLRAAGRVAGLIGTIGIRVGGADLPSALTTP EAPT LQA
MLAAMVERGVDTVMEVSSHALLGRVDGTRFAVGAF TNLSRDHLDFHPSMADYFEAKASL FDPDS
ALRARTAVVCIDDDAGRAMAARAADAITVSAADRP AHW RATDVAPT D AGGQQT AIDPAGVGH HIGI
RLPGRYNVANCLVALAILDTVGVSPEQAVPGLREIRVPGRLEQIDRGQGFLALVDYAHKPEALRSVLT
TLAHPDRRLAVVFGAGGDRDPGKRAPMGRIAAQLADLVVVTDDNPRDEDP T AIRREILAGAAEVGGD
30 AQVVEIADRRDAIRHAWARPGDVVLIAGKGHETGQRGGGRV RPFDDRVELAAALEALERRA

>Rv2159c - TB.seq 2420632:2421663 MW:36377 SEQ ID NO:229

35 MKFVNHIIEPVAPRRAGGAVAEVYAEARREFGRLPEPLAMLS PDEGLL TAGWATLRETLLVGQVPRG
RKEAVAAAVAASLRCPWCVD AHTTMLYAAGQTD TAAAILAGTAP AAGDPNAPYVAWAAGTGTPAGP
PAPFGPDVAAEYLGTA VQFHFIARLVLLDETFLPGGPRAQQLMRRAGGLVFARKVRAEHRPGRST
RRLEPRTL PDDLAWATPSEPIATAFAALSHHLD TAPHLPPPTRQVVRVVG SWHGEPM PMSSRW TN

EHTAELPADLHAPTRLALLTGLAPHQVTDDDVAAARSLDLDALVGALAWAAFTAARRIGTWIGAAA
EGQVSRQNPTG

>Rv2163c pbpB TB.seq 2425049:2427085 MW:72506 SEQ ID NO:230

5 VSRAAPRRASQSQSTRPARGLRPPGAQEVGQRKRPGKTQKARQAQEATKSRPATRSDVAPAGR
STRARRTRQVVDVGTRGASFVFRHRTGNAVILVLMVAATQLFFLQVSHAAGLRAQAAGQLKVTDV
QPAARGSIVDNRNDRLAFTIEARALTFQPKRIRRLQEEARKKTSAAPDPQQLRDIAQEVAGKLNNKP
DAAAVLKKLQSDETFVYLARAVDPAVASAICAKYPEVGAERQDLRQYPGGSAAANVVGIDWDGHG
LLGLEDSLDAVLAGTDGSVTYDRGSDGVIPGSYRNRHKAVHGSTVVLTDNDIQFYVQQVQQAQK
10 NLSGAHNVSAAVLDAKTGEVLAMANDNTFDPSQDIGRQGDQKLGNAVSSPFEPGSVNKIVAASAVI
EHGLSSPDEVLQVPGSIQMGGVTVHDAWEHGVMPYTTTGVFGKSSNVGTLMLSQRVGPERYYDML
RKFGGLGQRTGVGLPGESAGLVPPIDQWSGSTFANLPIGQGLSMTLLQMTGMYQAIANDGVRVPPRII
KATVAPDGSRTTEPRPDDIRVSAQTAQTVRQMLRAVVQRDPMGYQQGTGPTAGVPGYQMAGKT
GTAQQINPGCGCYFDDVYWITFAGIATADNPRYVIGIMLDNPARNSDGAPGHSAAPLFHNIAGWLMQ
15 RENVPLSPDPGPPLVLQAT

>Rv2165c - TB.seq 2428236:2429423 MW:42498 SEQ ID NO:231

VQTRAPWSLPEATLAYFPNARFVSSDRDLGAGAAPGIAASRSTACQWGGITVADPGSGPTGFGHV
PVLAQRCFELLTPALTRYYPDGSQAVLLDATIGAGGHAERFLEGLPGLRLIGLDRDPTALDVARSLV
20 RFADRLTLVHTRYDCLGAALAESGYAAVGSVDGILFDLGVSSMQLDRAERGFAYATDAPLDMRMDP
TTPLTAADIVNTYDEAALADILRRYGEERFARRIAAGIVRRRAKTPFTSTAELVALLYQAIPAPARRVGG
HPAKRTFQALRIAVNDELESLRTAVPAALDALAIGGRIAVLAYQSLEDRIKRVFAEAVASATPAGLPV
ELPGHEPRFRSLTHGAERASVAEIERNPRSTPVRLRALQRVEHRAQSQQWATEKGDS

25 >Rv2166c - TB.seq 2429428:2429856 MW:15912 SEQ ID NO:232

MFLGTYTPKLDDKGRLTLPKFRDALAGGLMVTQSDHSLAVYPRAAFEQLARRASKAPRSNPEAR
AFLRNLAAGTDEQHPDSQGRITLSADHRRYASLSKDCVVIGAVDYLEIWDAQAWQNYQQIHEENFSA
ASDEALGDIF

>Rv2197c - TB.seq 2461505:2462146 MW:22481 SEQ ID NO:233

30 MVSRYSAAYRRGPDVISPDVIDRILVGACAAVWLVTGVSVAALMDLGRGFHEMAGNPHTTWVL
YAVIVVSALVIVGAIPVLLRARRMAEAEPATRPTGASVRGGRSIGSGHPAKRAVAESAPVQHADADEV
AAEWSSEAVDRIWLRGTVVLTSAGIALIAVAAATYLMVGHGDPWSISYGLAGVVTAGMPVIEWLYA
RQLRRVVAPQSS

>Rv2198c - TB.seq 2462149:2463045 MW:30955 SEQ ID NO:234

35 MSGPNPPGREPDEPESEPVSDTGDERASGNHLPPVAGGGDKLPSDQTGETDAYSRAYSAPESHEV
TGOPYVPADLRLYDYDDYEESDLDELAAAPRWVVGVAIIAVALVSVLLVTRPHTSKLATG
DTTSSAPPVQDEITTTKPAPPPPPPPAPPTTEIPTATETQTVTVTPPPPPPPATTTAPPPATTTTAAAP

PPTTTTPTGPRQVTYSVTGTKAPGDIISVTYVDAAGRRRTQHNVIYIPWSMTVTPISQSDVGSVEASSL
FRVSKLNCSITTS DGT VLSNSNDGPQTSC

>Rv2199c - TB.seq 2463234:2463650 MW:14866 SEQ ID NO:235

5 MHIEARLFEFVAFFVVTAVLYGVLTSMFATGGVEWAGTTALALTGGMALIVATFFRFVARRLDSRPE
DYEGAEISDGAGELGFFSPHSWWPIMVALSGSVAAVGIALWLPWLIAAGVAFILASAAGLVFEYYVGP
EKH

>Rv2200c ctaC TB.seq 2463661:2464749 MW:40449 SEQ ID NO:236

10 VTPRGPGRQLQRLSQCRPQRGSGGPARGRLQLALAAMLGALAVTVSGCSWSEALGIGWPEGITPEA
HLNRELWIGAVIASLAVGVIVWGLIFWSAVFHRKKNTDTELPRQFGYNMPELVLTVIPFLIISVLFYFT
VVVQEKMLQIAKDPEVIDITSFQWNWKFQYQRVNFKDGTLYDGADPERKRAMVSKPEGKDKYGE
ELVGPVRGLNTEDRTYLNFDKVETLGTSTEIPVLVLPSPGKRIEFQMASADVIHAFWVPEFLFKRDVMP
NPVANNVNVFQIEEITKTGAFVGHCAEMCGTYHSMNNFEVRVVTNPDFKAYLQQRIDGKTNAEALR
15 AINQPPLAVTTHPFDTRRGELAPQPVG

>Rv2427c proA g-glutamyl phosphate reductase TB.seq 2724231:2725475 MW:43746
SEQ ID NO:237

20 MTVPAPSQQLDLRQEVHDAARRARVAARRLASLPTTVKDRALHAADELLAHRDQILAANAEDLNAAR
EADTPAAMLDRSLNPQRVDGIAAGLRQVAGLRDPVGEVLRGYTLPNGLQLRQQRVPLGVVGMIE
GRPNVTVDAGFLTLKSGNAALLRGSSSAKSNEALVAVLRTALVGLELPADAVQLLSAADRATVTHLI
QARGLDVVIPRGGAGLIEAVVRDAQVPTIETGVGNCHVYVHQAADLDVAERILLNSKTRRPSVCNA
AETLLVDAAIAETALPRLLAALQHAGVTVHLDPDDEADLRREYLSLDIAVAVVDGVDAAIAHINEYGTGH
TEAIVTTNLDAAQRFTEQIDAAVMVNASTAFTDGEQFGFGAEIGISTQKLHARGPMGLPELTSTKWI
25 AWGAGHTRPA

>Rv2438c - similar to YHN4_YEAST P38795 TB.seq 2734793:2737006 MW:80492
SEQ ID NO:238

30 MGLLGQSGPRVGSVPVGSIPVNAACQQRGGFHGVERGYSAGDSGLVTS LGDNERTMNFYSA
YQHGFVRVAACHTHTTIGDPAANAASVLDMARACHDDGAALAVFPELTLSGYSIEDVLLQDSLLDAV
EDALLDLVTESADLLPVLVVGAPLRHRHRIYNTAVVIHRGAVLGVPKSYLPTYREFYERRQMAPGD
GERGTIRIGGADVAFGTDLLFAASDLPGFVLHVEICEDMFVPMPPSAEALAGATVLANLSGSPITIGR
AEDRLLARSASARCLAAYVYAAAGEGESTTDLAWDGQTMIWENGALLAESERFPKGVRRSVADVD
TELLRSELRMGTFDDNRRHHRELTESFRRIDFALDPPAGDIGLLREVERFPFVPADPQRLQQDCYE
35 AYNIQVSGLEQRLRALDYPKVVIGVSGGLDSTHALIVATHAMDREGRPRSDILAFALPGFATGEHTKN
NAIKLARALGVTFSEIDIGDTARLMLHTIGHYPYSGEKVYDVTFFENVQAGLRDYLFRIANQRGGIVLG
TGDLSSELALGWSTYGVGDQMSHYNVNAGVPKTLIQHLIRWWISAGEFGGEKVGEVLQSVLDTEITPELI

PTGEEELQSSEAKVGPFALQDFSLFQVLRYGFRPSKIAFLAWHAWNDAERGNWPPGFPKSERPSYS
LAEIRHWLQIFVQRFYFSQFKRSALPNGPKVSHGGALSPRGDWRAPSDMSARIWLDQIDREVPKG

>Rv2439c proB glutamate 5-kinase TB.seq 2737118:2738245 MW:38789 SEQ ID NO:239

5 MRSPHRDAIRTARGLVVKVGTALTTPSGMFDAGRLAGLAEAVERRMKAGSDVVIVSSGAIAAGIEPL
GLSRRPKDLATKQAAASVGQVALVNSWSAAFARYGRTVGQVLLTAHDISMRVQHTNAQRTLDRRLA
LHAVAIVNENDTVATNEIRFGDNDRLSALVAHLVGADALVLLSDIDGLYDCDPRKTADATFIPEVSGPA
DLDGVVAGRSSHGTTGGMASKVAAALLAADAGVPVLLAPAADAATALADASVGTVFAARPARLSAR
RFWVRYAAEATGALTLDAGAVRAVVRQRRSLLAAGITAVSGRFCGGDVVELRAPDAAMVARGVWAY
10 DASELATMVGRSTSELPGELRRPVHADDLVAWSAKQAKQV

>Rv2440c obg Obg GTP-binding protein TB.seq 2738248:2739684 MW:50430
SEQ ID NO:240

15 VPRFVDRWVIHTRAGSGGNGCASVHREKFKPLGGPDGGNGGRGGSIVFVDPQVHTLLDFHFRPHL
TAASGKHGMGNNRDGAAGADLEVKVPEGTVVLDENGRLLADLVGAGTRFEAAAGGRGGLGNAALA
SRVRKAPGFALLGEKGQSRDLTLELKTADVGLVGFPSAGKSSLVSAISAAKPKIADYPFTTLVPNLG
VVSAGEHAFTVADVPGLIPGASRGRGLGLDFLRHIERCAVLVHVDCATAEPGRDPISDIDALETALA
CYPTLQGDAAALGDAAAPRAVLNKIDVPEARELAEFVRDDIAQRGWPVFCVSTATRENQLPLIFGL
20 SQMISDYNAARPVAVPRRPVIRPIPVDDSGFTVEPDGHGGFVSGARPERWIDQTNFDNDEAVGYL
ADRLARLGVEEELLRLGARSGCAVTIGEMTFDWEQTPAGEPVAMSGRGTDPRLDSNKRVGAAER
KAARSRRREHGDG

>Rv2441c rpmA 50S ribosomal protein L27 TB.seq 2739773:2740030 MW:8969
SEQ ID NO:241

25 MAHKKGASSSRNGRDSAAQRLGVKRYGGQVVKAGEILVRQRGTFHHPGVNVGRGGDDTLFAKTAG
AVEFGIKRGRKTVSIVGSTTA

>Rv2442c rplU 50S ribosomal protein L21 TB.seq 2740048:2740359 MW:11152
SEQ ID NO:242

30 MMATYAIKVTGGKQYKVAVGDVVKVEKLESEQGEKVSLPVALVWDGATVTTDAKALAKVAVTGEVLG
HTKGPKIRIHKFNKTGYHKRQGHRRQQLTVLKVTGIA

>Rv2448c valS valyl-tRNA synthase TB.seq 2747596:2750223 MW:97822 SEQ ID NO:243

35 MLPKSWDPAAMESAIYQKWLDAGYFTADPTSTKPAYSIVLPPPNVTGSLHMGHALEHTMMDALTRR
KRMQGYEVLWQPGTDHAGIATQSVVEQQLAVDGKTKEDLGRELFDKVWDWKRESGGAIGGQMR
RLGDGVDWSRDRFTMDEGLSRAVRTIFKRLYDAGLIYRAERLVNWSPLQTAISDLEVNYRDVEGEL
VSFRYGSLLDSQPHIVATTRVETMLGDTAIAVHPDDERYRHLVGTSLAHPFVDRELAIVADEHVDPE

FGTGAVKVTPAHPNDFEIGVRHQLPMPSSILDTKGRIVDTGTRFDGMDRFEARVAVRQALAAQGRV
VEEKRPYLHSVGHSESRGEPRLSLQWWVRVESLAKAAGDAVRNGDTVIHPASMEPRWFSWVD
DMHWDWCISRQLWWGHRIPWIYGPDGEQVCVGPDETTPPQGWEQDPDVLDTWFSALWPFSTLGW
PDKTAELEKFYPTSVLVTGYDILFFWVARMMMFGTFVGDDAAITLDGRRGPQVPFTDVLHGLIRDE
5 SGRKMSKSKGNVIDPLDWEMFGADALRFTLARGASPGGDLAVSEDAVRASRNFGTKLFNATRYAL
LNGAAPAPLPSPNELTDADRWILGRLEEVRAEVDSAFDGYEFSRACESLYHFAWDEFCDWYLELAK
TQLAQGLTHTTAVLAAGLDTLLRLLHPVIPFLTEALWLALTGRESLSADWPEPSGISVDLVAAQRIND
MQKLVTETVRRFRSDQGLADRQKVPARMHGVRDSDLSNQVAAVTSLAWLTEPGPDFEPSVSLEVRL
GPEMNRTVVVELDTSGTIDVAAERRRLEKELAGAQKELASTAAKLANADFLAKAPDAVIKIRDRQRV
10 AQQETERITTRLAALQ

>Rv2482c plsB2 TB.seq 2786915:2789281 MW:88284 SEQ ID NO:244

VTKPAADASAVLTAEDTLVLASTATPVEMELIMGWLGGQRRARHPDSKFDILKLPPRNAPPAALTALVE
QLEPGFASSPQSGEDRSIVPVRVIWLPPADRSRAGKVAALLPGRDPYHPSQRQQRILRTDPRRAR
15 VVAGESAKVSELRQQWRDTTVAEHKRDFAQFVSRRALLALARAERYILGPQYKSPRLVKPEMLASA
RFRAGLDRIPGATVEDAGKMLDELSTGWSQVSVDLVSVLGRLASRGFDPEFDYDEYQVAAMRAALE
AHPAVLLFSHRSYIDGVVVPVAMQDNRLPPVHMFGGINLSFGLMGPLMRRSGMIFIRRNIGNDPLYK
YYLKEYVGYYVEKRFNLSWSIEGTRSRGTGKMLPPKLGLMSYVADAYLDGRSDILLQGVSIQCFDQLH
EITEYAAAYARGAEKTPEGLRWLYNFIKAQGERNFGKIYVRFPEAVSMRQYLGAPHGELTQDPAKRL
20 ALQKMSFEVAWRILQATPVATGLVSALLTTTRGTALTLDQLHHTLQDSL DYLERKQSPVSTSALRLR
SREGVRAAADALSNGHPVTRVDSGREPVWYIAPDDEHAAAFYRNSVIHAFLETSIVELALAHAKHAE
GDRVAAFVAQAMRLRDLLKDFDYFADSTAFRANIAQEMAWHQDWEDHLGVGGNEIDAMLYAKRPL
MSDAMLRVFFEAYEIVADVLRDAPPDIGPEELTELALGLGRQFVAQGRVRSSEPSTLLFATARQVAV
DQELIAPAADLAERRVAFRRELNRILRDFDYVEQIARNQFVACEFKARQGRDRI
25

>Rv2509 - putative oxidoreductase TB.seq 2824676:2825479 MW:28014 SEQ ID NO:245

MPIPAPSPDARAVVTGASQNIGAALATELAARGHHLIVTARREDVLTELAARLADKYRVTVDVRPADL
ADPQERSKLADELAARPISILCANAGTATFGPIASLDLAGEKTQVQLNAVAVHDLTLAVLPGMIERKAG
GILISGSAAGNSPIYNATYAATKAFVNTFSESLRGELRGSGVHVTVLAPGPVTELDPASEASLVEKL
30 VPDFLWISTEHTARVSLNALERNKMRVVPGLTSKAMSVASQYAPRAIVAPIVGAFYKRLGGS

>Rv2524c fas fatty acid synthase TB.seq 2840124:2849330 MW:326226 SEQ ID NO:246

VTIHEHDRVSAADRGGDSPTTHALVDRLMAGEPYAVAFGGQGSWLETLEELVSATGIETELATLVG
EAELLDPVTDELIVVRPIGFEPLQWVRALAAEDPVPSDKHLTSAAVSVPGVLLTQIAATRALARQGM
35 DLVATPPVAMAGHSQGVLAWEALKAGGARDVELFALAQLIGAAGTLVARRRGISVLGDRPPMVSVTN
ADPERIGRLLDEFAQDVRTVLPVLSIRNGRRRAVITGTPEQLSRFELYCRQISEKEEADRKNKVRGG
DVFSPVFEPVQVEVGFTPRLSGDIDIVAGWAEKAGLDVALARELADAILRKVDWVDEITRVHAAGA

RWILDLGPGDILTRLTAPVIRGLGIGIVPAATRGGQRNLFTVGATPEVARAWSSYAPTVVRLPDGRVK
 LSTKFTRLTGSRPILLAGMTPTTVDAKIVAAAAANAGHWAELAGGGQVTEEIFGNRIEQMAGLLEPGRT
 YQFNALFLDPYLWKLQVGGKRLVQKARQSGAAIDGVVISAGIPDLDEAVELIDELGDIGISHVVKPGT
 IEQIRSVIRIATEVPTKPVIMHVEGGGRAGGHHSWEDLDDLLLATYSELRSRANITVCVGGGIGTPRRAA
 5 EYLSGRWAQAYGFPLMPIDGILVGTAAAMATKESTTSPSVKRMLVDTQGTQDQWISAGKAQGGMASSR
 SQLGADIHEIDNSASRCGRLLDEVAGDAEAVAERRDEIIAAMAKTAKPYFGDVADMTYLQWLRRYVE
 LAIGEGNSTADTASVGSPWLADTWRDRFEQMLQRAEARLHPQDFGPIQTLFTDAGLLDNPQQAI AAL
 LARYPDAETVQLHPADVPPFVTLCKTLGKPVNFVPVIDQDVRRWWRSDSLWQAHDARYDADAVCIIP
 GTASVAGITRMDEPVGELLDRFEQAAIDEVLGAGVEPKDVASRRLGRADVAGPLAVLDAPDVRWA
 10 GRTVTNPVHRIADPAEWQVHDGPENPRATHSSTGARLQTHGDDVALSVPVSGTWVDIRFTLPANTV
 DGGTPVIATEDATSAMRTVLAIAAGVDSPEFLPAVANGTATLTVDWHPERVADHTGVTATFGEPLAP
 SLTNVPDALVGPCWPAVFAAIGSAVTDTGEPVVEGLLSLVHLDHAARVVGQLPTVPAQLTVTATAAN
 ATDTDMGRVVPVSVVVTGADGAVIATLEERFAILGRTGSAELADPARAGGAVSANATDTPRRRRRDV
 TITAPVDMRPFVAVSGDHNPIHTDRAAALLAGLESPIVHGMWLSAAAQHAVTATDGQARPPARLVG
 15 WTARFLGMVRPGDEVDFRVERVIGDQGAIEVDVAARVGS DLVMSASARLAAPKTVYAFPGQGIQHK
 GMGMEVRARSKAARKVWDTADKFTRDTLGFSVLHVVRDNPTSIIASGVHYHHPDGVLYLTQFTQVA
 MATVAAAQVAEMREQGAFVEGAACGHSVGEYALACVTGIYQLEALLEMFHRGSKMHDIVPRDEL
 GRSNYRLAAIRPSQIDLDDADVPFVAGIAESTGEFLEIVNFNLRGSSQYAIAGTVRGLEALEAEVERRR
 ELTGGRRSFILVPGIDVPFHSRVLRVGVAEFRRSLDRVMPRDADPDLIIGRYIPNLVPRLFTLDRDFIQ
 20 EIRDLVPAEPLDEILADYDTWLRERPREMARTVFIELLAWQFASPVRWIETQDLLFIEEAAGGLGVERF
 VEIGVKSSPTVAGLATNTLKLPEYAHSTVEVLNAERDAAVLFATDTPPEPEPEEDEPVAESPAPDVVS
 EAAPVAPAASSAGPRPDDLVDFAADATLALIALSAKMRIDQIEELDSIESITDGASSRRNQLLVDLGSE
 LNLGAIDGAAESDLAGLRSQVTKLARTYKPYGPVLSDAINDQLRTVLGPGSGKRPGAIAERVKKTWELG
 EGWAKHVTVEVALGTREGSSVRGGAMGHLHEGALADAASVDKVIDAAVASVAARQGVSVALPSAG
 25 SGGGATIDAAALSEFTDQITGREGVLASAARLVLGQLGLDDPVNALPAAPDSELIDLVT AELGADWPR
 LVAPVFDPKKAVFDDR WASAREDLVKLWLTDEGDIDADWPRLAERFEGAGHVATQATWWQGKS
 LAAGRQIHASLYGRIAAGAENPEPGRYGGEVAVVTGASKGSIAASVVARLLDGGATVIATTSKLDEER
 LAFYRTL YRDHARYGAALWLVAANMASYSVDALVEWIGTEQTESLGPQSIHIKDAQTP TLLFPFAAP
 RVVGD LSEAGSRAEMEMKVLLWAVQRLIGGLSTIGAERDIASRLHVVLPGSPNRGMFGGDGAYGEA
 30 KSALDAVVS RWHAESSWAARVSLAHLIGWTRGTGLMGHND AIVAAVEEAGVT TYSTDEMAALLD
 LCDAESKVAAARSPIKADLTGGLAEANLDM AELAAKAREQMSAAAAVDEDAEAPGAIAALPSPPRGF
 TPAPPQWDDLDVDPADLVIVGGAEIGPYGSSRTRFEMEVENELSAAGVLELAWTTGLIRWEDDP
 QPGWYDTESGEMVDESELVQRYHDAVQRVGIREFVDDGAIDPDHASPLLVS VFLEKDFAFVVSSE
 ADARAFVEFDPEHTVIRPVPDSTDWQVIRKAGTEIRVPRKTKLSRVVGGQIPTGFDPTVWGISADMA
 35 GSIDRLAVWNMVATVDAFLSSGFSPA EVMRYVHPSLVANTQGTGMGGGTSMQTM YHGNLLGRNKP
 NDIFQEVL PNIIAAHVQSYVGSYGAMIHPVAACATAAVSVEEGVDKIRLGKAQLV VAGGLDDLTLEGII
 GFGDMAATADTSM MCGRGIHDSKFSRPNDRRRLGFVEAQGGGTILLARGDLALRMGLPVLAWAFA

QSFQDGVHTSIPAPGLGALGAGRGGKDSPLARALAKLVAADDVAVISKHDTSTLANDPNETELHER
LADALGRSEGAPLFVVSQKSLTGHAAGGAAVFQMMGLCQILRDGVIPPNRSLDCVDDDELAGSAHFV
WVRDTLRLGGKFPLKAGMLTSLGFGHVSGLVVALVHPQAFIASLDPARADYQRRADARLLAGQRRRL
ASAIAGGAPMYQRPDGRDFHAPERPQEASMLLNPAARLGDGEAYIG

5

>Rv2555c alaS alanyl-tRNA synthase TB.seq 2873772:2876483 MW:97326 SEQ ID NO:247
VQTHEIRKRFLDHFVKAGHTEVPSASVILDDPNLLFVNAGMVQFVPFFLGQRTPPYPTATSIQKCIRTP
DIDEVGITTRHNTFFQMAGNFSFGDYFKRGAIELAWALLTNSLAAGGYGLDPERIWTTVYFDDDEAV
RLWQEVAGLPAERIQRRGMADNYWSMGIPGPCGPSSEIYYDRGPEFGPAGGPVSEDRLVWNL
VFMQNERGEGTTKEDYQILGPLPRKNIDTGMGVERIALVLQDVHNVYETDLLRPVIDTVARVAARAYD
VGNHEDDVRYRIIADHSRTAAILIGDGVSPGNDGRGYVLRLLRRVIRSALLGIDAAIVGDLMATVRN
AMGPSYPELVADFERISRIAVAEETA FNRTLASGSRLFEEVASSTKKSGATVLSGSDAFTLHDTYGFPI
ELTLEMAAETGLQVDEIGFRELMAEQRRRAKADAAARKHAHADLSAYRELVDAGATEFTGFDELRS
QARILGIFVDGKRVPVVAHGVAAGGAGEGQRVELVLDRTPLYAESGGQIADEGTISGTGSSEAARAAV
TDVQKIAKTLWHRVNVESGEFVEGDTVIAAVDPGWRRGATQGHSGTHMVHAALRQVLGPNAVQA
GSLNRPGYLRFDFNWQGPLTDDQRTQVEEVTNEAVQADFEVRTFTEQLDKAKAMGAIALFGESYPD
EVRVWEMGGPFSLELCGGTHVSNTAQIGPVTILGESSIGSGVRRVEAYVGLDSFRHLAKERALMAGL
ASSLKVPSEEVPARVANLVERLRAAEKELERVMAASARAAATNAAAGAQRIGNVRLVAQRMSGGMT
AADLRSLIGDIRGKLGSEPAVALIAEGESQTPYAVAANPAAQDLGIRANDLVKQLAVAVEGRGGGK
ADLAQGSQGNPTGIDAALDAVRSEIAVIARVG

10

15

20

>Rv2580c hisS histidyl-tRNA synthase TB.seq 2904822:2906090 MW:45118 SEQ ID NO:248
VTEFSSFSAPKGVDPDYVPPDSAQFVAVRDGLLAAARQAGYSHIELPIFEDTALFARGVGESTDVVSKE
MYTFADRGRDSVTLRPEGTAGVVRVIEHGLDRGALPVKLCYAGPFFRYERPQAGRYRQLQQVGV
EAIGVDDPALDAEVIAIADAGFRSLGLDGRLEITSLGDESCRPQYRELLQEFLFGLDLDEDTRRRAGI
NPLRVLDDKRPEL RAMTASAPVLLDHLSDVAKQHFDTVLAHLDALGVPYVINPRMVRGLDYYTKTAF
EFVHDGLGAQSGIGGGGRYDGLMHQLGGQDL SGIGFGLGVDRTVLALRAEGKTAGDSARCDVFGV
PLGEAAKLRLAVLAGRLRAAGVRVDLAYGDRGLKGAMRAAARSGARVALVAGDRDIEAGTVAVKDL
TTGEQVSVSMDSVVAEVISRLAG

25

30

>Rv2614c thrS threonyl-tRNA synthase TB.seq 2941190:2943265 MW:77123 SEQ ID NO:249
MSAPAQPAPGVDGGDPSQARIRVPAGTTAATAVGEAGLPRRGTPDAIVVRDADGNLRDLSWVPD
VDTDITPVAANTDDGRSVIRHSTAHLAQAVQELFPQAKLGIGPPITDGFYYDFDVPEPFTPEDLAAL
KRMRIQVKEGQLFDRRVYESTEQARAELANEPYKLELVDDKSGDAEIMEVGGDELTA YDNLNPRTR
ERVWGDLCRGPHTTKHIPAFKLTRSSAAYWRGDQKNASLQRIYGTAWESQEALDRHLEFIEEAQR
RDHRKLGVELDLFSFPDEIGSLAVFHPKGGIVRRELEDYSRRKHTEAGYQFVNSPHITKAQLFHTSG
HLDWYADGMFPPMHIDA EYNADGSLRKPGQDYLLKPMNCMPMHCLIFRARGRSYRELPLRLFEGTV

35

YRYEKSGVVHGLTRVRGLTMDDAHIFCTRDQMRDELSLLRFVLDLLADYGLTDFYLELSTKDPEKF
VGAEVWEEATTVLAEVGAESGLELVPDPGGAIFYGPKISVQVKDALGRTWQMSTIQLDFNFERF
GLEYYAADGTRHRPVMHRLFGSIRFFGILTEHYAGAPPAWLAPVQVVGIPVADEHVAYLEEVATQ
LKSHGVRAEVDASDDRMAMKIVHHTNHKVPFVLAGDRDVAAGAVSFRFGDRTQINGVARDDAVAA
5 IVAWIADRENAVPTAELVKVAGRE

>Rv2697c dut deoxyuridine triphosphatase TB.seq 3013683:3014144 MW:15772 SEQ ID NO:250
VSTTLAIVRLDPGLPLPSRAHDGDAGVDLYSAEDVELAPGRRALVRTGVAVAVPFGMVGLVHPRSG
10 ATRVGLSIVNSPGTIDAGYRGEIKVALINLDPAPIVVHRGDRIAQLLVQRVELVELVEVSSFDEAGLAS
TSRGDGGHGGSSGGHASL

>Rv2782c pepR protease/peptidase, M16 family (insulinase) TB.seq 3089045:3090358 MW:47074
SEQ ID NO:251
MPRRSPADPAAALAPRRITLPGGLRVVTEFLPAVHSASVGWVGVSRRDEGATVAGAAHFLEHLLF
15 KSTPTRSAVDIAQAMDAVGGELNAFTAKEHTCYAHVLGSDLPLAVDLVADVVLNGRCAADDVEVER
DVLLEIAMRDDDPEDALADMFLAALFGDHPVGRPVIGSAQSVSMTRAQLQSFHLRRYTPERMVV
AAAGNVHDHGLVALVREHFGSRLVRGRRPVAPRKGTRVNGSPRLTLVSRDAEQTHVSLGIRTPGR
GWEHRWALSVLHTALGGGLSSRLFQEVRETRGLAYSVYSALDLFADSGALSVYAACLPERFADVMR
VTADVLESVARDGITEACGIAKGSRLRGLVLGLEDSRSSRLGRSELNYGKHSIEHTLRQIEQVT
20 VEEVNAVARRHLLSRRYGA AVLGP HGSKRSLPQQLRAMVG

>Rv2783c gspI pppGpp synthase and polyribonucleotide phosphorylase TB.seq
3090339:3092594 MW:79736 SEQ ID NO:252
MSAAEIDEGVFETTATIDNGSFGTRTIRFETGRLALQAAGAVVAYLDDDNMLLSATTASKNPKEHDF
FPLTV DVEERMYAAGRIPGSFFRREGRPSTDAILTCRLIDRPLRPSFVDGLRNEIQIVVTILSLDPGDLY
25 DVLAINAASASTQLGGLPFSGPIGGVRVALIDGTWVGFTVDQIERAVFDMVVAGRIVEGDVAIMMVE
AEATENVVELVEGGAQAPTESVVAAGLEAAKPFI AALCTAQQELADAAGKSGKPTVDFPVFPDYGED
VYYSVSSVATDELAAL TIGGKAERDQRIDEIKTQVVQRLADTYEGREKEVGAALRALTKKLVRQRILT
DHFRIDGRGITDIRALSAEVAVVPRAHGSALFERGETQILGVTTLDMIKMAQQIDSLGPETSKRYMHH
YNFPFSTGETGRVGS PKRREIGHGALAERALVPVLP SVEEFYAIRQVSEALGSNGSTSMG SVCAS
30 TLALLNAGVPLKAPVAGIAMGLVSDDIQVEGAVDGVVERRFVTLTDILGAEDAFGDMDFKVAGTKDFV
TALQLDTKLDGIPSQVLAGALEQAKDARLTILEVMAEAIDRPDEMSPYAPRVTTIKVPVDKIGEVIGPK
GKVINAITEETGAQISIEDDGT VFGATDGPSAQAAIDKINAIANPQLPTVGERFLGTVVKTDFGAFVS
LLPGRDGLVHISKLGKGKRIAKVEDVNVGDKLRVEIADIDKRGKISLILVADEDSTAAATDAATVTS

>Rv2793c truB tRNA pseudouridine 55 synthase TB.seq 3102364:3103257 MW:31821
35 SEQ ID NO:253
MSATGPGIVVIDKPAGMTSHDVVGRRCRRIFATRRVGHAGTLDPMATGVLVIGIERATKILGLLTAAPKS
YAATIRLGQTTSTEDAEGQVLQSVPAKHLTIEAIDAAMERLRGEIRQVPSSVSAIKVGRRAYRLARQ

GRSVQLEARPIRIDRFELLAARRRDQLIDIDVEIDCSSGTIYIRALARDLGDALGVGGHVTALRRTRVGR
FELDQARSLLDLAERPALSLSLDEACLLMFARRDLTAAEASAAANGRSLPAVGIDGVYAACDADGRVI
ALLRDEGSRTSRVAVLRPATMHPG

5 >Rv2797c - TB.seq 3105619:3107304 MW:58761 SEQ ID NO:254

VPLTVADIDRWNAQAVREVFHAASARA EVTFEASRQLAALSIFANS GGKTA EAAAAHHNAGIRRD LDA
HGNEALAVARAADRAADGIVKVQSELAALRHAAAAAELTIDALINRVVIPGLRSTEAQWARTLAKQT
ELQAELDAIMAEANAVDEELASAVNMADGDAIPADSGPPVGPEGLTPTQLASDANEERLREERARL
QAHLERLQAEYDQLSVRAARDYHNGILDGDAVGRLAALTDELSAARGRLGELDAVDEALSRAPETYL
10 TQLQIPEDPNQQVLA AVAVGNPDTAANVS VTPVGVGSTTRGALPGMVTEARDLRSEVIRQLNAAGK
PASVATIAWMGYHPPPNPLDTGSAGDLWQTM TDGQA HAGAADLSRYLQQVRANNP SGHLTVLGHS
YGS LTASLALQDLDAQSAHPVNDVVFY GSPGLELYSPAQLGLDHGHAYVMQAPHDLITNLVAPLAPL
HGWGLDPYLT PGFTELSSQAGFDPGGIWRDGVYAHGDYPRSF LDAAGQPQLRMSGYNLAAIAAGL
PDNTVGPPLLPPILGGGMPAAPGPALRGGR

15 >Rv2864c ponA2 TB.seq 3175454:3177262 MW:63015 SEQ ID NO:255

MVTKTTLASATSGLLLLAVVAMSGCTPRPQGPGPAAEKFFAALAIGDTASAAQLSDNPNEAREALNA
AWAGLQAAHLDAQVLSAKYAEDTGT VAYRFSWHL PKDRIW TYDGQLKMARDEGRWHVRWTTSGL
HPKLGEHQTFALRADPPRRASVNEVG GTDVLVPGYLYHYS LDAGQAGRELFGTAHAVVGALHPFDD
20 TLNDPQLLAEQASSSTQPLDLVTLHADD SNRVAAAIGQLPGVVITPQAELLPTDKHFAPAVLNDVKKA
VVD ELDGKAGWRVVS VNQNGVDVSVLHEVAPSPASSVSITLDRVVQNAAQHAVNTRGGKAMIVVIK
PSTGEILAI AQNAGADADGPVATTGLYPPGSTFKMITAGAAVERDLATPETLLGCPGEIDIGHRTIPNY
GGFD LGVVPMSRAFASSCNTTFAELSSRLPPRGLTQAARRYGIGLDYQVDGITTVTGSVPPTVDLAE
RTEDGFGQGKVLASPFGMALVAATVAAGKTPVPQLIAGRPTAVEGDATPISQKMIDALRPMMLVVT
25 NGTAKEIAGCGEVFGKTGEAEFFPGGSHSWFAGYRGDLAFASLIVGGGSSEYAVRMTKVMFESLPPG
YLA

>Rv2868c gcpE TB.seq 3179368:3180528 MW:40451 SEQ ID NO:256

VTVGLGMPQPPAPT LAPRRATRQLMVGNVGVGSDHPVSVQSMCTTKTHDVNSTLQQIAELTAAGC
DIVRVACPRQEDADALAEIARHSQIPVVADIHFQPRYIFAAIDAGCAAVRVNPGNIKEFDGRVGEVAKA
30 AGAAGIPIRIGVNAGSLDKRFMEKYGKATPEALVESALWEASLFEEHGFEDIKISVKHNDPVVMVAAY
ELLAARCDYPLHLGVTEAGPAFQGTIKSAVAFGALLSRGIGDTIRVSLSAPPVEEVKVGNQVLESNL
RPRSLEIVSCPSCGRAQVDVYTLANEV TAGLDGLDVPLRVAVMGCVVNGPGEAREADLGVASGN GK
GQIFVRGEVIKTVPEAQIVETLIEEAMRLAAEMGEQDPGATPSGSPIVTVS

>Rv2869c - TB.seq 3180548:3181759 MW:42835 SEQ ID NO:257

35 MMFVTGIVLFALAILISVALHECGHMWVARRTGMKVRRYFVGFGPTLWSTRRGETEYGVKAVPLGG
FCDIAGMTPVEELDPDERDRAMYKQATWKRVA VLFAGPGMNLAI CLVLIYAIALVWGLPNLHPPTRAV
IGETGCVAQEV SQGKLEQCTGP GPAALAGIRSGDVVVKVGDTPVSSFDEMAAAVRKSHGSPVIVVE

RDGTAIVTYVDIESTQRWIPNGQGGELQPATVGAIGVGAARVGPVRYGVFSAMPATFAVTGDLTVEV
GKALAALPTKVGALVRAIGGGQRDPQTPISVVGASIIIGD TVDHGLWVAFWFFLAQLNLILAAINLLPL
LPFDGGHIAVAVFERIRNMVRSARGKVAAAPVNYLKLLPATYVVLVLVVG YMLLTVTADLVNPIRLFQ
>Rv2870c - TB.seq 3181770:3183077 MW:45324 SEQ ID NO:258

VATGGRV VIRRGDNEVVAHNDEV TNSTDGRADGRLRVVLGSGSIGTQALQVIADNPDRFEVVG
LAAGGAHLDTLLRQRAQTGVTNIAVADEHAAQRVGDIPYHGSDAATRLVEQTEADVVLNALVGALGL
RPTLAALKTGARLALANKESLVAGGSLVLRARPQGQIVPVDSEHSALAQLRGGTPDEVAKLVTAS
GGPFRGWSAADLEHVTPEQAGAHPTWSMGPMNTLNSASLVNKGLEVIETHLLFGIPYDRIDVVVHP
QSIIHSMVTFIDGSTIAQASPPDMKLPISLALGWPRRVSGAAAACDFHTASSWEFEPLD TDVFPAVEL
ARQAGVAGGCMTAVYNAANEEAAAFLAGRIGFPAIVGIIADVLHAADQWAVEPATVDDVLDAQRWA
RERAQRAVSGMASVAIASTAKPGAAGR HASTLERS

>Rv2922c smc member of Smc1/Cut3/Cut14 family TB.seq 3234189:3238055 MW:139610
SEQ ID NO:259

VGAGSRFPLVDPLPSVGARPDRLRGQPRRRTRAGGRPGSARCVPEAAAAAAGR HDTGPRRQSRR
RLVAVDGADHRVQRAVIWPLVYLKSLTLKGFSFAAPTTLRFEPGITAVVGPNGSGKSNVVDALAWV
MGEQGAKTLRGGMEDVIFAGTSSRAPLGRAEVTVSIDNSDNALPIEYTEVSITRRMFRDGASEYEIN
GSSCRLMDVQELLSDSGIGREMHVIVGQKLEELQSRPEDRRAFIEEAAGVLKHKRKEKALRKLD T
MAANLARLTDLTTELRRQLKPLGRQAEAAQRAAAIQADLRDARLRLAADDLVSRRAEREAVFQAEAA
MRREHDEAAARLAVASEELA AHESA VAE LSTRAESIQTWFGLSALAERVDATVRIASERAHHLDIEP
VAVSDTDPRKP EELEAE AQQVAVAEQQLLAELDAARARLDAARAELADRERRAAEADRAHLAAVRE
EADRREGLARLAGQVETMRARVESIDESVARL SERIEDAAMRAQQTRA EFETVQGRIGELDQGEVG
LDEHHERTVAALRLADERVAELQSAERAAERQVASLRARIDALAVGLQRKDGAAWLAHNRSGAGLF
GSIAQLVKVRSGYEALAAALGPAADALAVDGLTAAGSAVSALKQADGGRAVLVLSWPA PQAPQS
ASGEMLP SGAQWALDLVESPPQLVGAMIAMLSGVAVVNDLTEAMGLVEIRPELRAVTV DGD LVGAG
WVSGGSDRKLSTLEVTSEIDKARSELAAAEALAAQLNAALAGALTEQSARQDAAEQALALNESDTAI
SAMYEQLGRLGQEARAAEEEWNRLLQQRTEQEAVRTQTLD DVIQLETQLRKAQETQ RVQVAQPIDR
QAISAAADRARGVEVEARLAVRTAEERANAVRGRADSLRRAAAAEREARVRAQQARAARLHAAAVA
AAVADCGRLLAGRLHRAVDGASQLRDASAAQRQQRLAAMA AVRDEVNTLSARVGELTDSLHRDEL
ANAQAALRIEQLEQMVLEQFGMAPADLITEYGP HVALPPTTELEMAEFEQARERGEQVIAPAPMPFDR
VTQERRAKRAERALAELGRVNPLALEEFAALEERYNFLSTQLEDVKAARKDLLGVVADVDARILQVFN
DAFVDVEREFRGVFTALFPGGEGRLRLTEPDDMLTTGIEVEARPPGKKITRLSLLSGGEKALTAVAML
VAIFRARPSPFYIMDEVEAALDDVNLRRLLSLFEQLREQSQIIITHQKPTMEVADALYGV TMQNDGITA
VISQRMRGQQVDQLVTNSS

>Rv2925c rnc RNase III TB.seq 3239829:3240548 MW:25400 SEQ ID NO:260

MIRSRQPLLDALGV DLPDELLSLAL THRSYAYENGGLPTNERLEFLGDAVLGLTITDALFHRHPDRSE
GDLAKLRASVNTQALADVARRLCAEGLGVHVLLGRGEANTGGADKSSILADGMESLLGAIY LQHGM

EKAREVILRLFGPLLDAAPTLGAGLDWKTSLQELTAARGLGAPSYLVTSTGPDHDKEFTAVVVVMDS
EYGSVGRSKKEAEQKAAAAWKALEVLDNAMPKGTSA

>Rv2934 ppsD TB.seq 3262245:3267725 MW:193317 SEQ ID NO:261

5 MTSLAERAAQLSPNARAALARELVRAGTTFPTDICEPVAWVGIGCRFPGNVTGPESFWQLLADGVDT
IEQVPPDRWDADAFYDPDPSASGRMTTKWGGFVSDVDAFDADFFGITPREAVAMDPQHRMLLEVA
WEALEHAGIPPDLSGTRTGVMGLSSWDYTIVNIERRADIDAYLSTGTPHCAAVGRIAYLLGLRGA
VAVDTACSSSLVAIHLACQSLRLRETDVALAGGVQLTSPFTAIALSKWSALSPTGRCNSFDANADGF
VRGEGCGVVVLKRLADAVRDQDRVLAVVRGSATNSDGRSNGMTAPNALAQRDVITSALKLADVTPD
10 SVNYVETHGTGTVLGDPIEFESLAATYGLGKGQGESPCALGSVKTNIGHLEAAAGVAGFIKAVLAVQR
GHIPRNLHFTRWNPIDASATRLFVPTESAPWPAAAGPRRAAVSSFGLSGTNAHVVEQAPDTAVAA
AGGMPYVSALNVSGKTAARVASAAVLADWMSGPGAAAPLADVAHTLNRHRARHAKFATVIARDRA
EAIAGLRALAAGQPRVGVVDCDQHAGGPGRVFVYSGQGSQWASMGQQLLANEPAFAKAVAELDPI
FVDQVGFSLQQTLDGDEVVGDRIQPVLVGMQLALTELWRSYGVIPDAVIGHSMGEVSAAVVAGALT
15 PEQGLRVITTRSRLMARLSGQGAMALLELDADAAEALIAGYPQVTLAVHASPRQTVIAGPPEQVDTVI
AAVATQNRRLARRVEVDVASHHPIDPILPELRSALDLTPQPPSIIPTTYESAQPVADADYWSANLRN
PVRFHQAVTAAGVDHNTFIEISHPVLTHALDTLDPDGSHTVMSTMNRELDQTLYFHAQLAAVGVA
ASEHTTGRLVDLPPTPWHHQRFWVTD RSAMSELAATHPLLGAHIEMPRNGDHVWQTDVGTEVCPW
LADHKVFGQPIMPAAGFAEIALAAASEALGTAADAVAPNIVINQFEVEQMLPLDGHTPLTTQLIRGGDS
20 QIRVEIYSRTRGGEFCRHATAKVEQSPRECAHAHPEAQGPATGTTVSPADFYALLRQTGQHHGPAF
AALSRIURLADGSAETEISIPDEAPRHPGYRLHPVVLDAALQSVGAAIPDGEIAGSAEASYPVSFETIR
VYRDIGRHVRCRAHLTNLDGGTGKMGRIVLINDAGHIAAEVDGIYLRVERRAVPLPLEQKIFDAEWT
ESPAAVPAPPEAAETTRGSWLVLADATVDAPGKAQAKSMADDFVQQWRSPMRRVHTADIHDESAV
LAAFAETAGDPEHPPVGVVVFVGGASSRLDDELAARDTVWSITTVRAVVGTHGRSPRLWLVTG
25 GGLSVADDEPGTPAAASLKGLVRVLAFEHPDMRTTLVDLDTQDPLTALSALRNAGSGSRHDDVIA
WRGERRFVERLSRATIDVSKGHPVVRQGASYVVTGGLGGLGLVVARWLVD RGAGRVVLGGRSDPT
DEQCNVLAELQTRAEIVVRGDVASPGVAEKLIETARQSGGQLRGVVHAAVIEDSLVFSMSRDNLE
RVWAPKATGALRMHEATADCELDWWLGFSSAASLLGSPGQAAYACASAWLDALVGWRRASGLPA
AVINWGPWSEVGVAQALVGSVLDTISVAEGIEALDSLLAADRI RTGVARLRADRALVAFPEIRSISYFT
30 QVVEELDSAGDLGDWGGPDALADLDPGEARRAVTERMCARIAAVMGYTDQSTVEPAVPLDKPLTEL
GLDSLMAVRIRNGARADFGVEPPVALILQGASLHDLTADLMRQLGLNDPDPALNNADTIRDRA RQRA
AARHGAAMRRRPKPEVQGG

>Rv2946c pks1 TB.seq 3291503:3296350 MW:166642 SEQ ID NO:262

35 VISARSAEALTAQAGRLMAHVQANPGLPIDVGCSLASRSVFEHRAVVVGASREQLIAGLAGLAAGE
PGAGVAVGQPGSVGKTVVVFPQGGAQRIGMGRELYGELPVFAQAFDAVADELDRHLRLPLRDVIW
GADADLLDSTEFAPALFAVEVASFAVLRDWGVLPDFVMGHVSGELAAAAHAAGVLT LADAAMLVVA

RGRLMQALPAGGAMVAVAASEDEVEPLLGEGVGIAAINAPESVVISGAQAAANAIADRFAAQGRRVH
 QLAVSHAFHSPLMEPMLEEFARVAARVQAREPQLGLVSNVTGELAGPDFGSAQYWVDHVRPVRP
 ADSARHLQTLGATHFIEAGPGSGLTGSIEQSLAPAEAMVVSMGLKDRPELASALGAAGQVFTTGVPV
 QWSAVFAGSGGRRVQLPTYAFQRRRFWETPGADGPADAAGLGLGATEHALLGAVVERPDSDEVVL
 5 TGRSLADQPWLADHVNVGVLFPGAGFVELVIRAGDEVGCALIEELVLAAPLVMHPGVGVQVQVVV
 GAADESGHRAVSVYSRGDQSQGWLLNAEGMLGVAAAETPMDLSVWPPEGAESVDISDGYAQLAE
 RGYAYGPAFQQLVAIWRRGSELF AEVVAPGEAGVAVDRMGMPAVLDAVLHALGLAVEKTQASTET
 RLPFCWRGVSLHAGGAGRVRARFASAGADAISVDVCDATGLPVLTVRSLVTRPITAEQLRAAVTAAG
 GASDQGPLEVWWSPIVSVGGANGSAPPAPVSWADFCAGSDGDASVVWWELESAGGQASSVVG
 10 VYAATHTALEVLQSWLGADRAATLVVLTGGVGLAGEDISDLAAA VWMARSQAENPGRIVLIDT
 DAAVDASVLAGVGEPQLLVGGTVHAPRLSPAPALLALPAAESAWRLAAGGGGTLEDLVIQPCPEV
 QAPLQAGQVRVAVAAVGVNFRDVVAALGMYPGQAPPLGAEGAGVVLETGPEVTDLAVGDVAMGFL
 GGAGPLAVVDQQLVTRVPQGWSFAQAAAVPVVFLTAWYGLADLAEIKAGESVLIHAGTGGVGMAAV
 QLARQWGVVEFVTASRGKWDTLRAMGFDDDHIGDSRTCEFEKFLAVTEGRGVDVVLDSLAGEFV
 15 DASLRLLVRGGRFLEMGKTDIRDAQEIAANYPGVQYRAFDLSEAGPARMQEMLAEVRELFDTRELH
 RLPVTTWDVRCAPAAFRFMSQARHIGKVLTMP SALADRLADGTWITGATGAVGGVLARHLVGAY
 GVRHLVLASRRGDRAEGAAELADLTEAGAKVQVACDVADRAAVAGLFAQLSREYPPVRGVIHAA
 GVLDDAVITSLTPDRIDTVLRKVDAAWNHLHQATSDLDLSMFALCSSLIAATVGSPPGQGNYSANAFD
 GLAAHRQAAGLAGISLAWGLWEQPGGMTAHLSSRDLARMSRSLAPMSPAEAVELFDAALAIHPL
 20 AVATLLDRAALDARAQAGALPALFSGLARRPRRRQIDDTGDATSSKSALAQLRHGLAADEQLELLVG
 LVCLQAAAVLGRPSAEDVDPDTEFGDLGFDLSLTAVELRNRLKTATGLTLPPTVIFDHPTPTAVAEYVA
 QQMSGSRPTESGDPTSQVVEPAAAEVSVHA

>Rv3014c ligA DNA ligase TB.seq 3372545:3374617 MW:75258 SEQ ID NO:263

VSSPDADQTAPEVLRQWQALAEVREHQFRYYVRDAPISDAEFDELLRRLEALEEQHPELRTPDSP
 25 TQLVGGAGFATDFEPVDHLERMLSLDNAFTADELA AWAGRIHA EVGDAAHYLCELKIDGVALSLVYR
 EGRLTRASTRGDGRGTGEDVTLNARTIADVPERLTPGDDYPVPEVLEVRGEVFFRLDDFQALNASLVE
 EGKAPFANPRNSAAGSLRQKDPAVTARRRLRMICHGLGHVEGFRPATLHQAYLALRAWGLPVSEHT
 TLATDLAGVRERIDYWGEHRHEVDHEIDGVVVKVDEVALQRRLGSTSRAPRWAIAYKYPPEEAQTKL
 LDIRVNVGRTGRITPFAFMTPVKVAGSTVGQATLHNASEIKRKGVLIGDTVIRKAGDVIPEVLGPVVE
 30 LRDGSEREFIMPTTCPECGSPLAPEKEGDADIRCPNARGCPGQLRERVFHVASRNLGLDIEVLGYEAG
 VALLQAKVIADEGELFALTERDLLRTDLFRTKAGELSANGKRLLVNLDKAKAAPLWRVLVALSIRHVGP
 TAARALATEFGSLDAIAAASTDQLAAVEGVGPTIAAAVTEWFAVDWHREIVDKWRAAGVRMVDERD
 ESVPRTLAGLTIVVTGSLTGFSRDDAKEAIVARGGKAAGSVSKKNTNYVAGDSPGSKYDKAVELGVPI
 LDEDGFRLLADGPASRT

35 >Rv3025c - NifS-like protein TB.seq 3383885:3385063 MW:40948 SEQ ID NO:264

MAYLDHAATTPMHAAIEAMAAVQRTIGNASSLHTSGRSARRRIEEARELIADKLARPSEVIFTAGG
 TESDNLAVKGIYWARRDAEPHRRRIVTTEVEHHAVLDSVNWLV EHEGAHVTWLPTAADGSVSATAL

REALQSHDDVALVSVMWANNEVGILPIAEMSVVAMEFGVPMHSDAIQAVGQLPLDFGASGLSAMS
VAGHKFGGPPGVGALLLRDVTVCPLMHGGGQERDIRSGTPDVASAVGMATAAQIAVDGLEENSAR
LRLLRDLVEGLAEIDDVCLNGADDPMLAGNAHFTFRGCEGDALLMLLDANGIECSTGSACTAGV
AQPSHVLIAMGVDAASARGSLRLSLGHTSVEADVDAALEVLPGAVARARRAALAAAGASR

5

>Rv3080c pknK serine-threonine protein kinase TB.seq 3442656:3445985 MW:119420
SEQ ID NO:265

MTDVPDPHATRRDLVPNIPAEELLEAGFDNVEEIGRGGFGVVYRCVQPSLDRAVAVKVLSTDLDNRNLE
RFLREQRAMGRLSGHPHIVTVLQVGVLAGGRPFIVMPYHAKNSLETIRRHGPLDWRETLSIGVKLA
10 GALEAAHRVGTLHRDVKPGNILLTDYGEPQLTDFGIARIAGGFETATGVIAGSPAFTAPEVLEGASPTP
ASDVYSLGATLFCALTGHAAYERRSGERVIAQFLRITSQPIPDLRKQGLPADVAAAIERAMARHPADR
PATAADVGEELRDVQRRNGVSVDEMPLVELGVERRRSPEAHAAHRHTGGGTPTVPTPTPATKY
RPSVPTGSLVTRSRLTDILRAGGRRRLILIHAPSGFGKSTLAAQWREELSRDGAAVAWLTIDNDDNNE
VWFLSHLLESIRRVRLTAESLGHVLEEHDAGRYVLTSLIDEIHENDDRIAVVIDDWHRVSDSRTQ
15 AALGFLLDNGCHHLQLIVTSWSRAGLPVGRRLRIGDELAEIDSAALRFDTDAAAALLNDAGGLRLPRAD
VQALTTSTDGWAAALRLAALSRLGGGDATQLLRGLSGASDVIHEFLSENVLDLTLEPELREFLLVASVT
ERTCGGLASALAGITNGRAMLEEAHRGLFLQRTEDDPNWFRFHQMFADFLHRRLERGGSHRVAEL
HRRASAWFAENGYLHEAVDHALAAGDPARAVDLVEQDETNLPEQSKMTTLAIVQKLPTSMVVSRA
RLQLAIAWANILLQRPAPATGALNRFETALGRAELPEATQADLRAEADVLRAVAEVFADRVERVDDLL
20 AEAMSRPDTLPPRVPGTAGNTAALAAICRFEFAEVYPLLDWAAPYQEMMGPFGTVYAQCLRGMAAR
NRLDIVAALQNFRTAFEVGTAVGAHSHAARLAGSLLAELLYETGDLGAGRLMDESYLLGSEGGAVD
YLAARYVIGARVKAQGDHEGAADRLSTGGDTAVQLGLPRLAARINNERIRLGIALPAAVAADLLAPR
TIPRDNGIATMTAELEDSDAVRLLSAGDSADRDQACQRAGALAAIDGTRRPLAALQAQILHIETLAAT
GRESARNELAPVATKCAELGLSRLLVDAGLA

25 >Rv3106 fprA adrenodoxin and NADPH ferredoxin reductase TB.seq 3474004:3475371
MW:49342 SEQ ID NO:266

MRPYYIAIVGSGPSAFFAAASLLKAADTTEDLDMAVDMLEMLPTPWGLVRSGVAPDHPKIKSISKQFE
KTAEDPRFRFFGNVVVGEHVQPGELSERYDAVIYAVGAQSDRMLNIPGEDLPGSIAAVDFVGWYNA
HPHFQVSPDLSGARAVVIGNGNVALDVARILLTDPDVLARTDIADHALESRLPRGIQEVVIVGRRGPL
30 QAAFTTLELRELADLDGVDVIDPAELDGITDEDAAVGKVCKQNIKVLRGYADREPRPGHRRMVFR
FLTSPIEIKGKRKVERIVLGRNELVSDGSGRVAAKDTGEREELPAQLVVRVSVGYRGVPTPGLPFDDQ
SGTIPNVGGRINGSPNEYVVGWIKRGPTGVIGTNKKDAQDVTDLIKNLGNAKEGAECKSFPEDHAD
QVADWLAARQPKLVTSAHWQVIDAFERAAGEPHGRPRVKLASLAELLRIGLG

>Rv3235 - TB.seq 3611296:3611934 MW:22659 SEQ ID NO:267

35 MMASNQTA AQHSSATLQQAPRSIDDAGGCPLTISPIANSPGDTFAVTPVVEYEPNIPPCGQSSH
AARRPHTPQLARRQPIRPSGRAPAAVTSTAKSPRLRQAGTFADAALRRVLEIDRRRPVGQLRPLLA

PGLVDSVLAVSRTAAGHQGAAMLRRIRLTPAGPDTADTAAEVFGTYSRGDRIHAIACRVEQRPAGN
ETRWLMVALHIG

>Rv3255c manA mannose-6-phosphate isomerase TB.seq 3635040:3636263 MW:43340
SEQ ID NO:268

5 VELLRGALRTYAWGSRTAIAEFTGRPVPAAHPEAELWFGAHPGDPAWLQTPHGQTSLLEALVADPE
GQLGSASRARFGDVLPLVKVLADEPLSLQAHPSAEQAVEGYLREERMGIPVSSPVRNYRDTSHK
PELLVALQPFEALAGFREAAARTTELLRALAVSDLPDFIDLLSEGSDADGLRALFTTWITAPQPDIDVLV
PAVLDAIYQVSSGATEFGAEAKTVLELGERYPGDAGVLAALLNRISLAPGEAIFLPAGNLHAYVRG
FGVEVMANSNDNLRGGLTPKHVDVPELLRVLDFAPTPKARLRPPIRREGLGLVFETPTDEFAATLLVL
10 DGDHLGHEVDASSGHDGPQILLCTEGSATVHGKCGSLTLQRGTAAWVAADDGPIRLTAGQPAKLFR
ATVGL

>Rv3264c rmlA2 glucose-1-phosphate thymidyltransferase TB.seq 3644897:3645973 MW:37840
SEQ ID NO:269

15 LATHQVDAVVLVGGKGTRLRPLTLSAPKPMLPTAGLPFLTHLLSRIAAAGIEHVILGTSYKPAVFEEAF
GDGSALGLQIEYVTEEHPLGTGGGIANVAGKLRNDTAMVFNGDVLSGADLAQLLDFHRSNRADVTL
QLVRVGDPRAFGCVPTDEEDRVAFLEKTEDPPTDQINAGCYVFERNVIDRIPQGREVSVEREVFPA
LLADGDCKIYGYVDASYWRDMGTPEDFVRGSADLVRGIAPSPALRGHRGEQLVHDGAAVSPGALLI
GGTVVGRGAEIGPGTRLDGAVIFDGVRVEAGCVIERSIIGFGARIGPRALIRDGVIGDGADIGARCELL
SGARVWPGVFLPDGGIRYSSDV

20 >Rv3368c - TB.seq 3780334:3780975 MW:23734 SEQ ID NO:270

MTLNLSVDEVLTTRSVRKRLDFDKVPRDVLMECLELALQAPTGSNSQGWQWVFVEDAAKKKAIA
DVYLANARGYLSPAPEYPDGDTRGERMGRVRDSATYLAEHMHRAPVLLIPCLKGREDESAVGGVS
FWASLFPVWSFCLALRSRGLGSCWTTLLHLDNGEHKVADVLGIPYDEYSQGGLLPIAYTQGIDFRP
25 AKRLPAESVTHWNGW

>Rv3382c lytB1 TB.seq 3796447:3797433 MW:34667 SEQ ID NO:271

30 MAEVFVGPVAQGYASGEVTVLLASPRSFCAGVERAIETVKRVLDVAEGPVYVRKQIVHNTVVVAELR
DRGAVFVEDLDEIPDPPPGAVVVFSAHGVSPAVRAGADERGLQVVDATCPLVAKVHAEARFAAR
GDTVVFIGHAGHEETEGTLGVAPRSTLLVQTPADVAALNLPEGTQLSYLTQTTLALDETADVIDALRA
RFPTLGQPPSEDICYATTNRQALQSMVGECDVVLVIGSCNSSNSRRLVELAQRSGTPAYLIDGPDDI
EPEWLSSVSTIGVTAGASAPPRLVGQVIDALRGYASITVVERSIAETETVRFGLPKQVRAQ

>Rv3418c groES 10 kD chaperone TB.seq 3836985:3837284 MW:10773 SEQ ID NO:272

35 VAKVNIKPLEDKILVQANEAEETTTASGLVIPDTAKEKPQEGTVVAVGPGRWDEDEGEKRIPLDVAEGDT
VIYSKYGGTEIKYNGEEYLILSARDVLAVVSK

>Rv3423c alr TB.seq 3840193:3841416 MW:43357 SEQ ID NO:273

VKRFWENVGKPNDTTDGRGTTSLAMTPISQTPGLLAEAMVDLGAIEHNVRVLREHAGHAQLMAVVK
ADGYGHGATRVAQTALGAGAAELGVATVDEALALRADGITAPVLAWLHPPGIDFGPALLADVQVAVS
SLRQLDELLHAVRRTGRTATVTVKVDTGLNRNGVGPAQFPAMLTALRQAMAEDAVRLRGLMSHMV
5 YADKPDDSINDVQAQRFTAFLAQAREQGVRFVAHLSNSSATMARPDLTDFDLVRPGIAVYGLSPVPA
LGDMGLVPAMTVKCAVALVKSIRAGEGVSYGHTWIAPRDTNLALLPIGYADGVFRSLGGRLEVLINGR
RCPGVGRICMDQFMVDLGPGLDVAEGDEAILFGPGIRGEPTAQDWADLVGTIHYEVVTSRPRGRITR
TYREAENR

10 >Rv3490 otsA [alpha],-trehalose-phosphate synthase TB.seq 3908232:3909731 MW:55864
SEQ ID NO:274

MAPSGGQEAQICDSETFGDSDFVNVANRLPVDLERLPDGSTTWKRSPGGLVTALEPVLRRRRGAW
VGWPGVNDDGAEPDLHVLDPGPIQDELELHPVRLSTTDIAQYYEGFSNATLWPLYHDVIVKPLYHRE
WWDRYVDVNQRFAEAASRAAAHGATVWVQDYQLQLVPMKMLRMLRPDLTIGFFLHIPPPPVELFMQ
15 MPWRTEIIQGLLGADLVGFHLPGGAQNFLILSRRLVGTDTSRGTVGVRSRFGAAVLGSRTIRVGAFPI
SVDSGALDHAARDNRIRRRAREIRTELGNPRKILLGVDRLDYTKGIDVRLKAFSELLAEGRVKRDDTV
VVQLATPSRERVESYQTLRNDIERQVGHINGEYGEVGHVPVHYLHRPAPRDELIAFFVASDVMLVTP
LRDGMNLVAKEYVACRSDLGGALVLSEFTGAAELRHAYLVNPHDLEGVKDGIEEALNQTEEAGRR
RMRSLRRQVLAHDVDRWAQSFLDALAGAHPRGQG

20 >Rv3598c lysS lysyl-tRNA synthase TB.seq 4041423:4042937 MW:55678 SEQ ID NO:275

VSAADTAEDLPEQFRIRRDKRARLLAQGRDPYPVAVPRHTLAEVRAAHPDLPIDTATEDIVGVAGRV
IFARNSGKLCFATLQDGDGTQLQVMISLDKVGQAALDAWKADVDLGDIVYVHGAVISSRRGELSULA
DCWRIAASLRPLPVAHKEMSEESRVRQRYVDLIVRPEARAVARLRIAVVRAIRTAQQRRGFLEVETP
25 VLQTLAGGAAARPFATHSNALDIDLYLRIAPELFLKRCIVGGFDKVFELNVRFRNEGADSTHSPEFSM
LETYQTYGTYDDSAVVTRELIQEVADEAIGTRQLPLPDGSVYDIDGEWATIQMYPSSLVALGEEITPQT
TVDRLRGIADSLGLEKDPPIHDNRGFGHGKLIELWERTVGKSLSAPTFFVKDFPVQTTPLTRQHRISIP
GVTEKWDLYLRGIELATGYSELSDPVVQRERFADQARAAAAGDDEAMVLDEDFLAALEYGMPPCTG
TGMGIDRLLMSLTGLSIRETVLFPIVRPHSN

30 >Rv3600c - similar to Bacillus subtilis protein YacB TB.seq 4043041:4043856 MW:29274
SEQ ID NO:276

VLLAIDVRNTHTVVGLLSGMKEHAKVVQQWRIRTESEVTADELALTIDGLIGEDSERLTGTAALSTVPS
VLHEVRIMLDQYWPSVPHVLIEPGVVRTGIPLLDNPKEVGADRIVNCLAAYDRFRKAAIIVDFGSSICV
35 DVVSAKGEFLGGAIAPGVQVSSDAAAARSALRRVELARPRSVVGKNTVECMQAGAVFGFAGLVLDG
LVGRIREDVSGFSVDHDAIVATGHTAPLLLPELHTVDHYDQHLTLQGLRLVFERNLEVQRGRCLKAR

>Rv3606c folK 7,8-dihydro-6-hydroxymethylpterin pyrophosphokinase TB.seq

4048181:4048744 MW:20732 SEQ ID NO:277

MTRVVL SVGSNLGDRLARLRSVADGLGDALIAASPIYEADPWGGVEQGQFLNAVLIADDPTCEPREW
LRR AQEFERAAGRVRGQRWGPRNLDVDLIACYQTSATEALVEVTARENHLLPHPLAHLRAFVLIPW
5 IAVDPTAQLTVAGCPRPVTRLLAELEPADRDSVRLFRPSFDLNSRHPVSRAPES

>Rv3607c folX may be involved in folate biosynthesis TB.seq 4048744:4049142 MW:14553

MADRIELRGLTVHGRHGVYDHERVAGQRFVIDVTWIDLAEAA NSDDLADTYDYVRLASRAAEIVAG
PPRKLIETVGAEIADHVMDDQRVHAVEVAVHKPQAPIPQTFDDVAVVIRRSRRGGRGWVVPAGGAV

10 >Rv3608c folP dihydropteroate synthase TB.seq 4049138:4049977 MW:28812 SEQ ID NO:278

VSPAPVQVMGVNLVTDDSFSDGGCYLDLDDAVKHGLAMAAAGAGIVDVGGESSRPGATRVDPAVE
TSRVIPVVKELAAQGITVSIDTMRADVARAALQNGAQMVNDVSGGRADPAMGPLLAEADVPWVLMH
WRAVSADTPHVPVRYGNVVAEVRADLLASVADAVAAGVDPARLVLDPLGLFAKTAQHNWAILHALP
ELVATGIPVLVGASRKRLGALLAGPDGVMRPTDGRDTATAVISALAALHGAWGVRVHDVRASVDAL
15 KVVEAWMGAERIERDG

>Rv3609c folE GTP cyclohydrolase I TB.seq 4049977:4050582 MW:22395 SEQ ID NO:279

MSQLDSRSASARIRVFDQQRAEAAVRELLYAIGEDPDRDGLVATPSRVARSYREMFAGLYTDPDSVL
NTMFDEHDDELVLVKEIPMYSTCEHHLVAFHGVAVHGYIPGDDGRVTGLSKIARLVLYAKRPQVQE
RLTSQIADALMKKLDPRGVIVIEAEHLCMAMRGVRKPGSVTTTSAVRGLFKTNAASRAEALDLILRK

20 >Rv3610c ftsH inner membrane protein, chaperone TB.seq 4050601:4052880 MW:81987

MNRKNVTRTITAI VVLLGWSFFYFSDDTRGYKPVDT SVAITQINGDNVKS AQIDDREQQLRLILKKG
NNETDGSEKVITKYPTGYAVDLFNALS AKNKVSTVNQGSILGELLVYVLP LLLLVLGLFVMFSRMQG
GARMGFGFGKSRAKQLSKDMPKTTFADVAGVDEAVEELYEIKDFLQNPSRYQALGAKIPKGVLLYGP
PGTGKTLARAVAGEAGVPFFTISGSDFVEMFVGVGASRVRDLFEQAKQNSPCIIFVDEIDAVGRQR
25 GAGLGGGHDEREQTLNQLLVEMDGF GDRA GVILIAATNRPDILDPALLRPGRFDRQIPVSNPDLAGR
RAVLRVHSGKGPMAADADLDGLAKRTVGMTGADLANVINEAALLTARENGTVITGPAL EEA VDRVIG
GPRRKGRRISEQEKKITAYHEGGHTLA AWAMPDIEPIYKVTILARGRTGGH AVAVPEEDKGLRTRSEMI
AQLVFAMGGRAAEELVFREPTTGAVSDIEQATKIARSMVTEFGMSSKLGAVKYGSEHGDPFLGR TM
GTQPDYSHEVAREIDEEVRKLEAAHTEAWEILTEYRDVLDTLAGELLEKETLHRPELESIFADVEKRP
30 RLTMFDDFGGRIPSDKPKPIKTPGELAIERGEPWPQVPEPAFKAAIAQATQAAEAARSDAGQTGHGA
NGSPAGTHRSGDRQYGSTQPDY GAPAGWHAPGWPPRSSHRPSYSGEPAPTYPGQPYPTGQADP
GSESSAEQDDEVSR TKPAHG

>Rv3671c - TB.seq 4112322:4113512 MW:40722 SEQ ID NO:280

MTPSQWLDIAVLAVAFIAAISGW RAGALGSMLSFGGVLLGATAGVLLAPHIVSQISAPRAKLFAALFLIL
35 ALVVVGEVAGVVLGRAVRGAIRNRPIRLIDSVIGVGVQLVVVLTAAWLLAMPLTQSKEQPELAAAVKG
SRVLARVNEAAPTWLKTVPKRLSALLNTSGLPAVLEPFSRTPVIPVASPDALVNNPVVAATEPSVVKI
RSLAPRCQKVLEGTGFVISPD RVM TNAHVVAGSNNVT VYAGDKPFEATVVS YDPSVDVAILAVPHLP

PPPLVFAAEPAKTGADVVLGYPPGGNFTATPARIREAIRLSGPDYGDPEPVTRDVYTIRADVEQGD
SGGPLIDLNGQVLGVVFGAAIDDAETGFVLTAGEVAGQLAKIGATQPVGTGACVS

>Rv3682 ponA2 TB.seq 4121913:4124342 MW:84637 SEQ ID NO:281

MPERLPAAITVLKLAGCCLLASVVATALTFPFAGGLGLMSNRASEVVANGSAQLLEGQVPAVSTMVD
5 AKGNTIAWLYSQRRFEVPSDKIANTMKLAIVSIEDKRFADHSGVDWKGTLTGLAGYASGDLDTRGGS
TLEQQYVKNYQLLVTAQTDAAEKRAAVETTPARKLREIRMALTDKFTKSEILTRYLNLVSFGNNSFG
VQDAAQTYFGINASDLNWQQAALLAGMVQSTSTLNPYTNPDGALARRNVVLDTMENLPGAEALR
AAKAEPLGVLPQPNELPRGCIAGDRAFFCDYVQEYLSRAGISKEQVATGGYLIRTTLDPEVQAPVKA
AIDKYASPNLAGISSVMSVIKPGKDAHKVLAMASNRKYGLDLEAGETMRPQPFSLVGDGAGSIFKIFT
10 TAAALDMGMGINAQLDVPPRFQAKGLGSGGAKGCPKETWCVVNAGNYRGS MNVTDALATSPNTAF
AKLISQVGVGRAVDMAIKLGLRSYANPGTARDYNPDSNESLADFVKRQNLGSFTLGPIELNALELSNV
AATLASGGVWCPPNPIDQLIDRNGNEVAVTTETCDQVVPAGLANTLANAMSKDAVGS GTAAGSAGA
AGWDLPMMSGKTGTTEAHSAGFVGFTNRYAAANYIYDDSSSPTDLC SGPLRHCGSGDLYGGNEPS
RTWFAAMKPIANNFGEVQLPPTDPRYVDGAPGSRVPSVAGLDVDAARQLKDAGFQVADQTSNVN
15 SSAKYGEVVGTS PSQGQTIPGSIVTIQISNGIPPAPPPPPPLPEDGGPPPPVGSQVVEIPGLPPIITILLAP
PPPPPP

>Rv3721c dnaZX DNA polymerase III,[gamma] (dnaZ) and t (dnaX) TB.seq 4164995:4166728
MW:61892 SEQ ID NO:282

VALYRKYPASFAEVVGQEHVTAPLSVALDAGRINHAYLFSGPRGCGKTSSARILARSLNCAQGPTA
20 NPCGVCESCVSLAPNAPGSIDVVELDAASHGGVDDTRELRDRAFYAPVQSRYRVFIVDEAHMVTTA
GFNALLKIVEEPPEHLIFATTEPEKVLPTIRSRTTHYPFRLLPPRTMRALLARICEQEGVVDDAVYP
LVIRAGGGSPRDTLSVLDQLLAGAADTHV TYTRALGLLGVT DVALIDDAVDALAACDAAALFGAIESVI
DGGHDPRRFATDLLERFRDLIVLQSVPAASRGVVDAPEDALDRMREQAARIGRATLTRYAEVVQA
GLGEMRGATAPRLLLEVVCARLLLPSASDAESALLQRVERIETRLDMSIPAPQAVPRPSAAAAEPKHQ
25 PAREPRVLAPTPASSEPTVAAVRSMWPTVRDKVRLRSRTTEVMLAGATVRALEDNTLVLT HESAPL
ARRLSEQRNADVLAELKDALGVNWRVRCETGEPAAAASPVGGGANVATAKAVNPAPTANSTQRD
EEEHMLAEAGRGDPSPRRDPEEVALELLQNELGARRIDNA

>Rv3783 - TB.seq 4229255:4230094 MW:32337 SEQ ID NO:283

MTFMDAQASFQTQSRTLARVRGDLVDGFRRHFWLHLGWQDIKQRYRRSVLGPFWITIATGTTAVA
30 MGGLYSKLFRLELSEHLPYVTLGLIVWNLINAAILDGAEVFVANEGLIKQLPAPLSVHVYRLVWRQMIF
FAHNIVYFVIAIIFPKPWSWADLSFLPALALIFLNCVWVSLCFGILATRYRDIGPLLSVVQLLFFMTPII
WNDETLRRQGAGRWSSIVELNPLLHYLDIVRAPLLGAHQELRHWLVVLTVVGWMLA AFAMRQYR
ARVPYWV

>Rv3789 - TB.seq 4235371:4235733 MW:13378 SEQ ID NO:284

MRFVVTGGLAGIVDFGLYVVLYKVAGLQVDLSKAISFIVGTITAYLINRRWTFQAEPSTARFVAVMLLY
35 GITFAVQVGLNHLCLALLHYRAWAIPVAFVIAQGTATVINFIQRAVIFRIR

>Rv3790 - TB.seq 4235776:4237158 MW:50164 SEQ ID NO:285

MLSVGATTTATRLTGWGRTPASVANVLRTPDAEMIVKAVARVAESGGGRGAIARGLGRSYGDNAQN
GGGLVIDMTPLNTIHSIDADTKLVDIDAGVNLDQLMKAALPFGLWVPVLPGTRQVTVGGAIACDIHGK
NHHSAGSFGNHVRSMDLLTADGEIRHLTPTGEDAELFWATVGGNGLTGIIMRATIEMTPTSTAYFIAD
GDVTASLDETIALHSDGSEARYTYSSAWFDAISAPPKLGRAAVSRGRLATVEQLPAKLRSEPLKFDAP
5 QLLTLPDVFPNGLANKYTFGPIGELWYRKSGTYRGKVQNLTKFYHPLDMFGEWNRAYGPAGFLQYQ
FVIPTAEVDEFKKIIGVQASGHYSFLNVFKLFGPRNQAPLSFPIPGWNICVDFPIKDGLGKFVSELD RR
VLEFGGRLYTAKDSRTTAETFHAMYPRVDEWISVRRKVDPLRVFASDMARRLELL

>Rv3791 - TB.seq 4237162:4237923 MW:27470 SEQ ID NO:286

MVLDAVGPNPQTVLLGGTSEIGLAICERYLHNSAARIVLACLPDDPRREDAAAAMKQAGARSVELIDF
10 DALDTD SHPKMIEAAFSGGDVDVAIVAFGLLGDAEELWQNQRKAVQIAEINYTAAVSVGVLLAEKMR
AQGFQGIAMSSAAGERVRRANFVYGSTKAGLDGFYGLSEALREYGVRVLVIRPGQVRTRMSAHLK
EAPLTV DKEYVANLAVTASAKGKELWAPAAFVMMVLRHIPRSIFRKLPI

>Rv3794 embA TB.seq 4243230:4246511 MW:115694 SEQ ID NO:287

VPHDGNERSHRIARLAAVSGIAGLLLCGIVPLLPVNQTTATIFWPQGSTADGNITQITAPLVSGAPRA
15 LDISIPCSAIATLPANGGLVLSTLPAGGVDTGKAGLFVRANQDTVVAFRDSVAAVAARSTIAAGGCS
ALHIWADTGGAGADFMGIPGGAGTLPPEKKPQVGGIFTDLKVGAPGLSARVDIDTRFITTPGALKKA
VMLLGVLAVLVAMVGLAALDRLSRGRTL RDWLTRYRPRVRVGFASRLADA AVIATLLLWHVIGATSS
DDGYLLTVARVAPKAGYVANYRYFGTTEAPFDWYTSVLAQLAAVSTAGVWMRLPATLAGIACWLIV
SRFVLRRLGPGPGGLASNRVAVFTAGAVFLSAWL PFNGLRPEPLIALGVLVTWVLVERSIALGRLAP
20 AAVAIIVATLTATLAPQGLIALP LLTGARAI AQIRRRRATDGLLAPLAVLAAALSLITVVFRDQTLATV
AESARIKYKVGTIAWYQDFLRYYFLTVESNVEGSMSRRFAVLVLLFCLFGVLVLLRRGRVAGLASG
PAWRLIGTTAVGLLLL TFTP KWAVQGFAGLAGVLGAVTAFTFARIGLHSRRNL TLYVTALLFVLA
WATSGINGWFYVGNYGVPWYDIQPVIA SHPVTSMFLTLSILTGLLAAWYHFRMDYAGHTEVKDNR
NRILASTPLL VAVIMVAGEVGSMKAAVFRYPLYTTAKANLTALSTGLSSCAMADDVLAEPDPNAGM
25 LQVPVPGQAFGPDG PLGGISPVGFKPEGVGEDLKSDPVVSKPGLVNSDASPKNPNAITDSAGTAGG
KGPVGINGSHAALPFGLDPARTPVMGSYGENNLAATATSAWYQLPPRSPDRPLVVSAAGAIWSYK
EDGDFIYGQSLKLQWGVTPGDGRIQPLGQVFPIDIGPQPAWRNLRFPLAWAPPEADVARIVAYDPNL
SPEQWFAFTPPRVPVLESLQRLIGSATPVLMDIATAANFPCQRPFSEHLGIAELPQYRILPDHKQTAA
SSNLWQSSSTGGPFLFTQALLRTSTIATYLRGDWYRDWGSVEQYHRLVPADQAPDAVVEEGVITVP
30 GWGRPGPIRALP

>Rv3795 embB TB.seq 4246511:4249804 MW:118023 SEQ ID NO:288

MTQCASRRKSTPNRAILGAFASARGTRWVATIAGLIGFVLSVATPLL PVVQTTAMLDWPQRGQLGSV
TAPLISLTPVDFTATVPCDVVRAMPPAGGVVLGTAPKQGKDANLQALFVVVSAQRVDVTDNRVILS
VPREQVTSPPCQRIEVTSTHAGTFANFVGLKDPSGAPLRSGFPDNL RPQIVGVFTDLTGPA PPGA
35 VSATIDTRFSTRPTTLKLLAIIGAIVATVVALIALWRLDQLDGRGSIAQLLLRPFRPASSPGGMRR LIPAS
WRTFTLTDAVVIFGFLWHVIGANSSDDGYILGMARVADHAGYMSNYFRWFGSPEDPFGWYYNLLA
LMTHVSDASLWMRLPDLAAGLVCWLLLSREVL PRLGPAVEASKPAYWAAAMVLLTAWMPFNGLR

PEGIIALGSLVTYVLIERSMRYSRTPAALAVVTAFTLGVQPTGLIAVAALVAGGRPMLRILVRRHRLV
GTLPLVSPMLAAGTVILT VVFADQTLSTVLEATRVRKIGPSQAWYTENLRYYYLILPTVDGSLSRFRG
FLITALCLFTAVFIMLRRKRIPSVARGPAWRLMGVIFGTMFFLMFTPTKWWHHFGLFAAVGAAMAALT
TVLVSPSVLRWSRNRMAFLAALFFLLALCWATTNGWWYVSSYGVPFNSAMPKIDGTVSTIFFALFAI
5 AAGYAAWLHFAPRGAGEGRLIRALTAPVPIVAGFMAAVFVASMVAGIVRQYPTYSNGWSNVRAFV
GGCGLADDVLVEPDTNAGFMKPLDGDSGSWGPLGPLGGVNPVGFTPNGVPEHTVAEAIMKPNQP
GTDYDWDAPTKLTSPGINGSTVPLPYGLD PARVPLAGTYTTGAQQQSTLVSAWYLLPKPDDGHPLV
VWTAAGKIAGNSVLHGYPGQTVVLEYAMPGP GALVPAGRMVPDDLYGEQPKAWRNLR FARAKMP
ADAVAVRVVAEDLSLTPEDWIAVTPPRVPDLRSLQEYVGSTQPVLLDWAVGLAFPCQQPMLHANGIA
10 EIPKFRITPDYSAKKLDDTDWEDGTNGLLGITDLLLRAHVMATYLSRDWARDWGSLRKFDTLVDAP
PAQLELGTATRSGLWSPGKIRIGP

>Rv3834c serS seryl-tRNA synthase TB.seq 4307655:4308911 MW:45293 SEQ ID NO:289
VIDLKLLRENPD AVRRSQLSRGEDPALVDALLTADAARRAVISTADSLRAEQKAASKSVGGASPEERP
PLLRRAKELAEQVKAAEADEVEAEAAFTAHLAISNVIVDGV PAGGEDDYAVLDVVGEPSYLENPKD
15 HLELGESLGLIDMQRGAKVSGSRFYFLTGRGALLQLGLLQLALKLAVDNGFVPTIPPVLVRPEVMVGT
GFLGAHAEEVYRVEGDGLYLVGTSEVPLAGYHSGEILDLSRGPLRYAGWSSCFRREAGSHGKDTRG
IIRVHQFDKVEGFVYCTPADAEHEHERLLGWQRQMLARIEVPYRVIDVAAGDLGSSAARKFDCEAWI
PTQGAYRELTSTSNCTTFQARRLATRYRDASGKPQIAATLNGTLATTRWLVAILENHQRPDGSVRVP
DALVPFVGVEVLEPVA

20 >Rv3907c pcnA polynucleotide polymerase TB.seq 4391631:4393070 MW:53057 SEQ ID NO:290
VPEAVQEADLLTAAVALNRHAALLRELGSVFAAAGHELYLVGGSVRDALLGR LSPDLDTT DARPE
RVQEIVRPWADAVWDTGIEFGTVGVGKSDHRMEITTFRADS YDRVSRHPEVRFGDCLEGDLVRRDF
TTNAMAVRVTATGPGEFLDPLGGLAALRAKVLDTAAPSGSFGDDPLRMLRAARFVSQLGFAVAPR
VRAAIEEMAPQLARISAERVA AE LDKLLVGEDPAAGIDLMVQSGMGAVVLPEIGGM RMAIDEHHQHK
25 DVYQHSLTVLRQAIALEDDGPD LVLRWAALLHDIGKPATRRHEPDGGVSFHHHEVVGAKMVRKRMR
ALKYSKQMIDDISQLVYLHLRFHGYGDGKWTD SAVRRYVTDAGALLPRLHKLVRADCTTRNK RRAAR
LQASYDRLEERIAELAAQEDLDRVRPDL DGNQIMAVLDIPAGPQVG EAWRYLKELRLERGPLSTEEA
TTELLSWWKSRGNR

30 A number of embodiments of the invention have been described. Neverthe-
less, it will be understood that various modifications may be made without departing from
the spirit and scope of the invention. Accordingly, other embodiments are within the scope
of the following claims.

WHAT IS CLAIMED IS:

1. A method for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug comprising the following steps:

(a) providing a first nucleic acid or a polypeptide sequence that is known to be a drug target;

(b) providing at least one algorithm selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method, wherein the algorithm is capable analyzing a functional relationship between nucleic acid or polypeptide sequences; and

(c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one of the algorithms as set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be a target for a drug .

2. A method for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism comprising the following steps:

(a) providing a first nucleic acid or a polypeptide sequence that is known to be essential for the growth or viability of an organism;

(b) providing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method; and

(c) comparing the first nucleic acid or the polypeptide sequence to a plurality of sequences using at least one of the algorithms as set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence, thereby identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism.

3. The method of claim 1 or claim 2, wherein the drug is an anti-microbial drug.

4. The method of claim 1 or claim 2, wherein the first nucleic acid or a polypeptide sequence is derived from a pathogen.

5. The method of claim 4, wherein the pathogen is a microorganism.

6. The method of claim 1 or claim 2, wherein the microorganism is *Mycobacterium tuberculosis* (MTB).

7. The method of claim 1 or claim 2, wherein the plurality of sequences used to identify a second sequence comprises a database of the gene sequences of an entire genome of an organism.

8. The method of claim 1 or claim 2, wherein the plurality of sequences used to identify a second sequence comprises a database of the gene sequences derived from a pathogen.

9. The method of claim 1 or claim 2, wherein the “phylogenetic profile” method algorithm comprises

(a) obtaining data, comprising a list of proteins from at least two genomes;

(b) comparing the list of proteins to form a protein phylogenetic profile for each protein, wherein the protein phylogenetic profile indicates the presence or absence of a protein belonging to a particular protein family in each of the at least two genomes based on homology of the proteins; and

(c) grouping the list of proteins based on similar profiles, wherein proteins with similar profiles are indicated to have a functional relationship.

10. The method of claim 9, wherein the phylogenetic profile is in the form of a vector, matrix or phylogenetic tree.

11. The method of claim 9, comprising determining the significance of homology between the proteins by computing a probability (p) value threshold.

12. The method of claim 11, wherein the probability is set with respect to the value $1/NM$, based on the total number of sequence comparisons that are to be performed, wherein N is the number of proteins in the first organism's genome and M in all other genomes.

13. The method of claim 9, wherein the presence or absence is by calculating an evolutionary distance.

14. The method of claim 13, wherein the evolutionary distance is calculated by:

- (a) aligning two sequences from the list of proteins;
- (b) determining an evolution probability process by constructing a conditional probability matrix: $p(aa \rightarrow aa')$, where aa and aa' are any amino acids, said conditional probability matrix being constructed by converting an amino acid substitution matrix from a log odds matrix to said conditional probability matrix;
- (c) accounting for an observed alignment of the constructed conditional probability matrix by taking the product of the conditional probabilities for each aligned pair during the alignment of the two sequences, represented by $P(p) = \prod_n p(aa_n \rightarrow aa'_n)$; and
- (d) determining an evolutionary distance α from powers equation $p' = p^\alpha(aa \rightarrow aa')$, maximizing for P .

15. The method of claim 14, wherein the conditional probability matrix is defined by a Markov process with substitution rates, over a fixed time interval.

16. The method of claim 14, where the conversion from an amino acid substitution matrix to a conditional probability matrix is represented by:

$$P_B(i \rightarrow j) = p(j) 2^{\frac{\text{BLOSUM62}_{ij}}{2}},$$

where BLOSUM62 is an amino acid substitution matrix, and $P(i \rightarrow j)$ is the probability that amino acid i is replaced by amino acid j through point mutations according to BLOSUM62 scores.

17. The method of claim 16, where P_j 's are the abundances of amino acid j and are computed by solving a plurality of linear equations given by the normalization condition that:

$$\sum_i P_B(i \rightarrow j) = 1.$$

18. The method of claim 1 or claim 2, wherein the "physiologic linkage" method algorithm identifies proteins and nucleic acids that participate in a common functional pathway.

19. The method of claim 1 or claim 2, wherein the "physiologic linkage" method algorithm comprises identifies proteins and nucleic acids that participate in the synthesis of a common structural complex.

20. The method of claim 1 or claim 2, wherein the "physiologic linkage" method algorithm comprises identifies proteins and nucleic acids that participate in a common metabolic pathway.

21. The method of claim 1 or claim 2, wherein the "domain fusion" method algorithm comprises

(a) aligning a first primary amino acid sequence of multiple distinct non-homologous polypeptides to second primary amino acid sequence of a plurality of proteins; and

(b) for any alignment found between the first primary amino acid sequences of all of such multiple distinct non-homologous polypeptides and at least one protein of the second primary amino acid sequences, outputting an indication identifying the aligned second primary amino acid sequence as an indication of a functional link between the aligned first and second polypeptide sequences.

22. The method of claim 21, wherein the aligning is performed by an algorithm selected from the group consisting of a Smith-Waterman algorithm, Needleman-Wunsch algorithm, a BLAST algorithm, a FASTA algorithm, and a PSI-BLAST algorithm.

5 23. The method of claim 21, wherein the multiple distinct non-homologous polypeptides are obtained by translating a nucleic acid sequence from a genome database.

10 24. The method of claim 21, wherein the plurality of proteins have a known function.

25. The method of claim 21, wherein at least one of the multiple distinct non-homologous polypeptides has a known function.

15 26. The method of claim 21, wherein at least one of the multiple distinct non-homologous polypeptides has an unknown function.

20 27. The method of claim 21, wherein the alignment is based on the degree of homology of the multiple distinct non-homologous polypeptides to the plurality of proteins.

25 28. The method of claim 21, further comprising determining the significance of the aligned and identified second primary amino acid sequence by computing a probability (p) value threshold.

30 29. The method of claim 28, wherein the probability threshold is set with respect to the value $1/NM$, based on the total number of sequence comparisons that are to be performed, wherein N is the number of proteins in a first organism's genome and M in all other genomes.

30. The method of claim 21, further comprising filtering excessive functional links between one first primary amino acid sequence of multiple distinct non-

homologous polypeptides and an excessive number of other distinct non-homologous polypeptides for any alignment found between the first primary amino acid sequences of the distinct non-homologous polypeptides and at least one of the second primary amino acid sequences of the plurality of proteins.

5

31. A computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug, the computer program product comprising instructions for causing a computer system to be capable of:

10 (a) inputting a first nucleic acid or a polypeptide sequence that is known to be a drug target;

(b) accessing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method; and

15

(c) comparing the first nucleic acid or the polypeptide drug target sequence to a plurality of sequences using at least one of the algorithms set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence and generating an output identifying a nucleic acid or a polypeptide sequence that may be a target for a drug .

20

32. A computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism, the computer program product comprising instructions for causing a computer system to be capable of:

25 (a) providing a first nucleic acid or a polypeptide sequence that is known to be essential for the growth or viability of an organism;

(b) accessing at least one algorithm capable analyzing a functional relationship between nucleic acid or polypeptide sequences selected from the group consisting of a “domain fusion” method, a “phylogenetic profile” method and a “physiologic linkage” method; and

30

(c) comparing the first nucleic acid or the polypeptide sequence to a plurality of sequences using at least one of the algorithms set forth in step (b) to identify a second sequence that has a functional relationship to the first sequence and generating an output identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism.

33. A computer system, comprising:

- (a) a processor; and
- (b) a computer program product as set forth in claim 31 or claim 32.

ABSTRACT

**DETERMINING THE FUNCTIONS AND INTERACTIONS OF
PROTEINS BY COMPARATIVE ANALYSIS**

5

10


15

20

The invention provides novel methods for characterizing the function of nucleic acids and polypeptides. The invention provides a novel method for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug. The invention provides a novel method for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism. The characterization is based on use of methods of the invention comprising algorithms that can identify functional relationships between diverse sets of non-homologous nucleic acid and polypeptide sequences. The invention provides a computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be essential for the growth or viability of an organism. The invention provides a computer program product, stored on a computer-readable medium, for identifying a nucleic acid or a polypeptide sequence that may be a target for a drug. The invention provides a computer system, comprising a processor and a computer program product of the invention.

10061607.doc

Figure 1




[illegible]

Figure 3




Figure 4




Figure 5

